

Haver installation instructions

Last updated: June 2017

1. Create the DLX folder
 - a. On the computer where Haver DLX needs to be installed, create a folder named **Haver** at the root of the **C:** drive.
 - b. In the **C:\Haver** folder, create a folder named **DLX**.
 - c. Right-click on the **DLX** folder and select **Properties**.
 - d. Under the **Security** tab of the **DLX Properties** windows, click on the **Edit...** button.
 - e. On the **Permissions for DLX** window, select **Authenticated Users** and check the **Modify** checkbox under the **Allow** column (if not checked).
 - f. Still on the **Permissions for DLX** window, select **Users** and click the check the **Modify** checkbox under the **Allow** column again.
 - g. Press **Ok** to close the **Permissions for DLX** window.
 - h. Press **Ok** to close the **DLX Properties** windows.

2. Install the Haver DLX application
 - a. Select the **Computer** icon on the left of the Windows Explorer and select **Map network drive** on the top menu
 - b. In the **Map a network drive** window, select **H:** from the **Drive:** dropdown list.
 - c. In the Folder: box, type [\\cad-p07.pcsun.ad.uottawa.ca\haver\\$](http://cad-p07.pcsun.ad.uottawa.ca/haver$)
 - d. Uncheck the **Reconnect at logon**.
 - e. Check the **Connect using different credentials**.
 - f. Click **Finish**.
 - g. Enter the following credentials: **haver-install / C2JfJYDgCZkK** and click **Ok**.
 - h. In the **H:** drive, navigate to folder **DLX** then **Install** and copy **DLXSETUP.exe** on your computer's desktop.
 - i. Execute **DLXSETUP.exe** by double-clicking on it.
 - j. Click **Next** on the first step of the Haver's DLX setup.
 - k. Enter your **User Name** and **Company Name** and click **Next**.
 - l. Leave the selection to **Normal [Recommended]** and click **Next**.
 - m. Press **Browse...** to select **H:\DLX** and click **Next**.
 - n. Make sure **H:\DLX\DLX.INI** shows in the **DLX Initialization** file box and press **Next**
 - o. Make sure the path for the primary **DLX databases** is [\\cad-p07.pcsun.ad.uottawa.ca\haver\\$\dlx\data\G10](http://cad-p07.pcsun.ad.uottawa.ca/haver$\dlx\data\G10) and click **Next**.
 - p. Click the **Browse...** and select **C:\Haver\DLX** and click **Ok** then click **Next**.
 - q. On the following window, make sure the checkbox are all checked and click **Next**.
 - r. Click **Ok** on the DLX Setup warning boxes. (The warnings are normal and can be discarded).
 - s. Click **Next** on the **Installation summary** window.

- t. Click **Finish** on the **Installation Complete** window.
 - u. Click on the **Computer** icon on the left of the **Windows Explorer** again then right click on the **haver\$ mapped drive (H:)** and select **Disconnect**.
3. Map the Haver execution drive and create the Haver shortcut
- a. Select the **Computer** icon on the left of the **Windows Explorer** and select **Map network drive** on the top menu.
 - b. From the **Drive:** dropdown menu, select **H:**.
 - c. In the **Folder:** box, type [\\cad-p07.pcsun.ad.uottawa.ca\haver\\$](http://cad-p07.pcsun.ad.uottawa.ca/haver$).
 - d. Check the **Reconnect at logon** (if not checked).
 - e. Check the **Connect using different credentials** (if not checked).
 - f. Click **Finish**.
 - g. Enter the following credentials: **haver** / Haver01 then check the **Remember my credentials** and press **Ok**.
 - h. Navigate to **H:\DLX** then right-click on **Dlxvg3** and select **Send To → Desktop (Create shortcut)**.
 - i. On your computer desktop, you can rename the newly created shortcut to **DLX View and Graph** (or anything else that you feel appropriate).