

**Statistics Canada**

**Canadian Community Health Survey,  
2009-2010: Annual component**

**Study Documentation**

October 10, 2013

# Metadata Production

<b>Metadata Producer(s)</b>	Map & Data Library (MDL) , University of Toronto , Producer
<b>Production Date</b>	October 9, 2011
<b>Identification</b>	CCHS_82M0013_E_2009-2010_ Annual component

# Table of Contents

<a href="#">Overview</a>	<a href="#">4</a>
<a href="#">Scope &amp; Coverage</a>	<a href="#">4</a>
<a href="#">Producers &amp; Sponsors</a>	<a href="#">5</a>
<a href="#">Data Collection</a>	<a href="#">5</a>
<a href="#">Accessibility</a>	<a href="#">5</a>
<a href="#">Rights &amp; Disclaimer</a>	<a href="#">5</a>
<a href="#">Files Description</a>	<a href="#">6</a>
<a href="#">CCHS 82M0013 E 2009-2010 Annualcomponent F1</a>	<a href="#">6</a>
<a href="#">Variables Group(s)</a>	<a href="#">7</a>
<a href="#">Administration and Information (ADM)</a>	<a href="#">7</a>
<a href="#">Geographic Variables</a>	<a href="#">7</a>
<a href="#">Socio-demographic characteristics</a>	<a href="#">7</a>
<a href="#">Income (INC)</a>	<a href="#">8</a>
<a href="#">General Health (GEN)</a>	<a href="#">8</a>
<a href="#">Voluntary Organizations - Participation (ORG)</a>	<a href="#">9</a>
<a href="#">Height and weight - Self-reported (HWT)</a>	<a href="#">9</a>
<a href="#">Chronic Conditions (CCC)</a>	<a href="#">10</a>
<a href="#">Health Utility Index (HUI)</a>	<a href="#">11</a>
<a href="#">Fruit and Vegetable Consumption (FVC)</a>	<a href="#">11</a>
<a href="#">Physical Activities (PAC)</a>	<a href="#">11</a>
<a href="#">Sedentary Activities (SAC)</a>	<a href="#">11</a>
<a href="#">Satisfaction with Life (SWL)</a>	<a href="#">12</a>
<a href="#">Self-esteem Scale (SFE)</a>	<a href="#">12</a>
<a href="#">Mastery (MAS)</a>	<a href="#">12</a>
<a href="#">Smoking (SMK)</a>	<a href="#">13</a>
<a href="#">Alcohol Use (ALC)</a>	<a href="#">13</a>
<a href="#">Social support - Availability (SSA)</a>	<a href="#">13</a>
<a href="#">Social support - Utilization (SSU)</a>	<a href="#">15</a>
<a href="#">Distress (DIS)</a>	<a href="#">15</a>
<a href="#">Depression (DPS)</a>	<a href="#">16</a>
<a href="#">Health status (SF-36) (SFR)</a>	<a href="#">18</a>
<a href="#">Food security (FSC)</a>	<a href="#">18</a>
<a href="#">Weights</a>	<a href="#">20</a>
<a href="#">Variables Description</a>	<a href="#">21</a>
<a href="#">CCHS 82M0013 E 2009-2010 Annualcomponent F1</a>	<a href="#">22</a>

**Canadian Community Health Survey, 2009-2010: Annual component (CCHS 2009-2010: Annual component)**  
*Enquête sur la santé dans les collectivités canadiennes (ESCC)*

<b>Overview</b>	
<b>Type</b>	Canadian Community Health Survey
<b>Identification</b>	CCHS_82M0013_E_2009-2010_ Annual component
<b>Version</b>	Production Date: 2011-11 Statistics Canada. Data Liberation Initiative.
<b>Series</b>	The central objective of the Canadian Community Health Survey (CCHS) is to gather health-related data at the sub-provincial levels of geography (health region or combined health regions).
<p><b>Abstract</b></p> <p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:</p> <ul style="list-style-type: none"> <li>• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;</li> <li>• provide a single data source for health research on small populations and rare characteristics;</li> <li>• timely release of information easily accessible to a diverse community of users; and</li> <li>• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.</li> </ul> <p>In addition to the two year PUMF, which has been produced since the survey's first cycle (Cycle 1.1 - 2000-2001), a one year PUMF has also been introduced for 2010. The CCHS content can be divided into two categories, optional content and common content modules.</p>	
<b>Kind of Data</b>	Survey data
<b>Unit of Analysis</b>	Individuals

<b>Scope &amp; Coverage</b>	
<b>Keywords</b>	Health, Community, Aging, Falls, Health measures
<b>Topics</b>	Health
<b>Time Period(s)</b>	2009
<b>Countries</b>	
<p><b>Geographic Coverage</b> Canada, Provinces, Territories</p>	
<p><b>Universe</b></p> <p>The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older</p>	

<b>Producers &amp; Sponsors</b>	
<b>Primary Investigator(s)</b>	Statistics Canada
<b>Other Producer(s)</b>	Statistics Canada

<b>Data Collection</b>	
<b>Time Period(s)</b>	start 2009 end 2010
<b>Data Collection Mode</b>	Questionnaire
<b>Questionnaires</b> Structured	
<b>Data Collector(s)</b>	Statistics Canada

<b>Accessibility</b>	
<b>Access Authority</b>	Data Liberation Initiative (Statistics Canada)
<b>Distributor(s)</b>	Data Liberation Initiative
<b>Access Conditions</b>	
<b>Citation Requirements</b> The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada. Permission to include extracts of these data in textbooks must be obtained from the Licencing Section of Statistics Canada's Marketing Division.	

<b>Rights &amp; Disclaimer</b>	
<b>Copyright</b>	Copyright (c) 2011

# Files Description

Dataset contains 1 file(s)

<b>CCHS_82M0013_E_2009-2010_Annualcomponent_F1</b>	
<b># Cases</b>	124188
<b># Variable(s)</b>	1254

# Variables Group(s)

Dataset contains 64 group(s) total - showing a subset of 24

<b>Group Administration and Information (ADM)</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	124188	0	-
6	ADM_RNO	Sequential record number	continuous	numeric-6.0	124188	0	-

<b>Group Geographic Variables</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEOGPRV	Province of residence of respondent-(G)	continuous	numeric-2.0	124188	0	-

<b>Group Socio-demographic characteristics</b>							
#	Name	Label	Type	Format	Valid	Invalid	Question
1	VERDATE	Date of file creation	discrete	character-8	124188	0	-
2	DHHGAGE	Age - (G)	discrete	numeric-2.0	124188	0	What is your age?
3	DHH_SEX	Sex	discrete	numeric-1.0	124188	0	Enter the respondent's sex. If necessary, ask: Is respondent male or female?
4	DHHGMS	Marital status - (G)	discrete	numeric-1.0	123928	260	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
5	DHHGLE5	No. pers. <= 5 years old in hhld - (D,G)	discrete	numeric-1.0	124188	0	-
6	DHHG611	No. persons 6-11 years/in hhld - (D,G)	discrete	numeric-1.0	124188	0	-
7	DHHGL12	No. pers. < 12 years old in hhld - (D,G)	discrete	numeric-1.0	124188	0	-
8	DHHGLVG	Living arrangements/selected resp -(D,G)	discrete	numeric-2.0	123529	659	-
9	DHHGHSZ	Household size - (D, G)	discrete	numeric-1.0	124152	36	-
10	LBSG31	Employment status - 12 mo - (G)	discrete	numeric-1.0	63886	60302	Are you an employee or self-employed?
11	LBSGHPW	Total usual hrs. worked current - (D, G)	continuous	numeric-3.0	63294	60894	-
12	LBSDPFT	Full/part-time - current jobs - (D)	discrete	numeric-1.0	63294	60894	-
13	LBSDWSS	Working status last week - 4 grps - (D)	discrete	numeric-1.0	102624	21564	-
14	LBSGSOC	Occupation group - (G)	discrete	numeric-1.0	63533	60655	-
15	DHH_OWN	Dwelling - owned by a member of hhld	discrete	numeric-1.0	121652	2536	Is the dwelling you live in currently owned by a member of this household?
16	SDCGCBG	Country of birth - Canada/other - (G)	discrete	numeric-1.0	121625	2563	-
17	SDCGLHM	Language(s) spoken at home	discrete	numeric-1.0	121853	2335	-

#	Name	Label	Type	Format	Valid	Invalid	Question
18	SDCFIMM	Immigrant - (F)	discrete	numeric-1.0	121472	2716	-
19	SDCGRES	Length/time in Canada since imm. - (D,G)	discrete	numeric-1.0	17645	106543	-
20	SDCGLNG	Languages - can converse - (D,G)	discrete	numeric-1.0	121731	2457	-
21	SDCGCGT	Cultural or racial origin - (D, G)	discrete	numeric-1.0	121253	2935	-
22	SDC_8	Current student	discrete	numeric-1.0	116109	8079	Are you currently attending a school, college or university?
23	SDC_9	Full-time student/part-time student	discrete	numeric-1.0	12787	111401	Are you enrolled as a full-time student or a part-time student?
24	EDUDH04	Highest level/edu. - HH 4 levels - (D)	discrete	numeric-1.0	115124	9064	-
25	EDUDR04	Highest level/edu. - respond. 4 levels -	discrete	numeric-1.0	120803	3385	-

### Group Income (INC)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	INCG2	Total hhld inc. - main source - (G)	discrete	numeric-1.0	114172	10016	-
2	INCG7	Main source of personal income - (G)	discrete	numeric-1.0	73491	50697	-
3	INCGHH	Total hhld inc. from all sources - (D,G)	discrete	numeric-1.0	102802	21386	-
4	INCGPER	Total pers. inc. from all sources (D,G)	discrete	numeric-2.0	97449	26739	-
5	INCDRCA	Household income distribution - (D)	discrete	numeric-2.0	100334	23854	-
6	INCDRPR	Hhld inc. distribution-prov. level - (D)	discrete	numeric-2.0	100334	23854	-
7	INCDRRS	Hhld inc. distribution- hr level - (D)	discrete	numeric-2.0	86429	37759	-

### Group General Health (GEN)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	GEN_01	Self-perceived health	discrete	numeric-1.0	124044	144	In general, would you say your health is: (excellent, very good, good, fair, or poor)
2	GEN_02	Self-perceived hlth - compared 1 yr ago	discrete	numeric-1.0	124015	173	Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?
3	GEN_02A2	Satisfaction with life in general	discrete	numeric-2.0	120555	3633	Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now?



#	Name	Label	Type	Format	Valid	Invalid	Question
4	GEN_02B	Self-perceived mental health	discrete	numeric-1.0	121508	2680	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
5	GEN_07	Perceived life stress	discrete	numeric-1.0	123709	479	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
6	GEN_08	Worked at job	discrete	numeric-1.0	103119	21069	Have you worked at a job or business at any time in the past 12 months?
7	GEN_09	Self perceived work stress	discrete	numeric-1.0	72791	51397	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
8	GEN_10	Sense of belonging - local community	discrete	numeric-1.0	120149	4039	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
9	GENDHDI	Perceived Health - (D)	discrete	numeric-1.0	124044	144	-
10	GENDMHI	Perceived Mental Health - (D)	discrete	numeric-1.0	121508	2680	-
11	GENGSWL	Satisfaction with life in general	discrete	numeric-1.0	120555	3633	-

### Group Voluntary Organizations - Participation (ORG)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOORG	Module: ORG - (F)	discrete	numeric-1.0	15038	109150	-
2	ORG_1	Member of a voluntary organization	discrete	numeric-1.0	14650	109538	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?
3	ORG_2	Frequency - participate in activities	discrete	numeric-1.0	5675	118513	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active: (at least once a week, at least once a month, ... , or not at all)?

### Group Height and weight - Self-reported (HWT)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	HWT_4	Opinion of own weight - self-reported	discrete	numeric-1.0	117352	6836	Do you consider yourself: (overweight, underweight, or just about right)?
2	HWTGHTM	Height (metres) / self-reported - (D,G)	continuous	numeric-6.3	119498	4690	-
3	HWTGWTK	Weight (kilograms)/self-reported - (D,G)	continuous	numeric-7.2	117522	6666	-

#	Name	Label	Type	Format	Valid	Invalid	Question
4	HWTGBMI	BMI / self-report - (D,G)	continuous	numeric-7.2	116807	7381	-
5	HWTGISW	BMI class. (18 +) / self-report - (D,G)	discrete	numeric-1.0	106950	17238	-
6	HWTDCOL	BMI class. (12-17) / self-report. - (D)	discrete	numeric-1.0	9649	114539	-

### Group Chronic Conditions (CCC)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	CCC_031	Has asthma	discrete	numeric-1.0	124079	109	(Do you have) asthma?
2	CCC_035	Asthma - had symptoms/attacks	discrete	numeric-1.0	10757	113431	Have you had any asthma symptoms or asthma attacks in the past 12 months?
3	CCC_036	Asthma - took medication	discrete	numeric-1.0	10766	113422	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?
4	CCC_051	Has arthritis	discrete	numeric-1.0	118517	5671	Do you have arthritis, excluding fibromyalgia?
5	CCC_061	Has back problems/excl. fibro/arthritis	discrete	numeric-1.0	124036	152	Do you have back problems, excluding fibromyalgia and arthritis?
6	CCC_071	Has high blood pressure	discrete	numeric-1.0	123833	355	Do you have high blood pressure?
7	CCC_072	Ever diagnosed with high blood pressure	discrete	numeric-1.0	96399	27789	Have you ever been diagnosed with high blood pressure?
8	CCC_073	Medication - high blood pressure	discrete	numeric-1.0	33820	90368	In the past month, have you taken any medicine for high blood pressure?
9	CCC_073A	Preg. - diag. high blood press. 1st time	discrete	numeric-1.0	16474	107714	Were you pregnant when you were first diagnosed with high blood pressure?
10	CCC_073B	Not pregnant - diagn. high blood press.	discrete	numeric-1.0	951	123237	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?
11	CCC_081	Has migraine headaches	discrete	numeric-1.0	124071	117	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?
12	CCC_091	Has a COPD	discrete	numeric-1.0	86509	37679	(Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?
13	CCC_101	Has diabetes	discrete	numeric-1.0	124095	93	(Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?
14	CCCG102	Diabetes - age first diagnosed - (G)	discrete	numeric-2.0	9630	114558	How old were you when this was first diagnosed?
15	CCC_10A	Diabetes diagnosed when pregnant	discrete	numeric-1.0	1508	122680	Were you pregnant when you were first diagnosed with diabetes?
16	CCC_10B	Diabetes diagnosed - other than pregnant	discrete	numeric-1.0	236	123952	Other than during pregnancy, has a health professional ever told you that you have diabetes?
17	CCC_10C	Diabetes diag. - when started w/insulin	discrete	numeric-2.0	9680	114508	When you were first diagnosed with diabetes, how long was it before you were started on insulin?
18	CCC_105	Diabetes - currently takes insulin	discrete	numeric-1.0	9729	114459	Do you currently take insulin for your diabetes?

#	Name	Label	Type	Format	Valid	Invalid	Question
19	CCC_106	Diabetes - pills to control blood sugar	discrete	numeric-1.0	9719	114469	In the past month, did you take pills to control your blood sugar?
20	CCC_121	Has heart disease	discrete	numeric-1.0	123893	295	Do you have heart disease?
21	CCC_131	Has cancer	discrete	numeric-1.0	124029	159	(Do you have) cancer?
22	CCC_31A	Ever had cancer	discrete	numeric-1.0	121019	3169	Have you ever been diagnosed with cancer?
23	CCC_141	Has stomach or intestinal ulcers	discrete	numeric-1.0	123918	270	Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?
24	CCC_151	Suffers from the effects of a stroke	discrete	numeric-1.0	124058	130	Do you suffer from the effects of a stroke?
25	CCC_161	Has urinary incontinence	discrete	numeric-1.0	102783	21405	(Do you suffer) from urinary incontinence?
26	CCC_171	Has bowel disorder	discrete	numeric-1.0	123980	208	Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?
27	CCC_17A	Type of bowel disease	discrete	numeric-1.0	6414	117774	What kind of bowel disease do you have?
28	CCC_280	Has a mood disorder	discrete	numeric-1.0	124025	163	Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
29	CCC_290	Has an anxiety disorder	discrete	numeric-1.0	124002	186	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?
30	CCCDDIA	Diabetes type	discrete	numeric-1.0	9565	114623	Diabetes type

### Group Health Utility Index (HUI)

#	Name	Label	Type	Format	Valid	Invalid	Question
9	HUIDHSI	Health utilities index	continuous	numeric-7.3	120925	3263	Health utilities index

### Group Fruit and Vegetable Consumption (FVC)

#	Name	Label	Type	Format	Valid	Invalid	Question
7	FVCDTOT	Daily cons. - total fruits and veg. - D)	continuous	numeric-6.1	116652	7536	-
8	FVCGTOT	Daily cons. total fruits/veg. - (D, G)	discrete	numeric-1.0	116652	7536	-

### Group Physical Activities (PAC)

#	Name	Label	Type	Format	Valid	Invalid	Question
85	PACDPAI	Physical activity index - (D)	discrete	numeric-1.0	121633	2555	-

### Group Sedentary Activities (SAC)

#	Name	Label	Type	Format	Valid	Invalid	Question
---	------	-------	------	--------	-------	---------	----------

#	Name	Label	Type	Format	Valid	Invalid	Question
6	SACDTOT	Tot. hrs. -seden. activit. - 3 mo - (D)	discrete	numeric-2.0	24467	99721	-
7	SACDTER	No. hrs / wk. (exc. read.) - seden. act.	discrete	numeric-2.0	24683	99505	-

### Group Satisfaction with Life (SWL)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSWL	Module: SWL - (F)	discrete	numeric-1.0	15038	109150	-
2	SWL_02	Satisfaction - job	discrete	numeric-1.0	14481	109707	How satisfied are you with your job or main activity?
3	SWL_03	Satisfaction - leisure activities	discrete	numeric-1.0	14523	109665	How satisfied are you with your leisure activities?
4	SWL_04	Satisfaction - financial situation	discrete	numeric-1.0	14458	109730	(How satisfied are you) with your financial situation?
5	SWL_05	Satisfaction - with self	discrete	numeric-1.0	14513	109675	How satisfied are you with yourself?
6	SWL_06	Satisfaction - way body looks	discrete	numeric-1.0	14486	109702	How satisfied are you with the way your body looks?
7	SWL_07	Satisfaction - relationship with family	discrete	numeric-1.0	14503	109685	How satisfied are you with your relationships with other family members?
8	SWL_08	Satisfaction - relationship with friends	discrete	numeric-1.0	14523	109665	(How satisfied are you) with your relationships with friends?
9	SWL_09	Satisfaction - housing	discrete	numeric-1.0	14544	109644	(How satisfied are you) with your housing?
10	SWL_10	Satisfaction - neighbourhood	discrete	numeric-1.0	14528	109660	(How satisfied are you) with your neighbourhood?

### Group Self-esteem Scale (SFE)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFE	Module: SFE - (F)	discrete	numeric-1.0	37491	86697	-
2	SFE_501	Self-esteem - has good qualities	discrete	numeric-1.0	36426	87762	You feel that you have a number of good qualities.
3	SFE_502	Self-esteem - is person of worth	discrete	numeric-1.0	36368	87820	You feel that you're a person of worth at least equal to others.
4	SFE_503	Self-esteem - is able to do things well	discrete	numeric-1.0	36359	87829	You are able to do things as well as most other people.
5	SFE_504	Self-esteem - takes positive attitude	discrete	numeric-1.0	36414	87774	You take a positive attitude toward yourself.
6	SFE_505	Self-esteem - satisfied with self	discrete	numeric-1.0	36439	87749	On the whole you are satisfied with yourself.
7	SFE_506	Self-esteem - feels is a failure	discrete	numeric-1.0	36364	87824	All in all, you're inclined to feel you're a failure.
8	SFEDE1	Self-esteem scale - (D)	continuous	numeric-2.0	36072	88116	Self-esteem scale - (D)

### Group Mastery (MAS)

#	Name	Label	Type	Format	Valid	Invalid	Question
---	------	-------	------	--------	-------	---------	----------

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOMAS	Module: MAS - (F)	discrete	numeric-1.0	6825	117363	You have little control over the things that happen to you.
2	MAS_601	Mastery - lack of control	discrete	numeric-1.0	6540	117648	You have little control over the things that happen to you.
3	MAS_602	Mastery - cannot solve problems	discrete	numeric-1.0	6579	117609	There is really no way you can solve some of the problems you have.
4	MAS_603	Mastery - cannot change things	discrete	numeric-1.0	6553	117635	There is little you can do to change many of the important things in your life.
5	MAS_604	Mastery - helpless	discrete	numeric-1.0	6607	117581	You often feel helpless in dealing with problems of life.
6	MAS_605	Mastery - pushed around	discrete	numeric-1.0	6640	117548	Sometimes you feel that you are being pushed around in life.
7	MAS_606	Mastery - fate depends upon self	discrete	numeric-1.0	6594	117594	What happens to you in the future mostly depends on you.
8	MAS_607	Mastery - can do anything	discrete	numeric-1.0	6622	117566	You can do just about anything you really set your mind to.
9	MASDM1	Mastery scale - (D)	continuous	numeric-2.0	6336	117852	Mastery scale - (D)

### Group Smoking (SMK)

#	Name	Label	Type	Format	Valid	Invalid	Question
4	SMK_202	Type of smoker	discrete	numeric-1.0	123846	342	At the present time, do you smoke cigarettes daily, occasionally or not at all?
6	SMK_204	No. of cig. smoked/day (daily smoker)	continuous	numeric-3.0	20571	103617	How many cigarettes do you smoke each day now?

### Group Alcohol Use (ALC)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	ALC_1	Drank alcohol - past 12 months	discrete	numeric-1.0	123054	1134	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
2	ALC_2	Frequency of drinking alcohol	discrete	numeric-2.0	92354	31834	During the past 12 months, how often did you drink alcoholic beverages?
3	ALC_3	Frequency of having 5 or more drinks	discrete	numeric-2.0	92125	32063	How often in the past 12 months have you had 5 or more drinks on one occasion?
4	ALCDTTM	Type of drinker (12 months)	discrete	numeric-1.0	122680	1508	-

### Group Social support - Availability (SSA)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSSA	Module: SSA - (F)	discrete	numeric-1.0	49775	74413	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?
2	SSA_01	No. of close friends and relatives	continuous	numeric-3.0	46011	78177	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

#	Name	Label	Type	Format	Valid	Invalid	Question
3	SSA_02	Has someone to give help if confined bed	discrete	numeric-1.0	44736	79452	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?
4	SSA_03	Has someone to listen	discrete	numeric-1.0	44640	79548	(How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk
5	SSA_04	Has som. to receive advice about crisis	discrete	numeric-1.0	44336	79852	How often is each of the following kinds of support available to you if you need it?) - Someone to give you advice about a crisis
6	SSA_05	Has someone to take to doctor	discrete	numeric-1.0	44612	79576	(How often is each of the following kinds of support available to you if you need it?) - Someone to take you to the doctor if you needed it
7	SSA_06	Has someone who shows love and affection	discrete	numeric-1.0	44581	79607	(How often is each of the following kinds of support available to you if you need it?) - Someone who shows you love and affection
8	SSA_07	Has someone to have a good time with	discrete	numeric-1.0	44582	79606	Again, how often is each of the following kinds of support available to you if you need it? - Someone to have a good time with
9	SSA_08	Has some. to receive info/help situation	discrete	numeric-1.0	44437	79751	(How often is each of the following kinds of support available to you if you need it?) - Someone to give you information in order to help you understand a situation
10	SSA_09	Has someone to confide in	discrete	numeric-1.0	44538	79650	(How often is each of the following kinds of support available to you if you need it?) - Someone to confide in or talk to about yourself or your problems
11	SSA_10	Has someone who gives hugs	discrete	numeric-1.0	44535	79653	(How often is each of the following kinds of support available to you if you need it?) - Someone who hugs you
12	SSA_11	Has someone to get together w/for relax.	discrete	numeric-1.0	44518	79670	(How often is each of the following kinds of support available to you if you need it?) - Someone to get together with for relaxation?
13	SSA_12	Has someone to prepare meals	discrete	numeric-1.0	44294	79894	(How often is each of the following kinds of support available to you if you need it?) - Someone to prepare your meals if you were unable to do it yourself
14	SSA_13	Has someone to give advice	discrete	numeric-1.0	44345	79843	(How often is each of the following kinds of support available to you if you need it?) - Someone whose advice you really want
15	SSA_14	Has someone to do things to get mind off	discrete	numeric-1.0	44456	79732	Again, how often is each of the following kinds of support available to you if you need it? - Someone to do things with to help you get your mind off things
16	SSA_15	Has someone to help with daily chores	discrete	numeric-1.0	44348	79840	(How often is each of the following kinds of support available to you if you

#	Name	Label	Type	Format	Valid	Invalid	Question
							need it?) - Someone to help with daily chores if you were sick
17	SSA_16	Has someone to share most priv. worries	discrete	numeric-1.0	44385	79803	(How often is each of the following kinds of support available to you if you need it?) - Someone to share your most private worries and fears with
18	SSA_17	Has someone to turn to for suggestions	discrete	numeric-1.0	44379	79809	(How often is each of the following kinds of support available to you if you need it?) - Someone to turn to for suggestions about how to deal with a personal problem
19	SSA_18	Has someone to do something enjoyable	discrete	numeric-1.0	44476	79712	(How often is each of the following kinds of support available to you if you need it?) - Someone to do something enjoyable with
20	SSA_19	Has someone who understands problems	discrete	numeric-1.0	44380	79808	(How often is each of the following kinds of support available to you if you need it?) - Someone who understands your problems
21	SSA_20	Has someone who loves/makes feel wanted	discrete	numeric-1.0	44419	79769	(How often is each of the following kinds of support available to you if you need it?) - Someone to love you and make you feel wanted
22	SSADTNG	Tangible social support - MOS - (D)	discrete	numeric-2.0	44033	80155	Tangible social support - MOS - (D)
23	SSADAFF	Affection - MOS subscale - (D)	discrete	numeric-2.0	44266	79922	Affection - MOS subscale - (D)
24	SSADSOC	Positive social interaction - MOS - (D)	discrete	numeric-2.0	44212	79976	Positive social interaction - MOS - (D)
25	SSADEMO	Emot./info. support - MOS subscale - (D)	continuous	numeric-2.0	43508	80680	Emot./info. support - MOS subscale - (D)

### Group Social support - Utilization (SSU)

#	Name	Label	Type	Format	Valid	Invalid	Question
9	SSU_24B	Freq. of emotional/info. support	discrete	numeric-1.0	16225	107963	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?

### Group Distress (DIS)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODIS	Module: DIS - (F)	discrete	numeric-1.0	41520	82668	-
2	DIS_10A	Frequency/distress:tired out-past month	discrete	numeric-1.0	39900	84288	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)?
3	DIS_10B	Freq./distress: felt nervous - past mo	discrete	numeric-1.0	39787	84401	During the past month, about how often did you feel nervous?
4	DIS_10C	Freq./distress:so nervous - past month	discrete	numeric-1.0	39739	84449	(During the past month, about how often did you feel) so nervous that nothing could calm you down?

#	Name	Label	Type	Format	Valid	Invalid	Question
5	DIS_10D	Freq./distress: felt hopeless - past mo	discrete	numeric-1.0	39796	84392	During the past month, about how often did you feel hopeless?
6	DIS_10E	Freq./distress: felt restless - past mo	discrete	numeric-1.0	39760	84428	During the past month, about how often did you feel restless or fidgety?
7	DIS_10F	Frequency/distress:could not sit still	discrete	numeric-1.0	39713	84475	(During the past month, about how often did you feel) so restless you could not sit still?
8	DIS_10G	Freq./distress: sad,depressed - past mo	discrete	numeric-1.0	39796	84392	(During the past month, about how often did you feel) sad or depressed?
9	DIS_10H	Freq./d.:dep,nothing cheer up - past mo.	discrete	numeric-1.0	39752	84436	(During the past month, about how often did you feel) so depressed that nothing could cheer you up?
10	DIS_10I	Freq./distr: every. was effort - past mo	discrete	numeric-1.0	39671	84517	(During the past month, about how often did you feel) that everything was an effort?
11	DIS_10J	Freq./distr.: felt worthless - past mo	discrete	numeric-1.0	39749	84439	During the past month, about how often did you feel) worthless?
12	DIS_10K	Freq. of distress feelings - past mo	discrete	numeric-1.0	39543	84645	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
13	DIS_10L	Freq. of distress feelings (more often)	discrete	numeric-1.0	5054	119134	Is that a lot more, somewhat more or only a little more often than usual?
14	DIS_10M	Freq. of distress feelings (less often)	discrete	numeric-1.0	3042	121146	Is that a lot less, somewhat less or only a little less often than usual?
15	DIS_10N	Freq./distr. feelings int. w/life-p.m.	discrete	numeric-1.0	31321	92867	During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?
16	DISDK6	Distress scale - K6 - past month - (D)	continuous	numeric-2.0	39346	84842	Distress scale - K6 - past month - (D)
17	DISDCHR	Chronicity of distress/impair. scale (D)	discrete	numeric-2.0	39422	84766	Chronicity of distress/impair. scale (D)
18	DISDDSX	Distress scale - K10 - past month - (D)	continuous	numeric-2.0	39280	84908	Distress scale - K10 - past month - (D)

### Group Depression (DPS)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DODEP	Module: DPS - (F)	discrete	numeric-1.0	58471	65717	-
2	DPS_02	Depressed >= 2 weeks - 12 mo	discrete	numeric-1.0	56226	67962	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?
3	DPS_03	Dep. -length/time feelings lasted - 2 wk	discrete	numeric-1.0	6881	117307	Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day long, most of the day, about half of the day, or less than half of a day)?
4	DPS_04	Depressed - frequency - 2 wk	discrete	numeric-1.0	3980	120208	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?



#	Name	Label	Type	Format	Valid	Invalid	Question
5	DPS_05	Dep.-lost interest in most things - 2 wk	discrete	numeric-1.0	3717	120471	During those 2 weeks did you lose interest in most things?
6	DPS_06	Dep. - felt tired all of the time - 2 wk	discrete	numeric-1.0	3712	120476	Did you feel tired out or low on energy all of the time?
7	DPS_07	Depressed - weight change - 2 wk	discrete	numeric-1.0	3674	120514	Did you gain weight, lose weight or stay about the same?
8	DPS_08A	Depressed -weight change (amount) - 2 wk	continuous	numeric-3.0	1710	122478	About how much did you gain/lose?
9	DPS_08B	Depressed - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	1710	122478	Interviewer: Was that in pounds or in kilograms?
10	DPS_09	Depressed - trouble fall asleep - 2 wk	discrete	numeric-1.0	3658	120530	Did you have more trouble falling asleep than you usually do?
11	DPS_10	Depr. - fall asleep (freq.) - 2 wk	discrete	numeric-1.0	2635	121553	How often did that happen: (every night, nearly every night, or less often)?
12	DPS_11	Depressed - trouble concentrating - 2 wk	discrete	numeric-1.0	3626	120562	Did you have a lot more trouble concentrating than usual?
13	DPS_12	Depressed - felt down on self - 2 wk	discrete	numeric-1.0	3605	120583	At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?
14	DPS_13	Depr.- thought a lot about death - 2 wk	discrete	numeric-1.0	3586	120602	Did you think a lot about death - either your own, someone else's, or death in general?
15	DPS_14	Depressed - number of weeks - 12 mo	continuous	numeric-2.0	3389	120799	About how many weeks altogether did you feel this way during the past 12 months?
16	DPS_15	Depressed - most recent month - 2 wk	discrete	numeric-2.0	3093	121095	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?
17	DPS_16	Loss int. - things give pleasure - 12 mo	discrete	numeric-1.0	52272	71916	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?
18	DPS_17	Loss interest - freq. - 12 mo	discrete	numeric-1.0	3316	120872	Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long,..., or less than half of a day)?
19	DPS_18	Loss interest - freq. - 2 wk	discrete	numeric-1.0	1372	122816	-
20	DPS_19	Loss int. -felt tired all the time -2 wk	discrete	numeric-1.0	1060	123128	During those 2 weeks did you feel tired out or low on energy all the time?
21	DPS_20	Loss interest - weight change - 2 wk	discrete	numeric-1.0	1046	123142	Did you gain weight, lose weight, or stay about the same?
22	DPS_21A	Loss interest - weight change (amount)	continuous	numeric-3.0	407	123781	About how much did you gain/lose?
23	DPS_21B	Loss int. - weight change (lb/kg) - 2 wk	discrete	numeric-1.0	407	123781	Interviewer: Was that in pounds or in kilograms?
24	DPS_22	Loss interest -trouble fall asleep -2 wk	discrete	numeric-1.0	1042	123146	Did you have more trouble falling asleep than you usually do?
25	DPS_23	Loss int. -trouble to sleep (freq) -2 wk	discrete	numeric-1.0	614	123574	How often did that happen: (every night, nearly every night, or less often)? ?

#	Name	Label	Type	Format	Valid	Invalid	Question
26	DPS_24	Loss int.- trouble concentrating - 2 wk	discrete	numeric-1.0	1034	123154	Did you have a lot more trouble concentrating than usual?
27	DPS_25	Loss interest - felt down on self - 2 wk	discrete	numeric-1.0	1030	123158	At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?
28	DPS_26	Loss int.- thought a lot/death - 2 wk	discrete	numeric-1.0	1028	123160	Did you think a lot about death - either your own, someone else's, or death in general?
29	DPS_27	Loss interest - nombre of weeks - 12 mo	continuous	numeric-2.0	958	123230	About how many weeks did you feel this way during the past 12 months?
30	DPS_28	Loss interest - most recent month - 2 wk	discrete	numeric-2.0	883	123305	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?
31	DPSDSF	Depr. scale - short form score - (D)	discrete	numeric-2.0	55769	68419	Depr. scale - short form score - (D)
32	DPSDPP	Depr. scale - predicted prob. - (D)	continuous	numeric-5.2	55769	68419	Depr. scale - predicted prob. - (D)
33	DPSDWK	No. of weeks felt depressed - (D)	continuous	numeric-2.0	4231	119957	No. of weeks felt depressed - (D)
34	DPSDMT	Mth last felt depr.- 2 wks in a row -(D)	discrete	numeric-2.0	3878	120310	Mth last felt depr.- 2 wks in a row -(D)

### Group Health status (SF-36) (SFR)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOSFR	Module: SFR - (F)	discrete	numeric-1.0	6825	117363	-

### Group Food security (FSC)

#	Name	Label	Type	Format	Valid	Invalid	Question
1	DOFSC	Module: Food security	discrete	numeric-1.0	117440	6748	-
2	FSC_010	Food situation in household - 12 mo	discrete	numeric-1.0	114415	9773	Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)?
3	FSC_020	Worried food would run out - 12 mo	discrete	numeric-1.0	114252	9936	You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?
4	FSC_030	No food and no money for more - 12 mo	discrete	numeric-1.0	114202	9986	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?
5	FSC_040	Could not afford balanced meals - 12 mo	discrete	numeric-1.0	114158	10030	You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?
6	FSC_050	Few kinds low-cost food for kids -12 mo	discrete	numeric-1.0	31864	92324	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you

#	Name	Label	Type	Format	Valid	Invalid	Question
							were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?
7	FSC_060	Couldn't feed child. bal. meal - 12 mo	discrete	numeric-1.0	31853	92335	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?
8	FSC_070	Children were not eating enough - 12 mo	discrete	numeric-1.0	4629	119559	The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?
9	FSC_080	Adults cut or skipped meals - 12 mo	discrete	numeric-1.0	11877	112311	In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?
10	FSC_081	Adults skipped meals (freq) - 12 mo	discrete	numeric-1.0	3809	120379	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
11	FSC_090	Ate less than felt should - 12 mo	discrete	numeric-1.0	11846	112342	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?
12	FSC_100	Was hungry but could not eat - 12 mo	discrete	numeric-1.0	11868	112320	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?
13	FSC_110	Lost weight no money for food- 12 mo	discrete	numeric-1.0	11793	112395	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?
14	FSC_120	Adults did not eat whole day - 12 mo	discrete	numeric-1.0	5110	119078	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?
15	FSC_121	Adults not eat whole day (freq) - 12 mo	discrete	numeric-1.0	997	123191	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
16	FSC_130	Cut size of children's meals - 12 mo	discrete	numeric-1.0	1887	122301	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?
17	FSC_140	Children skipped meals - 12 mo	discrete	numeric-1.0	1888	122300	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?
18	FSC_141	Freq. - child. skipped meals - 12 mo	discrete	numeric-1.0	125	124063	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?
19	FSC_150	Children were hungry - 12 mo	discrete	numeric-1.0	1882	122306	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?
20	FSC_160	Children did not eat whole day - 12 mo	discrete	numeric-1.0	1886	122302	In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food?

#	Name	Label	Type	Format	Valid	Invalid	Question
21	FSCDHFS2	Household Food Security Status (HC)	discrete	numeric-1.0	113756	10432	Household Food Security Status (HC)
22	FSCDAFS2	Food Security - Adult Status	discrete	numeric-1.0	113779	10409	-
23	FSCDCFS2	Food Security - Child Status	discrete	numeric-1.0	31788	92400	-

### Group Weights

#	Name	Label	Type	Format	Valid	Invalid	Question
1	WTS_M	Weights - Master	continuous	numeric-9.2	124188	0	-

# Variables Description

**Dataset contains 1254 variable(s) total - showing a subset of 226**

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # VERDATE: Date of file creation

<b>Information</b>	[Type= discrete] [Format=character] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Format = YYYYMMDD

Value	Label	Cases	Weighted	Percentage (Weighted)
20110722		124188	28725105.5	100.0%

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEOGPRV: Province of residence of respondent-(G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 10-60] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
10	NFLD & LAB.	3768	445352.5	1.6%
11	PEI	1913	121906.4	0.4%
12	NOVA SCOTIA	4712	805937.0	2.8%
13	NEW BRUNSWICK	4835	643962.1	2.2%
24	QUEBEC	22453	6712852.9	23.4%
35	ONTARIO	42495	11207346.1	39.0%
46	MANITOBA	6825	976552.1	3.4%
47	SASKATCHEWAN	7449	822118.1	2.9%
48	ALBERTA	11618	3042618.5	10.6%
59	BRITISH COLUMBIA	15038	3866560.0	13.5%
60	YUKON/NWT/NUNA.	3082	79899.8	0.3%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM\_RNO: Sequential record number

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-124188] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ] [Mean=62094.5 / 62211.54 ] [StdDev=35850.132 / 35958.605 ]
<b>Universe</b>	All respondents

## # DHHGAGE: Age - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	What is your age?
<b>Notes</b>	Derived from DHH_DOB, DHH_MOB and DHH_YOB during interview and confirmed with respondent.

Value	Label	Cases	Weighted	Percentage (Weighted)
-------	-------	-------	----------	-----------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DHHGAGE: Age - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	12 TO 14 YEARS	5397	1224925.2	4.3%
2	15 TO 17 YEARS	5588	1299046.6	4.5%
3	18 TO 19 YEARS	3491	830573.6	2.9%
4	20 TO 24 YEARS	6797	2300781.6	8.0%
5	25 TO 29 YEARS	8209	2288249.4	8.0%
6	30 TO 34 YEARS	8010	2115067.4	7.4%
7	35 TO 39 YEARS	8429	2252160.1	7.8%
8	40 TO 44 YEARS	8339	2556186.0	8.9%
9	45 TO 49 YEARS	7964	2641889.1	9.2%
10	50 TO 54 YEARS	9971	2569162.0	8.9%
11	55 TO 59 YEARS	10911	2301663.6	8.0%
12	60 TO 64 YEARS	10830	1892314.1	6.6%
13	65 TO 69 YEARS	8926	1490050.1	5.2%
14	70 TO 74 YEARS	7059	1052537.7	3.7%
15	75 TO 79 YEARS	6299	897314.5	3.1%
16	80 YEARS OR MORE	7968	1013184.3	3.5%

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHH\_SEX: Sex

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Enter the respondent's sex. If necessary, ask: Is respondent male or female?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MALE	56466	14171204.3	49.3%
2	FEMALE	67722	14553901.1	50.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGMS: Marital status - (G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123928 / 28679266.83 ] [Invalid=260 / 45838.65 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married?
<b>Notes</b>	Based on DHH_MS. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MARRIED	52522	13737922.8	47.9%
2	COMMON-LAW	10394	2960942.8	10.3%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DHHGMS: Marital status - (G)

Value	Label	Cases	Weighted	Percentage (Weighted)
3	WIDOW/SEP/DIV	24448	3460462.9	12.1%
4	SINGLE/NEVER MAR	36564	8519938.3	29.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	260	45838.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGLE5: No. pers. <= 5 years old in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	110364	25110405.8	87.4%
1	1 OR MORE	13824	3614699.7	12.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHG611: No. persons 6-11 years/in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID,DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	109210	24553313.1	85.5%
1	1 OR MORE	14978	4171792.3	14.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGL12: No. pers. < 12 years old in hhld - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 / 28725105.48 ] [Invalid=0 / 0 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
-------	-------	-------	----------	-----------------------



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DHHGL12: No. pers. < 12 years old in hhld - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
0	NONE	100549	22195425.8	77.3%
1	1 OR MORE	23639	6529679.6	22.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGLVG: Living arrangements/selected resp -(D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123529 / 28519853.48 ] [Invalid=659 / 205252 ]
<b>Notes</b>	Based on relationship matrix, DHHHDSZ. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNATTACHED ALONE	33691	4077703.5	14.3%
2	UNATTACHED OTH	3840	1381855.2	4.8%
3	SPOUSE / PARTER	38961	7632235.4	26.8%
4	PAR SPOUSE CHILD	19263	7414425.4	26.0%
5	PARENT CHILD	3838	1153485.3	4.0%
6	CHILD PARENT SIB	4969	1178093.2	4.1%
7	CHILD 2 PAR SIB	14043	3659432.9	12.8%
8	OTHER	4924	2022622.5	7.1%
96	NOT APPLICABLE	0	0.0	
99	NOT STATED	659	205252.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGHSZ: Household size - (D, G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124152 / 28716602.78 ] [Invalid=36 / 8502.7 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	1 PERSON	33700	4078597.2	14.2%
2	2 PERSONS	46903	9651474.1	33.6%
3	3 PERSONS	17489	5297609.6	18.4%
4	4 PERSONS	17032	5891677.7	20.5%
5	5 OR + PERSONS	9028	3797244.2	13.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	36	8502.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # GEN\_01: Self-perceived health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124044 / 28694944.06 ] [Invalid=144 / 30161.42 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	In general, would you say your health is: (excellent, very good, good, fair, or poor)
<b>Notes</b>	By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	23985	6499332.8	22.6%
2	VERY GOOD	45639	10799485.4	37.6%
3	GOOD	36990	8149675.4	28.4%
4	FAIR	13046	2491794.4	8.7%
5	POOR	4384	754656.1	2.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	128	23766.8	
8	REFUSAL	16	6394.6	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_02: Self-perceived hlth - compared 1 yr ago

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124015 / 28694499.55 ] [Invalid=173 / 30605.93 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MUCH BETTER	8774	2122785.3	7.4%
2	SOMEWHAT BETTER	15120	3547543.7	12.4%
3	ABOUT THE SAME	84942	19765496.0	68.9%
4	SOMEWHAT WORSE	12920	2817321.6	9.8%
5	MUCH WORSE	2259	441352.9	1.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	160	25892.0	
8	REFUSAL	13	4714.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_02A2: Satisfaction with life in general

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120555 / 27946926.64 ] [Invalid=3633 / 778178.84 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now?

Value	Label	Cases	Weighted	Percentage (Weighted)

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # GEN\_02A2: Satisfaction with life in general

Value	Label	Cases	Weighted	Percentage (Weighted)
0	VERY DISSATISFIE	697	124002.4	0.4%
1	1	215	40933.2	0.1%
2	2	553	103460.3	0.4%
3	3	840	178661.0	0.6%
4	4	1466	279272.7	1.0%
5	5	7115	1484820.3	5.3%
6	6	6071	1408790.5	5.0%
7	7	18015	4450644.1	15.9%
8	8	38701	9187981.5	32.9%
9	9	22644	5403151.9	19.3%
10	VERY SATISFIED	24238	5285208.8	18.9%
96	NOT APPLICABLE	0	0.0	
97	DON'T KNOW	1053	166776.6	
98	REFUSAL	136	28706.6	
99	NOT STATED	2444	582695.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # GEN\_02B: Self-perceived mental health

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121508 / 28098850.35 ] [Invalid=2680 / 626255.13 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EXCELLENT	42175	10463309.2	37.2%
2	VERY GOOD	44710	10296099.6	36.6%
3	GOOD	27301	5881119.8	20.9%
4	FAIR	5978	1193425.5	4.2%
5	POOR	1344	264896.2	0.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	192	35492.5	
8	REFUSAL	43	7958.9	
9	NOT STATED	2445	582803.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # GEN\_07: Perceived life stress

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123709 / 28642930.99 ] [Invalid=479 / 82174.49 ]
<b>Universe</b>	Respondents aged 15 and over
<b>Literal question</b>	Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # GEN\_07: Perceived life stress

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	17582	3493431.3	12.2%
2	NOT VERY	31984	6671729.9	23.3%
3	A BIT	49459	11964039.4	41.8%
4	QUITE A BIT	20878	5503028.9	19.2%
5	EXTREMELY	3806	1010701.6	3.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	445	72438.7	
8	REFUSAL	34	9735.8	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_08: Worked at job

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=103119 / 25229236.57 ] [Invalid=21069 / 3495868.91 ]
<b>Universe</b>	Respondents aged 15 to 75
<b>Literal question</b>	Have you worked at a job or business at any time in the past 12 months?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	73754	19490842.0	77.3%
2	NO	29365	5738394.6	22.7%
6	NOT APPLICABLE	19664	3135424.0	
7	DON'T KNOW	11	2675.4	
8	REFUSAL	18	7797.3	
9	NOT STATED	1376	349972.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_09: Self perceived work stress

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=72791 / 19277435.24 ] [Invalid=51397 / 9447670.24 ]
<b>Universe</b>	Respondents who answered GEN_08 = (1, 7 or 8)
<b>Literal question</b>	The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NOT AT ALL	7718	1879463.5	9.7%
2	NOT VERY	14879	3691839.4	19.2%
3	A BIT	29938	7961733.4	41.3%
4	QUITE A BIT	16589	4699304.5	24.4%
5	EXTREMELY	3667	1045094.4	5.4%
6	NOT APPLICABLE	49029	8873818.6	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # GEN\_09: Self perceived work stress

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	157	36808.0	
8	REFUSAL	16	3250.5	
9	NOT STATED	2195	533793.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_10: Sense of belonging - local community

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120149 / 27837648.13 ] [Invalid=4039 / 887457.35 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY STRONG	24613	4797017.1	17.2%
2	SOMEWHAT STRONG	58522	13400769.2	48.1%
3	SOMEWHAT WEAK	27589	7166884.1	25.7%
4	VERY WEAK	9425	2472977.7	8.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	1529	294480.4	
8	REFUSAL	65	10173.2	
9	NOT STATED	2445	582803.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDHDI: Perceived Health - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124044 / 28694944.06 ] [Invalid=144 / 30161.42 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on GEN_02B. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	4384	754656.1	2.6%
1	FAIR	13046	2491794.4	8.7%
2	GOOD	36990	8149675.4	28.4%
3	VERY GOOD	45639	10799485.4	37.6%
4	EXCELLENT	23985	6499332.8	22.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	144	30161.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDMHI: Perceived Mental Health - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-4] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # GENDMI: Perceived Mental Health - (D)

**Statistics [NW/ W]** [Valid=121508 / 28098850.35 ] [Invalid=2680 / 626255.13 ]

**Universe** All respondents

**Notes** Based on GEN\_02B. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	POOR	1344	264896.2	0.9%
1	FAIR	5978	1193425.5	4.2%
2	GOOD	27301	5881119.8	20.9%
3	VERY GOOD	44710	10296099.6	36.6%
4	EXCELLENT	42175	10463309.2	37.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2680	626255.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENGSWL: Satisfaction with life in general

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=120555 / 27946926.64 ] [Invalid=3633 / 778178.84 ]

**Universe** All respondents

**Notes** Based on GEN\_02A2. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	46882	10688360.7	38.2%
2	SATISFIED	62787	15047416.1	53.8%
3	NEITHER NOR	7115	1484820.3	5.3%
4	DISSATISFIED	2859	561394.0	2.0%
5	VERY DISSATIS.	912	164935.6	0.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3633	778178.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOORG: Module: ORG - (F)

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=15038 / 3866560.05 ] [Invalid=109150 / 24858545.43 ]

**Universe** All respondents

**Notes** Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15038	3866560.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	109150	24858545.4	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DOORG: Module: ORG - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ORG\_1: Member of a voluntary organization

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14650 / 3756429.2 ] [Invalid=109538 / 24968676.28 ]
<b>Universe</b>	Respondents with DOORG = 1
<b>Literal question</b>	Are you a member of any voluntary organizations or associations such as school groups, church social groups, community centres, ethnic associations or social, civic or fraternal clubs?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5687	1362762.6	36.3%
2	NO	8963	2393666.6	63.7%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	6	772.2	
8	REFUSAL	3	441.1	
9	NOT STATED	379	108917.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ORG\_2: Frequency - participate in activities

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5675 / 1361080.38 ] [Invalid=118513 / 27364025.1 ]
<b>Universe</b>	Respondents who answered ORG_1 = (1, 7 or 8)
<b>Literal question</b>	How often did you participate in meetings or activities of these groups in the past 12 months? If you belong to many, just think of the ones in which you are most active: (at least once a week, at least once a month, ... , or not at all)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	>= ONCE A WEEK	3156	765586.3	56.2%
2	>= ONCE A MONTH	1671	392438.6	28.8%
3	>= 3 TO 4 T./YR	560	138456.5	10.2%
4	>= ONCE A YEAR	173	40027.8	2.9%
5	NOT AT ALL	115	24571.2	1.8%
6	NOT APPLICABLE	118113	27252212.1	
7	DON'T KNOW	12	1682.2	
8	REFUSAL	0	0.0	
9	NOT STATED	388	110130.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWT\_4: Opinion of own weight - self-reported

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117352 / 27252040.17 ] [Invalid=6836 / 1473065.31 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you consider yourself: (overweight, underweight, or just about right)?

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # HWT\_4: Opinion of own weight - self-reported

**Notes** Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OVERWEIGHT	48205	10387846.7	38.1%
2	UNDERWEIGHT	4777	1156707.6	4.2%
3	JUST ABOUT RIGHT	64370	15707485.8	57.6%
6	NOT APPLICABLE	1086	278042.0	
7	DON'T KNOW	224	34831.3	
8	REFUSAL	19	2687.5	
9	NOT STATED	5507	1157504.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTGHTM: Height (metres) / self-reported - (D,G)

**Information** [Type= continuous] [Format=numeric] [Range= 0.914-2.134] [Missing=\*]

**Statistics [NW/ W]** [Valid=119498 / 27634063.07 ] [Invalid=4690 / 1091042.41 ]

**Universe** All respondents

**Notes** Based on HWT\_2, HWT\_2C, HWT\_2D, HWT\_2E, HWT\_2F. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0.914	0.926 M OR LESS	0	0.0	
0.94	0.927 TO 0.952 M	0	0.0	
0.965	0.953 TO 0.977 M	0	0.0	
0.991	0.978 TO 1.002 M	0	0.0	
1.016	1.003 TO 1.028 M	0	0.0	
1.041	1.029 TO 1.053 M	0	0.0	
1.067	1.054 TO 1.079 M	0	0.0	
1.092	1.080 TO 1.104 M	0	0.0	
1.118	1.105 TO 1.129 M	0	0.0	
1.143	1.130 TO 1.155 M	0	0.0	
1.168	1.156 TO 1.180 M	0	0.0	
1.194	1.181 TO 1.206 M	0	0.0	
1.219	1.207 TO 1.231 M	0	0.0	
1.245	1.232 TO 1.256 M	0	0.0	
1.27	1.257 TO 1.282 M	14	5604.1	0.0%
1.295	1.283 TO 1.307 M	6	2255.8	0.0%
1.321	1.308 TO 1.333 M	23	5242.4	0.0%
1.346	1.334 TO 1.358 M	23	4566.3	0.0%
1.372	1.359 TO 1.383 M	25	6130.2	0.0%
1.397	1.384 TO 1.409 M	81	12563.7	0.0%
1.422	1.410 TO 1.434 M	94	21151.0	0.1%
1.448	1.435 TO 1.460 M	239	44519.7	0.2%
1.473	1.461 TO 1.485 M	750	139105.8	0.5%
1.499	1.486 TO 1.510 M	1556	325502.6	1.2%
1.524	1.511 TO 1.536 M	4263	844231.9	3.1%



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # HWTGHTM: Height (metres) / self-reported - (D,G)

Value	Label	Cases	Weighted	Percentage (Weighted)
1.549	1.537 TO 1.561 M	5072	1019315.6	3.7%
1.575	1.562 TO 1.587 M	9592	2014032.7	7.3%
1.6	1.588 TO 1.612 M	9410	2060655.1	7.5%
1.626	1.613 TO 1.637 M	11092	2394410.8	8.7%
1.651	1.638 TO 1.663 M	9160	2073558.9	7.5%
1.676	1.664 TO 1.688 M	10742	2458245.1	8.9%
1.702	1.689 TO 1.714 M	10206	2438289.2	8.8%
1.727	1.715 TO 1.739 M	9931	2372602.0	8.6%
1.753	1.740 TO 1.764 M	7876	1931837.7	7.0%
1.778	1.765 TO 1.790 M	8828	2123609.1	7.7%
1.803	1.791 TO 1.815 M	7185	1833604.1	6.6%
1.829	1.816 TO 1.841 M	5686	1411098.6	5.1%
1.854	1.842 TO 1.866 M	3151	822006.7	3.0%
1.88	1.867 TO 1.891 M	2332	650731.9	2.4%
1.905	1.892 TO 1.917 M	1096	321091.5	1.2%
1.93	1.918 TO 1.942 M	817	213274.3	0.8%
1.956	1.943 TO 1.968 M	248	84826.3	0.3%
1.981	1.969 TO 1.993 M	0	0.0	
2.007	1.994 TO 2.018 M	0	0.0	
2.032	2.019 TO 2.044 M	0	0.0	
2.057	2.045 TO 2.069 M	0	0.0	
2.083	2.070 TO 2.095 M	0	0.0	
2.108	2.096 TO 2.120 M	0	0.0	
2.134	2.121M OR TALLER	0	0.0	
9.996	NOT APPLICABLE	1086	278042.0	
9.997	DON'T KNOW	0	0.0	
9.998	REFUSAL	0	0.0	
9.999	NOT STATED	3604	813000.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTGWTK: Weight (kilograms)/self-reported - (D,G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 30.6-135] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=117522 / 27272030.63 ] [Invalid=6666 / 1453074.85 ] [Mean=74.282 / 73.864 ] [StdDev=17.357 / 17.254 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on HWT_3, HWT_N4. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	6666	1453074.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # HWTGBMI: BMI / self-report - (D,G)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 11.91-54.96] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116807 / 27131930.5 ] [Invalid=7381 / 1593174.98 ] [Mean=26.012 / 25.596 ] [StdDev=5.301 / 5.104 ]
<b>Universe</b>	All respondents excluding pregnant women (MAM_037 = 1)
<b>Notes</b>	Based on HWTGHTM, HWTGWTK. See documentation on derived variables. Position 102 - 107 Content Code Sample Population

Value	Label	Cases	Weighted	Percentage (Weighted)
999.96	NOT APPLICABLE	0	0.0	
999.97	DON'T KNOW	0	0.0	
999.98	REFUSAL	0	0.0	
999.99	NOT STATED	7381	1593175.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTGISW: BMI class. (18 +) / self-report - (D,G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=106950 / 24851457.22 ] [Invalid=17238 / 3873648.26 ]
<b>Universe</b>	Respondents aged 18 and over excluding pregnant women (MAM_037 = 1)
<b>Notes</b>	Based on DHH_AGE, HWTDBMI. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	UNDERWEIGHT	2314	618046.5	2.5%
2	NORMAL WEIGHT	45526	11323542.0	45.6%
3	OVERWEIGHT	37265	8433458.4	33.9%
4	OBESE	21845	4476410.4	18.0%
6	NOT APPLICABLE	10985	2523971.8	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	6253	1349676.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HWTDCOL: BMI class. (12-17) / self-report. - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9649 / 2233526.59 ] [Invalid=114539 / 26491578.89 ]
<b>Universe</b>	Respondents aged 12 to 17 excluding pregnant women (MAM_037 = 1)
<b>Notes</b>	Based on HWTDBMI, DHH_YOB, DHH_MOB, DHH_DOB, ADM_YOI, ADM_MOI, ADM_DOI, DHH_SEX et MAM_037. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEITHER NOR	7516	1789921.5	80.1%
2	OVERWEIGHT	1619	348468.0	15.6%
3	OBESE	514	95137.1	4.3%
6	NOT APPLICABLE	113204	26201142.9	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1335	290436.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_031: Has asthma

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124079 / 28701422.37 ] [Invalid=109 / 23683.11 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	(Do you have) asthma?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	10776	2376317.0	8.3%
2	NO	113303	26325105.4	91.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	89	19400.8	
8	REFUSAL	20	4282.3	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_035: Asthma - had symptoms/attacks

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=10757 / 2370575 ] [Invalid=113431 / 26354530.48 ]
<b>Universe</b>	Respondents who answered CCC_031 = (1, 7, 8)
<b>Literal question</b>	Have you had any asthma symptoms or asthma attacks in the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5594	1248170.3	52.7%
2	NO	5163	1122404.7	47.3%
6	NOT APPLICABLE	113303	26325105.4	
7	DON'T KNOW	19	5742.0	
8	REFUSAL	0	0.0	
9	NOT STATED	109	23683.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_036: Asthma - took medication

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=10766 / 2374626.17 ] [Invalid=113422 / 26350479.31 ]
<b>Universe</b>	Respondents who answered CCC_031 = (1, 7, 8)
<b>Literal question</b>	In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8291	1781070.9	75.0%
2	NO	2475	593555.3	25.0%
6	NOT APPLICABLE	113303	26325105.4	
7	DON'T KNOW	10	1690.8	
8	REFUSAL	0	0.0	
9	NOT STATED	109	23683.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_051: Has arthritis

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_051: Has arthritis

<b>Statistics [NW/ W]</b>	[Valid=118517 / 27449728.35 ] [Invalid=5671 / 1275377.13 ]
<b>Universe</b>	Respondents aged 14 and over.
<b>Literal question</b>	Do you have arthritis, excluding fibromyalgia?
<b>Notes</b>	The word "rheumatism" was removed from the question.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	25734	4324144.9	15.8%
2	NO	92783	23125583.5	84.2%
6	NOT APPLICABLE	3502	776625.3	
7	DON'T KNOW	251	44941.4	
8	REFUSAL	3	1228.1	
9	NOT STATED	1915	452582.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_061: Has back problems/excl. fibro/arthritis

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124036 / 28697098.71 ] [Invalid=152 / 28006.77 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you have back problems, excluding fibromyalgia and arthritis?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26001	5403136.8	18.8%
2	NO	98035	23293961.9	81.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	126	22696.5	
8	REFUSAL	6	1027.9	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_071: Has high blood pressure

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123833 / 28653887.09 ] [Invalid=355 / 71218.39 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	27579	4870824.7	17.0%
2	NO	96254	23783062.4	83.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	332	66334.0	
8	REFUSAL	3	602.1	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_072: Ever diagnosed with high blood pressure

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_072: Ever diagnosed with high blood pressure

**Statistics [NW/ W]** [Valid=96399 / 23816465.5 ] [Invalid=27789 / 4908639.98 ]

**Universe** Respondents who answered CCC\_071 = (2, 7, 8) or CCC\_031 = 8

**Literal question** Have you ever been diagnosed with high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6297	1217867.4	5.1%
2	NO	90102	22598598.0	94.9%
6	NOT APPLICABLE	27579	4870824.7	
7	DON'T KNOW	187	32930.9	
8	REFUSAL	0	0.0	
9	NOT STATED	23	4884.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_073: Medication - high blood pressure

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=33820 / 6080783.71 ] [Invalid=90368 / 22644321.77 ]

**Universe** Respondents who answered CCC\_072 = (1, 7, 8) or CCC\_071 = (1, 8) or CCC\_031 = 8

**Literal question** In the past month, have you taken any medicine for high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	26802	4580630.4	75.3%
2	NO	7018	1500153.3	24.7%
6	NOT APPLICABLE	90102	22598598.0	
7	DON'T KNOW	53	6001.7	
8	REFUSAL	3	1906.7	
9	NOT STATED	210	37815.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_073A: Preg. - diag. high blood press. 1st time

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=16474 / 2592564.56 ] [Invalid=107714 / 26132540.92 ]

**Universe** Females aged 16 and over who answered (CCC\_071 = (1 or 8) or (CCC\_072 = (1, 7 or 8) and CCC\_073 = (1, 7 or 8)) or CCC\_031 = 8)

**Literal question** Were you pregnant when you were first diagnosed with high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	950	153621.4	5.9%
2	NO	15524	2438943.2	94.1%
6	NOT APPLICABLE	107400	26081101.7	
7	DON'T KNOW	200	30106.6	
8	REFUSAL	8	3153.0	
9	NOT STATED	106	18179.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_073B: Not pregnant - diagn. high blood press.

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_073B: Not pregnant - diagn. high blood press.

<b>Statistics [NW/ W]</b>	[Valid=951 / 153583.68 ] [Invalid=123237 / 28571521.8 ]
<b>Universe</b>	Respondents who answered CCC_073A = (1, 7 or 8)
<b>Literal question</b>	Other than during pregnancy, has a health professional ever told you that you have high blood pressure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	832	132203.2	86.1%
2	NO	119	21380.4	13.9%
6	NOT APPLICABLE	122920	28519448.7	
7	DON'T KNOW	2	179.0	
8	REFUSAL	0	0.0	
9	NOT STATED	315	51894.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_081: Has migraine headaches

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124071 / 28701452.86 ] [Invalid=117 / 23652.62 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	12232	2940965.8	10.2%
2	NO	111839	25760487.1	89.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	94	17858.5	
8	REFUSAL	3	1511.8	
9	NOT STATED	20	4282.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_091: Has a COPD

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=86509 / 18635330.8 ] [Invalid=37679 / 10089774.68 ]
<b>Universe</b>	Respondents aged 35 and over
<b>Literal question</b>	(Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?
<b>Notes</b>	Introduced in 2009. Comparable to the former CCCDCPD variable.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4832	792646.5	4.3%
2	NO	81677	17842684.3	95.7%
6	NOT APPLICABLE	37492	10058643.8	
7	DON'T KNOW	164	25086.5	
8	REFUSAL	3	1762.0	
9	NOT STATED	20	4282.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_101: Has diabetes

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_101: Has diabetes

**Statistics [NW/ W]** [Valid=124095 / 28711522.76 ] [Invalid=93 / 13582.72 ]

**Universe** All respondents

**Literal question** (Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9784	1772830.9	6.2%
2	NO	114311	26938691.9	93.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	70	8608.2	
8	REFUSAL	3	692.1	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCCG102: Diabetes - age first diagnosed - (G)

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=9630 / 1750685.07 ] [Invalid=114558 / 26974420.41 ]

**Universe** Respondents who answered CCC\_101 = (1, 7 or 8)

**Literal question** How old were you when this was first diagnosed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	0 TO 11 YEARS	197	38569.3	2.2%
2	12 TO 17 YEARS	143	28819.3	1.6%
3	18 TO 24 YEARS	228	40651.8	2.3%
4	25 TO 29 YEARS	221	54286.8	3.1%
5	30 TO 34 YEARS	315	73354.4	4.2%
6	35 TO 39 YEARS	420	95702.6	5.5%
7	40 TO 44 YEARS	737	174702.1	10.0%
8	45 TO 49 YEARS	916	198753.7	11.4%
9	50 TO 54 YEARS	1374	250031.3	14.3%
10	55 TO 59 YEARS	1353	232460.9	13.3%
11	60 TO 64 YEARS	1274	205736.5	11.8%
12	65 TO 69 YEARS	982	147806.7	8.4%
13	70 TO 74 YEARS	734	106045.4	6.1%
14	75 TO 79 YEARS	461	67625.6	3.9%
15	80 YEARS OR MORE	275	36138.7	2.1%
96	NOT APPLICABLE	114311	26938691.9	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	247	35728.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_10A: Diabetes diagnosed when pregnant

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1508 / 280311.02 ] [Invalid=122680 / 28444794.46 ]

**Universe** Females aged 15 and over who answered (15 <= CCC\_102 <= 49) or CCC\_102 = (997, 998) or CCC\_101 = (7, 8)

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_10A: Diabetes diagnosed when pregnant

<b>Literal question</b>	Were you pregnant when you were first diagnosed with diabetes?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	237	65724.0	23.4%
2	NO	1271	214587.0	76.6%
6	NOT APPLICABLE	122607	28434142.6	
7	DON'T KNOW	15	3079.8	
8	REFUSAL	0	0.0	
9	NOT STATED	58	7572.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_10B: Diabetes diagnosed - other than pregnant

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=236 / 65558.59 ] [Invalid=123952 / 28659546.89 ]			
<b>Universe</b>	Females aged 15 and over who answered CCC_10A = (1, 7, 8) or CCC_102 = (997, 998) or CCC_101 = (7, 8)			
<b>Literal question</b>	Other than during pregnancy, has a health professional ever told you that you have diabetes?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	189	50529.4	77.1%
2	NO	47	15029.2	22.9%
6	NOT APPLICABLE	123878	28648729.6	
7	DON'T KNOW	1	165.4	
8	REFUSAL	0	0.0	
9	NOT STATED	73	10651.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_10C: Diabetes diag. - when started w/insulin

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=9680 / 1746610.75 ] [Invalid=114508 / 26978494.73 ]			
<b>Universe</b>	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2			
<b>Literal question</b>	When you were first diagnosed with diabetes, how long was it before you were started on insulin?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	< 1 MONTH	761	153869.5	8.8%
2	1 TO < 2 MONTHS	65	10906.7	0.6%
3	2 TO < 6 MONTHS	87	17096.3	1.0%
4	6 MONTH - < 1 YR	94	17231.4	1.0%
5	>= 1 YR	1395	233475.7	13.4%
6	NEVER	7278	1314031.2	75.2%
96	NOT APPLICABLE	114358	26953721.1	
97	DON'T KNOW	56	11025.5	
98	REFUSAL	0	0.0	
99	NOT STATED	94	13748.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_105: Diabetes - currently takes insulin

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9729 / 1755679.75 ] [Invalid=114459 / 26969425.73 ]
<b>Universe</b>	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2
<b>Literal question</b>	Do you currently take insulin for your diabetes?
<b>Notes</b>	In processing, if a respondent answered CCC_10C = 6 (never), the variable CCC_105 is given the value of 2 (no).

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2190	385845.4	22.0%
2	NO	7539	1369834.3	78.0%
6	NOT APPLICABLE	114358	26953721.1	
7	DON'T KNOW	7	1956.5	
8	REFUSAL	0	0.0	
9	NOT STATED	94	13748.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_106: Diabetes - pills to control blood sugar

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9719 / 1756167.11 ] [Invalid=114469 / 26968938.37 ]
<b>Universe</b>	Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2
<b>Literal question</b>	In the past month, did you take pills to control your blood sugar?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7133	1289462.0	73.4%
2	NO	2586	466705.1	26.6%
6	NOT APPLICABLE	114358	26953721.1	
7	DON'T KNOW	16	1432.0	
8	REFUSAL	1	37.2	
9	NOT STATED	94	13748.1	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_121: Has heart disease

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123893 / 28684087.37 ] [Invalid=295 / 41018.11 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you have heart disease?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	8526	1369897.3	4.8%
2	NO	115367	27314190.0	95.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	273	36279.2	
8	REFUSAL	2	456.6	
9	NOT STATED	20	4282.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # CCC\_131: Has cancer

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124029 / 28703346.03 ] [Invalid=159 / 21759.45 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	(Do you have) cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3056	531684.6	1.9%
2	NO	120973	28171661.4	98.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	135	15762.3	
8	REFUSAL	4	1714.8	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_31A: Ever had cancer

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121019 / 28173111.21 ] [Invalid=3169 / 551994.27 ]
<b>Universe</b>	Respondents
<b>Literal question</b>	Have you ever been diagnosed with cancer?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7231	1170244.4	4.2%
2	NO	113788	27002866.8	95.8%
6	NOT APPLICABLE	3056	531684.6	
7	DON'T KNOW	87	14117.1	
8	REFUSAL	2	195.4	
9	NOT STATED	24	5997.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_141: Has stomach or intestinal ulcers

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123918 / 28674031.68 ] [Invalid=270 / 51073.8 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	4133	836433.4	2.9%
2	NO	119785	27837598.3	97.1%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	245	46147.0	
8	REFUSAL	5	644.4	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_151: Suffers from the effects of a stroke

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_151: Suffers from the effects of a stroke

**Statistics [NW/ W]** [Valid=124058 / 28704091.75 ] [Invalid=130 / 21013.73 ]

**Universe** All respondents

**Literal question** Do you suffer from the effects of a stroke?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1973	311163.4	1.1%
2	NO	122085	28392928.3	98.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	107	15275.4	
8	REFUSAL	3	1456.0	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_161: Has urinary incontinence

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=102783 / 23046758.56 ] [Invalid=21405 / 5678346.92 ]

**Universe** Respondents aged 25 and over.

**Literal question** (Do you suffer) from urinary incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	5737	894067.7	3.9%
2	NO	97046	22152690.9	96.1%
6	NOT APPLICABLE	21273	5655327.0	
7	DON'T KNOW	104	16494.6	
8	REFUSAL	8	2242.9	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_171: Has bowel disorder

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=123980 / 28684361.31 ] [Invalid=208 / 40744.17 ]

**Universe** All respondents

**Literal question** Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6524	1253840.6	4.4%
2	NO	117456	27430520.7	95.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	179	32699.3	
8	REFUSAL	9	3762.5	
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_17A: Type of bowel disease

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_17A: Type of bowel disease

<b>Statistics [NW/ W]</b>	[Valid=6414 / 1235112.94 ] [Invalid=117774 / 27489992.54 ]
<b>Universe</b>	Respondents who answered CCC_171 = (1, 7, 8) or CCC_031 = 8
<b>Literal question</b>	What kind of bowel disease do you have?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	CROHN'S DISEASE	518	104083.9	8.4%
2	ULCER. COLITIS	648	133335.0	10.8%
3	IRRITABLE BOWEL	3641	731017.5	59.2%
4	INCONTINENCE	275	47910.8	3.9%
5	OTHER	1332	218765.8	17.7%
6	NOT APPLICABLE	117456	27430520.7	
7	DON'T KNOW	108	18694.8	
8	REFUSAL	2	32.9	
9	NOT STATED	208	40744.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_280: Has a mood disorder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124025 / 28692887.48 ] [Invalid=163 / 32218 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia?
<b>Notes</b>	Includes manic depression.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	9294	1847399.6	6.4%
2	NO	114731	26845487.8	93.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	126	24854.9	
8	REFUSAL	17	3080.7	
9	NOT STATED	20	4282.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_290: Has an anxiety disorder

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124002 / 28691538.98 ] [Invalid=186 / 33566.5 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	7119	1459357.3	5.1%
2	NO	116883	27232181.7	94.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	148	26524.5	
8	REFUSAL	18	2759.6	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # CCC\_290: Has an anxiety disorder

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	20	4282.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCCDDIA: Diabetes type

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=9565 / 1738770.3 ] [Invalid=114623 / 26986335.18 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	Diabetes type
<b>Notes</b>	Based on CCC_10B, CCC_10C, CCC_101, CCC_102, CCC_105, CCC_106, DHH_AGE. See documentation on derived variables

Value	Label	Cases	Weighted	Percentage (Weighted)
1	TYPE 1 DIABETES	301	66021.4	3.8%
2	TYPE 2 DIABETES	9075	1634629.3	94.0%
3	GEST. DIABETES	16	4364.4	0.3%
4	NOT CLASSIFIED	173	33755.2	1.9%
6	NOT APPLICABLE	114231	26926403.5	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	392	59931.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDHSI: Health utilities index

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= -0.335-1] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=120925 / 28211625.77 ] [Invalid=3263 / 513479.71 ] [Mean=0.859 / 0.879 ] [StdDev=0.208 / 0.191 ]
<b>Universe</b>	Respondents with DOHUI = 1
<b>Literal question</b>	Health utilities index
<b>Notes</b>	Based on HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUPDPAD. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
99.996	NOT APPLICABLE	0	0.0	
99.997	DON'T KNOW	0	0.0	
99.998	REFUSAL	0	0.0	
99.999	NOT STATED	3263	513479.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDTOT: Daily cons. - total fruits and veg. - D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-42.3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116652 / 27212074.66 ] [Invalid=7536 / 1513030.82 ] [Mean=4.91 / 4.985 ] [StdDev=2.634 / 2.665 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on FVCDJUI, FVCDFRU, FVCDXSAL, FVCDPOT, FVCDXCAR, FVCDXVEG. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
999.6	NOT APPLICABLE	0	0.0	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # FVCDTOT: Daily cons. - total fruits and veg. - D)

Value	Label	Cases	Weighted	Percentage (Weighted)
999.7	DON'T KNOW	0	0.0	
999.8	REFUSAL	0	0.0	
999.9	NOT STATED	7536	1513030.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCGTOT: Daily cons. total fruits/veg. - (D, G)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116652 / 27212074.66 ] [Invalid=7536 / 1513030.82 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on FVCDTOT. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 PER DAY	66539	15187307.2	55.8%
2	5 - 10 TIMES/DAY	45294	10786281.2	39.6%
3	MORE 10 TIMES/DA	4819	1238486.3	4.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	7536	1513030.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PACDPAI: Physical activity index - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=121633 / 28117353.64 ] [Invalid=2555 / 607751.84 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on PACDEE. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ACTIVE	32727	7747929.4	27.6%
2	MODERATE ACTIVE	30184	6954127.3	24.7%
3	INACTIVE	58722	13415296.9	47.7%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2555	607751.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=24467 / 5064281.69 ] [Invalid=99721 / 23660823.79 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAC_1, SAC_2, SAC_3, SAC_4. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
-------	-------	-------	----------	-----------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SACDTOT: Tot. hrs. -seden. activit. - 3 mo - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	620	123144.4	2.4%
2	5 TO 9 HOURS	2073	437890.6	8.6%
3	10 TO 14 HOURS	3121	674843.4	13.3%
4	15 TO 19 HOURS	3328	755038.7	14.9%
5	20 TO 24 HOURS	3649	804512.8	15.9%
6	25 TO 29 HOURS	3112	614071.3	12.1%
7	30 TO 34 HOURS	2001	393045.4	7.8%
8	35 TO 39 HOURS	2113	400392.3	7.9%
9	40 TO 44 HOURS	1412	276004.7	5.5%
10	45 OR MORE HOURS	3038	585338.2	11.6%
96	NOT APPLICABLE	98557	23436640.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1164	224183.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SACDTER: No. hrs / wk. (exc. read.) - seden. act.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=24683 / 5095422.76 ] [Invalid=99505 / 23629682.72 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on SAC_1, SAC_2, SAC_3. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	LESS 5 HOURS	1878	361033.5	7.1%
2	5 TO 9 HOURS	3705	777418.1	15.3%
3	10 TO 14 HOURS	4730	1020528.5	20.0%
4	15 TO 19 HOURS	3053	716822.6	14.1%
5	20 TO 24 HOURS	3980	771355.9	15.1%
6	25 TO 29 HOURS	2469	475280.6	9.3%
7	30 TO 34 HOURS	1155	244064.1	4.8%
8	35 TO 39 HOURS	1348	261791.4	5.1%
9	40 TO 44 HOURS	937	182861.2	3.6%
10	45 OR MORE HOURS	1428	284266.8	5.6%
96	NOT APPLICABLE	98557	23436640.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	948	193041.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOSWL: Module: SWL - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=15038 / 3866560.05 ] [Invalid=109150 / 24858545.43 ]
<b>Universe</b>	All respondents

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DOSWL: Module: SWL - (F)

**Notes** Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	15038	3866560.0	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_02: Satisfaction - job

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=14481 / 3720786.89 ] [Invalid=109707 / 25004318.59 ]

**Universe** Respondents with DOSWL = 1

**Literal question** How satisfied are you with your job or main activity?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4949	1203759.5	32.4%
2	SATISFIED	7431	1958258.8	52.6%
3	NEITHER NOR	1033	277187.5	7.4%
4	DISSATISFIED	806	215775.0	5.8%
5	VERY DISSATIS.	262	65806.2	1.8%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	122	21440.0	
8	REFUSAL	56	15415.6	
9	NOT STATED	379	108917.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_03: Satisfaction - leisure activities

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=14523 / 3727417.63 ] [Invalid=109665 / 24997687.85 ]

**Universe** Respondents with DOSWL = 1

**Literal question** How satisfied are you with your leisure activities?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4810	1173811.8	31.5%
2	SATISFIED	7483	1967326.5	52.8%
3	NEITHER NOR	1053	274215.5	7.4%
4	DISSATISFIED	1032	275450.2	7.4%
5	VERY DISSATIS.	145	36613.6	1.0%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	74	14148.4	
8	REFUSAL	6	660.8	
9	NOT STATED	435	124333.2	



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SWL\_03: Satisfaction - leisure activities

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_04: Satisfaction - financial situation

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14458 / 3707147.06 ] [Invalid=109730 / 25017958.42 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	(How satisfied are you) with your financial situation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2383	550256.2	14.8%
2	SATISFIED	7577	1923427.9	51.9%
3	NEITHER NOR	1748	472693.8	12.8%
4	DISSATISFIED	2131	603138.2	16.3%
5	VERY DISSATIS.	619	157631.0	4.3%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	122	28906.7	
8	REFUSAL	23	6173.1	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_05: Satisfaction - with self

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14513 / 3720856.68 ] [Invalid=109675 / 25004248.8 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	How satisfied are you with yourself?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	4387	1091241.7	29.3%
2	SATISFIED	8591	2238044.0	60.1%
3	NEITHER NOR	900	237498.6	6.4%
4	DISSATISFIED	547	131977.8	3.5%
5	VERY DISSATIS.	88	22094.5	0.6%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	76	19025.5	
8	REFUSAL	14	2344.7	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_06: Satisfaction - way body looks

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14486 / 3721469.14 ] [Invalid=109702 / 25003636.34 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	How satisfied are you with the way your body looks?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	2190	571645.1	15.4%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SWL\_06: Satisfaction - way body looks

Value	Label	Cases	Weighted	Percentage (Weighted)
2	SATISFIED	8233	2153121.9	57.9%
3	NEITHER NOR	1733	442524.8	11.9%
4	DISSATISFIED	2043	484353.4	13.0%
5	VERY DISSATIS.	287	69823.8	1.9%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	94	17733.8	
8	REFUSAL	23	3024.0	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_07: Satisfaction - relationship with family

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14503 / 3723484.61 ] [Invalid=109685 / 25001620.87 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	How satisfied are you with your relationships with other family members?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	6528	1637351.3	44.0%
2	SATISFIED	6660	1764212.3	47.4%
3	NEITHER NOR	667	174292.9	4.7%
4	DISSATISFIED	544	126166.4	3.4%
5	VERY DISSATIS.	104	21461.6	0.6%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	77	16038.4	
8	REFUSAL	23	2703.9	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_08: Satisfaction - relationship with friends

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14523 / 3724106.97 ] [Invalid=109665 / 25000998.51 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	(How satisfied are you) with your relationships with friends?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	6168	1501492.6	40.3%
2	SATISFIED	7447	1977226.3	53.1%
3	NEITHER NOR	552	147314.9	4.0%
4	DISSATISFIED	306	85387.3	2.3%
5	VERY DISSATIS.	50	12685.9	0.3%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	65	16084.0	
8	REFUSAL	15	2035.9	
9	NOT STATED	435	124333.2	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SWL\_08: Satisfaction - relationship with friends

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_09: Satisfaction - housing

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14544 / 3730441.37 ] [Invalid=109644 / 24994664.11 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	(How satisfied are you) with your housing?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	6149	1493484.9	40.0%
2	SATISFIED	6996	1860272.7	49.9%
3	NEITHER NOR	679	174358.0	4.7%
4	DISSATISFIED	605	169515.4	4.5%
5	VERY DISSATIS.	115	32810.4	0.9%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	45	9981.0	
8	REFUSAL	14	1804.5	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SWL\_10: Satisfaction - neighbourhood

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=14528 / 3726656.91 ] [Invalid=109660 / 24998448.57 ]
<b>Universe</b>	Respondents with DOSWL = 1
<b>Literal question</b>	(How satisfied are you) with your neighbourhood?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	VERY SATISFIED	5831	1410467.6	37.8%
2	SATISFIED	7148	1871125.8	50.2%
3	NEITHER NOR	886	258128.4	6.9%
4	DISSATISFIED	563	158331.0	4.2%
5	VERY DISSATIS.	100	28604.1	0.8%
6	NOT APPLICABLE	109150	24858545.4	
7	DON'T KNOW	63	14283.2	
8	REFUSAL	12	1286.8	
9	NOT STATED	435	124333.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSFE: Module: SFE - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=37491 / 10579412.93 ] [Invalid=86697 / 18145692.55 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
-------	-------	-------	----------	-----------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DOSFE: Module: SFE - (F)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	37491	10579412.9	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFE\_501: Self-esteem - has good qualities

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36426 / 10276711.62 ] [Invalid=87762 / 18448393.86 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	You feel that you have a number of good qualities.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	15726	4697549.4	45.7%
2	AGREE	20112	5427261.8	52.8%
3	NEITHER NOR	443	115961.8	1.1%
4	DISAGREE	128	32203.5	0.3%
5	STRONG DISAGREE	17	3735.2	0.0%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	163	31004.7	
8	REFUSAL	128	30605.9	
9	NOT STATED	774	241090.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFE\_502: Self-esteem - is person of worth

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36368 / 10260069.92 ] [Invalid=87820 / 18465035.56 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	You feel that you're a person of worth at least equal to others.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	17328	5079593.9	49.5%
2	AGREE	18117	4916597.8	47.9%
3	NEITHER NOR	530	150230.8	1.5%
4	DISAGREE	355	103012.6	1.0%
5	STRONG DISAGREE	38	10634.7	0.1%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	214	46818.6	
8	REFUSAL	7	827.8	
9	NOT STATED	902	271696.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SFE\_503: Self-esteem - is able to do things well

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36359 / 10264608.26 ] [Invalid=87829 / 18460497.22 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	You are able to do things as well as most other people.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	15831	4748993.1	46.3%
2	AGREE	18451	5037927.6	49.1%
3	NEITHER NOR	1055	257246.3	2.5%
4	DISAGREE	930	198264.8	1.9%
5	STRONG DISAGREE	92	22176.5	0.2%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	219	41774.7	
8	REFUSAL	11	1333.4	
9	NOT STATED	902	271696.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFE\_504: Self-esteem - takes positive attitude

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36414 / 10271821.71 ] [Invalid=87774 / 18453283.77 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	You take a positive attitude toward yourself.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	15195	4482953.9	43.6%
2	AGREE	18790	5113695.0	49.8%
3	NEITHER NOR	1564	457723.2	4.5%
4	DISAGREE	799	200687.8	2.0%
5	STRONG DISAGREE	66	16761.8	0.2%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	160	33147.4	
8	REFUSAL	15	2747.2	
9	NOT STATED	902	271696.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFE\_505: Self-esteem - satisfied with self

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36439 / 10276582.13 ] [Invalid=87749 / 18448523.35 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	On the whole you are satisfied with yourself.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	14523	4241782.2	41.3%
2	AGREE	19938	5502600.0	53.5%
3	NEITHER NOR	1160	329702.2	3.2%

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # SFE\_505: Self-esteem - satisfied with self

Value	Label	Cases	Weighted	Percentage (Weighted)
4	DISAGREE	742	185050.2	1.8%
5	STRONG DISAGREE	76	17447.6	0.2%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	135	28836.7	
8	REFUSAL	15	2297.5	
9	NOT STATED	902	271696.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SFE\_506: Self-esteem - feels is a failure

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36364 / 10252212.88 ] [Invalid=87824 / 18472892.6 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	All in all, you're inclined to feel you're a failure.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	202	73241.6	0.7%
2	AGREE	772	194004.6	1.9%
3	NEITHER NOR	715	196207.3	1.9%
4	DISAGREE	12001	3301199.7	32.2%
5	STRONG DISAGREE	22674	6487559.8	63.3%
6	NOT APPLICABLE	86697	18145692.6	
7	DON'T KNOW	201	50386.1	
8	REFUSAL	24	5117.3	
9	NOT STATED	902	271696.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SFEDE1: Self-esteem scale - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=36072 / 10194142.42 ] [Invalid=88116 / 18530963.06 ] [Mean=20.409 / 20.547 ] [StdDev=2.963 / 2.941 ]
<b>Universe</b>	Respondents with DOSFE = 1
<b>Literal question</b>	Self-esteem scale - (D)
<b>Notes</b>	Based on SFE_501, SFE_502, SFE_503, SFE_504, SFE_505, SFE_506. Scores on the index are based on a subset of items from the self-esteem Rosenberg scale (1969). The six items have been factored into one dimension in the factor analysis done by Pearlin and Schooler (1978). Higher scores indicate greater self-esteem. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	86697	18145692.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	1419	385270.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DOMAS: Module: MAS - (F)


<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6825 / 976552.13 ] [Invalid=117363 / 27748553.35 ]

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DOMAS: Module: MAS - (F)

**Universe** All respondents

**Literal question** You have little control over the things that happen to you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6825	976552.1	 100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*






## # MAS\_601: Mastery - lack of control

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=6540 / 943578.44 ] [Invalid=117648 / 27781527.04 ]

**Universe** Respondents with DOMAS = 1

**Literal question** You have little control over the things that happen to you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	242	37524.9	 4.0%
2	AGREE	1325	171027.3	 18.1%
3	NEITHER NOR	495	72885.3	 7.7%
4	DISAGREE	3230	477385.3	 50.6%
5	STRONG DISAGREE	1248	184755.7	 19.6%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	151	13546.5	
8	REFUSAL	34	3603.3	
9	NOT STATED	100	15824.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*






## # MAS\_602: Mastery - cannot solve problems

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=6579 / 945570.38 ] [Invalid=117609 / 27779535.1 ]

**Universe** Respondents with DOMAS = 1

**Literal question** There is really no way you can solve some of the problems you have.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	150	25513.3	 2.7%
2	AGREE	1389	175693.9	 18.6%
3	NEITHER NOR	383	46172.5	 4.9%
4	DISAGREE	3684	542001.2	 57.3%
5	STRONG DISAGREE	973	156189.4	 16.5%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	105	9640.9	
8	REFUSAL	7	1913.6	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # MAS\_602: Mastery - cannot solve problems

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	134	19427.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_603: Mastery - cannot change things

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6553 / 943726.85 ] [Invalid=117635 / 27781378.63 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	There is little you can do to change many of the important things in your life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	111	15059.9	1.6%
2	AGREE	1182	148109.2	15.7%
3	NEITHER NOR	353	45559.1	4.8%
4	DISAGREE	3882	563684.6	59.7%
5	STRONG DISAGREE	1025	171314.1	18.2%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	128	12088.1	
8	REFUSAL	10	1310.0	
9	NOT STATED	134	19427.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_604: Mastery - helpless

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6607 / 947126.36 ] [Invalid=117581 / 27777979.12 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	You often feel helpless in dealing with problems of life.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	80	10762.4	1.1%
2	AGREE	824	107162.9	11.3%
3	NEITHER NOR	272	45100.8	4.8%
4	DISAGREE	4185	585478.2	61.8%
5	STRONG DISAGREE	1246	198622.0	21.0%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	77	8868.7	
8	REFUSAL	7	1129.8	
9	NOT STATED	134	19427.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_605: Mastery - pushed around

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6640 / 949182.83 ] [Invalid=117548 / 27775922.65 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	Sometimes you feel that you are being pushed around in life.



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # MAS\_605: Mastery - pushed around

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	114	18350.7	1.9%
2	AGREE	1355	195419.7	20.6%
3	NEITHER NOR	298	46457.2	4.9%
4	DISAGREE	3848	528923.8	55.7%
5	STRONG DISAGREE	1025	160031.5	16.9%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	43	6583.8	
8	REFUSAL	8	1358.3	
9	NOT STATED	134	19427.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MAS\_606: Mastery - fate depends upon self

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6594 / 944574.64 ] [Invalid=117594 / 27780530.84 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	What happens to you in the future mostly depends on you.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1476	237532.2	25.1%
2	AGREE	4481	595178.9	63.0%
3	NEITHER NOR	272	40078.8	4.2%
4	DISAGREE	335	65387.3	6.9%
5	STRONG DISAGREE	30	6397.5	0.7%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	88	11074.2	
8	REFUSAL	9	1476.1	
9	NOT STATED	134	19427.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MAS\_607: Mastery - can do anything

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6622 / 949094.76 ] [Invalid=117566 / 27776010.72 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	You can do just about anything you really set your mind to.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	STRONGLY AGREE	1449	243252.4	25.6%
2	AGREE	4527	619995.3	65.3%
3	NEITHER NOR	245	30382.2	3.2%
4	DISAGREE	367	47690.6	5.0%
5	STRONG DISAGREE	34	7774.3	0.8%
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	61	6685.2	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # MAS\_607: Mastery - can do anything

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	8	1344.9	
9	NOT STATED	134	19427.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MASDM1: Mastery scale - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6336 / 921843.2 ] [Invalid=117852 / 27803262.28 ] [Mean=19.601 / 19.819 ] [StdDev=4.172 / 4.268 ]
<b>Universe</b>	Respondents with DOMAS = 1
<b>Literal question</b>	Mastery scale - (D)
<b>Notes</b>	Based on MAS_601 to MAS_607. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	117363	27748553.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	489	54708.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK\_202: Type of smoker

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123846 / 28631971.45 ] [Invalid=342 / 93134.03 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	At the present time, do you smoke cigarettes daily, occasionally or not at all?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DAILY	20689	4456875.6	15.6%
2	OCCASIONALLY	5403	1389970.8	4.9%
3	NOT AT ALL	97754	22785125.1	79.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	32	6612.5	
8	REFUSAL	12	2143.2	
9	NOT STATED	298	84378.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SMK\_204: No. of cig. smoked/day (daily smoker)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=20571 / 4435064.19 ] [Invalid=103617 / 24290041.29 ] [Mean=15.301 / 14.97 ] [StdDev=8.837 / 8.681 ]
<b>Universe</b>	Respondents who answered SMK_202 = (1, 7 or 8) or SMK_01A = 8 and SMK_01B = 8
<b>Literal question</b>	How many cigarettes do you smoke each day now?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	103157	24175095.8	
997	DON'T KNOW	105	18212.2	
998	REFUSAL	10	2834.1	
999	NOT STATED	345	93899.2	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SMK\_204: No. of cig. smoked/day (daily smoker)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC\_1: Drank alcohol - past 12 months

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=123054 / 28448098.49 ] [Invalid=1134 / 277006.99 ]
<b>Universe</b>	All respondents
<b>Literal question</b>	During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?
<b>Notes</b>	The word drink means: one bottle or can of beer or a glass of draft, one glass of wine or a wine cooler, or one drink or cocktail with 1 and a 1/2 ounces of liquor.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	92728	21822093.0	76.7%
2	NO	30326	6626005.4	23.3%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	68	9967.6	
8	REFUSAL	71	11304.3	
9	NOT STATED	995	255735.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC\_2: Frequency of drinking alcohol

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=92354 / 21748392.17 ] [Invalid=31834 / 6976713.31 ]
<b>Universe</b>	Respondents who answered ALC_1 = (1, 7 or 8)
<b>Literal question</b>	During the past 12 months, how often did you drink alcoholic beverages?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< ONCE A MONTH	21428	4529330.9	20.8%
2	ONCE A MONTH	10144	2334453.9	10.7%
3	2 TO 3 TIMES/MO	12477	3003678.4	13.8%
4	ONCE/WEEK	15355	3880746.2	17.8%
5	2 TO 3 TIMES/WK	18091	4607520.9	21.2%
6	4 TO 6 TIMES/WK	5741	1412084.1	6.5%
7	EVERY DAY	9118	1980577.7	9.1%
96	NOT APPLICABLE	30326	6626005.4	
97	DON'T KNOW	314	60733.0	
98	REFUSAL	47	9525.2	
99	NOT STATED	1147	280449.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ALC\_3: Frequency of having 5 or more drinks

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=92125 / 21699487.1 ] [Invalid=32063 / 7025618.38 ]
<b>Universe</b>	Respondents who answered ALC_1 = (1, 7 or 8)
<b>Literal question</b>	How often in the past 12 months have you had 5 or more drinks on one occasion?

Value	Label	Cases	Weighted	Percentage (Weighted)
-------	-------	-------	----------	-----------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # ALC\_3: Frequency of having 5 or more drinks

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NEVER	49507	11103884.4	51.2%
2	LESS ONCE/MONTH	22986	5698659.4	26.3%
3	ONCE/MONTH	6557	1664074.4	7.7%
4	2-3 TIMES/MONTH	5604	1395555.4	6.4%
5	ONCE/WEEK	4523	1118626.9	5.2%
6	MORE ONCE/WEEK	2948	718686.7	3.3%
96	NOT APPLICABLE	30326	6626005.4	
97	DON'T KNOW	516	106983.6	
98	REFUSAL	69	11105.4	
99	NOT STATED	1152	281524.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCDTTM: Type of drinker (12 months)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=122680 / 28374397.61 ] [Invalid=1508 / 350707.87 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Based on ALC_1, ALC_2. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	REGULAR DRINKER	70926	17219061.2	60.7%
2	OCCASIO. DRINKER	21428	4529330.9	16.0%
3	NO DRINK LAST12M	30326	6626005.4	23.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1508	350707.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOSSA: Module: SSA - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=49775 / 12045493.13 ] [Invalid=74413 / 16679612.35 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	49775	12045493.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_01: No. of close friends and relatives

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-99] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=46011 / 11200393.14 ] [Invalid=78177 / 17524712.34 ] [Mean=8.47 / 8.322 ] [StdDev=9.182 / 8.531 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	About how many close friends and close relatives do you have, that is, people you feel at ease with and can talk to about what is on your mind?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	74413	16679612.4	
997	DON'T KNOW	1761	330907.5	
998	REFUSAL	367	76887.0	
999	NOT STATED	1636	437305.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_02: Has someone to give help if confined bed

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44736 / 10942408.55 ] [Invalid=79452 / 17782696.93 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	How often is each of the following kinds of support available to you if you need it? - Someone to help you if you were confined to bed: (none of the time, a little of the time, some of the time, most of the time, or all of the time)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	2178	385674.9	3.5%
2	LITTLE/TIME	2219	462536.2	4.2%
3	SOME OF THE TIME	5546	1199954.8	11.0%
4	MOST OF THE TIME	11548	2877254.5	26.3%
5	ALL OF THE TIME	23245	6016988.1	55.0%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	1198	238365.9	
8	REFUSAL	56	10802.6	
9	NOT STATED	3785	853916.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_03: Has someone to listen

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44640 / 10926820.13 ] [Invalid=79548 / 17798285.35 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone you can count on to listen to you when you need to talk

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	574	108030.1	1.0%
2	LITTLE/TIME	990	228557.4	2.1%
3	SOME OF THE TIME	3124	707282.5	6.5%
4	MOST OF THE TIME	10147	2461644.3	22.5%
5	ALL OF THE TIME	29805	7421305.9	67.9%
6	NOT APPLICABLE	74413	16679612.4	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_03: Has someone to listen

Value	Label	Cases	Weighted	Percentage (Weighted)
7	DON'T KNOW	87	13752.3	
8	REFUSAL	5	541.7	
9	NOT STATED	5043	1104379.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_04: Has som. to receive advice about crisis

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44336 / 10870016.54 ] [Invalid=79852 / 17855088.94 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	How often is each of the following kinds of support available to you if you need it?) - Someone to give you advice about a crisis

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1478	291034.6	2.7%
2	LITTLE/TIME	1320	305958.4	2.8%
3	SOME OF THE TIME	3800	857349.1	7.9%
4	MOST OF THE TIME	10045	2502618.2	23.0%
5	ALL OF THE TIME	27693	6913056.3	63.6%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	378	68782.5	
8	REFUSAL	16	1822.6	
9	NOT STATED	5045	1104871.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_05: Has someone to take to doctor

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44612 / 10917408.05 ] [Invalid=79576 / 17807697.43 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to take you to the doctor if you needed it

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1063	220607.0	2.0%
2	LITTLE/TIME	994	231563.3	2.1%
3	SOME OF THE TIME	2935	707061.7	6.5%
4	MOST OF THE TIME	8626	2183497.8	20.0%
5	ALL OF THE TIME	30994	7574678.4	69.4%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	107	21880.8	
8	REFUSAL	10	1194.8	
9	NOT STATED	5046	1105009.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_06: Has someone who shows love and affection

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_06: Has someone who shows love and affection

<b>Statistics [NW/ W]</b>	[Valid=44581 / 10917062.33 ] [Invalid=79607 / 17808043.15 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone who shows you love and affection

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	787	117323.1	1.1%
2	LITTLE/TIME	775	157916.2	1.4%
3	SOME OF THE TIME	2379	499112.7	4.6%
4	MOST OF THE TIME	7126	1745596.8	16.0%
5	ALL OF THE TIME	33514	8397113.6	76.9%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	122	19916.4	
8	REFUSAL	23	2989.5	
9	NOT STATED	5049	1105524.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_07: Has someone to have a good time with

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44582 / 10919029.72 ] [Invalid=79606 / 17806075.76 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	Again, how often is each of the following kinds of support available to you if you need it? - Someone to have a good time with

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	636	94409.2	0.9%
2	LITTLE/TIME	921	168690.9	1.5%
3	SOME OF THE TIME	3421	722402.7	6.6%
4	MOST OF THE TIME	9007	2143246.2	19.6%
5	ALL OF THE TIME	30597	7790280.6	71.3%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	124	16947.1	
8	REFUSAL	17	3611.5	
9	NOT STATED	5052	1105904.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_08: Has some. to receive info/help situation

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44437 / 10888998.71 ] [Invalid=79751 / 17836106.77 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to give you information in order to help you understand a situation

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	848	167785.5	1.5%
2	LITTLE/TIME	1053	229612.1	2.1%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_08: Has some. to receive info/help situation

Value	Label	Cases	Weighted	Percentage (Weighted)
3	SOME OF THE TIME	4101	946715.6	8.7%
4	MOST OF THE TIME	11256	2777213.2	25.5%
5	ALL OF THE TIME	27179	6767672.4	62.2%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	254	46308.5	
8	REFUSAL	30	3468.0	
9	NOT STATED	5054	1106717.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_09: Has someone to confide in

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44538 / 10906727.27 ] [Invalid=79650 / 17818378.21 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to confide in or talk to about yourself or your problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	852	169851.7	1.6%
2	LITTLE/TIME	1162	252405.4	2.3%
3	SOME OF THE TIME	3530	808338.6	7.4%
4	MOST OF THE TIME	9746	2410973.6	22.1%
5	ALL OF THE TIME	29248	7265158.0	66.6%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	144	24936.9	
8	REFUSAL	31	4586.7	
9	NOT STATED	5062	1109242.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_10: Has someone who gives hugs

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44535 / 10908222.03 ] [Invalid=79653 / 17816883.45 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone who hugs you

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1509	241097.5	2.2%
2	LITTLE/TIME	1784	348653.0	3.2%
3	SOME OF THE TIME	3819	807959.5	7.4%
4	MOST OF THE TIME	7692	1928871.8	17.7%
5	ALL OF THE TIME	29731	7581640.2	69.5%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	130	21897.6	
8	REFUSAL	44	5607.0	
9	NOT STATED	5066	1109766.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_11: Has someone to get together w/for relax.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44518 / 10905010.34 ] [Invalid=79670 / 17820095.14 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to get together with for relaxation?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1153	200310.2	1.8%
2	LITTLE/TIME	1387	268884.3	2.5%
3	SOME OF THE TIME	4491	979277.0	9.0%
4	MOST OF THE TIME	9851	2402568.5	22.0%
5	ALL OF THE TIME	27636	7053970.4	64.7%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	148	23723.4	
8	REFUSAL	42	6290.8	
9	NOT STATED	5067	1110468.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_12: Has someone to prepare meals

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44294 / 10877998.03 ] [Invalid=79894 / 17847107.45 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to prepare your meals if you were unable to do it yourself

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1901	327444.6	3.0%
2	LITTLE/TIME	1721	362895.3	3.3%
3	SOME OF THE TIME	4533	986363.0	9.1%
4	MOST OF THE TIME	8696	2147356.1	19.7%
5	ALL OF THE TIME	27443	7053939.0	64.8%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	370	50096.7	
8	REFUSAL	43	6868.1	
9	NOT STATED	5068	1110530.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_13: Has someone to give advice

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44345 / 10881686.94 ] [Invalid=79843 / 17843418.54 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone whose advice you really want

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1437	282375.8	2.6%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_13: Has someone to give advice

Value	Label	Cases	Weighted	Percentage (Weighted)
2	LITTLE/TIME	1667	380931.2	3.5%
3	SOME OF THE TIME	5323	1237825.9	11.4%
4	MOST OF THE TIME	10503	2628848.6	24.2%
5	ALL OF THE TIME	25415	6351705.4	58.4%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	298	43910.7	
8	REFUSAL	58	8430.9	
9	NOT STATED	5074	1111464.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_14: Has someone to do things to get mind off

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44456 / 10896525.63 ] [Invalid=79732 / 17828579.85 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	Again, how often is each of the following kinds of support available to you if you need it? - Someone to do things with to help you get your mind off things

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1180	210299.3	1.9%
2	LITTLE/TIME	1443	296788.9	2.7%
3	SOME OF THE TIME	5360	1225108.2	11.2%
4	MOST OF THE TIME	11077	2713968.8	24.9%
5	ALL OF THE TIME	25396	6450360.5	59.2%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	187	29732.9	
8	REFUSAL	53	7565.6	
9	NOT STATED	5079	1111669.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_15: Has someone to help with daily chores

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44348 / 10878667.67 ] [Invalid=79840 / 17846437.81 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to help with daily chores if you were sick

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1757	305588.6	2.8%
2	LITTLE/TIME	1809	398215.2	3.7%
3	SOME OF THE TIME	5247	1133518.2	10.4%
4	MOST OF THE TIME	9437	2335562.8	21.5%
5	ALL OF THE TIME	26098	6705782.8	61.6%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	293	46769.6	
8	REFUSAL	50	7538.9	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_15: Has someone to help with daily chores

Value	Label	Cases	Weighted	Percentage (Weighted)
9	NOT STATED	5084	1112517.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_16: Has someone to share most priv. worries

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44385 / 10881977.81 ] [Invalid=79803 / 17843127.67 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to share your most private worries and fears with

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1634	325075.2	3.0%
2	LITTLE/TIME	1696	358316.4	3.3%
3	SOME OF THE TIME	4496	1079216.0	9.9%
4	MOST OF THE TIME	9417	2352745.0	21.6%
5	ALL OF THE TIME	27142	6766625.3	62.2%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	237	40568.7	
8	REFUSAL	65	9439.6	
9	NOT STATED	5088	1113507.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_17: Has someone to turn to for suggestions

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44379 / 10883147.79 ] [Invalid=79809 / 17841957.69 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	(How often is each of the following kinds of support available to you if you need it?) - Someone to turn to for suggestions about how to deal with a personal problem

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1132	228264.0	2.1%
2	LITTLE/TIME	1405	305031.2	2.8%
3	SOME OF THE TIME	4591	1035608.2	9.5%
4	MOST OF THE TIME	10096	2515736.2	23.1%
5	ALL OF THE TIME	27155	6798508.2	62.5%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	241	38803.6	
8	REFUSAL	65	9696.4	
9	NOT STATED	5090	1113845.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSA\_18: Has someone to do something enjoyable

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44476 / 10900570.36 ] [Invalid=79712 / 17824535.12 ]
<b>Universe</b>	Respondents with DOSSA = 1

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_18: Has someone to do something enjoyable

**Literal question** (How often is each of the following kinds of support available to you if you need it?) - Someone to do something enjoyable with

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	691	116358.5	1.1%
2	LITTLE/TIME	967	183849.6	1.7%
3	SOME OF THE TIME	4259	880667.8	8.1%
4	MOST OF THE TIME	10449	2547518.0	23.4%
5	ALL OF THE TIME	28110	7172176.4	65.8%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	145	21803.8	
8	REFUSAL	63	9198.4	
9	NOT STATED	5091	1113920.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_19: Has someone who understands problems

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=44380 / 10883702.47 ] [Invalid=79808 / 17841403.01 ]

**Universe** Respondents with DOSSA = 1

**Literal question** (How often is each of the following kinds of support available to you if you need it?) - Someone who understands your problems

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	894	173285.7	1.6%
2	LITTLE/TIME	1261	262991.3	2.4%
3	SOME OF THE TIME	4739	1099851.5	10.1%
4	MOST OF THE TIME	11095	2756901.3	25.3%
5	ALL OF THE TIME	26391	6590672.7	60.6%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	231	37631.7	
8	REFUSAL	72	10185.8	
9	NOT STATED	5092	1113973.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSA\_20: Has someone who loves/makes feel wanted

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=44419 / 10884845.75 ] [Invalid=79769 / 17840259.73 ]

**Universe** Respondents with DOSSA = 1

**Literal question** (How often is each of the following kinds of support available to you if you need it?) - Someone to love you and make you feel wanted

Value	Label	Cases	Weighted	Percentage (Weighted)
1	NONE OF THE TIME	1201	213123.4	2.0%
2	LITTLE/TIME	1199	233435.1	2.1%
3	SOME OF THE TIME	3214	712725.1	6.5%
4	MOST OF THE TIME	8270	2074168.8	19.1%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSA\_20: Has someone who loves/makes feel wanted

Value	Label	Cases	Weighted	Percentage (Weighted)
5	ALL OF THE TIME	30535	7651393.3	70.3%
6	NOT APPLICABLE	74413	16679612.4	
7	DON'T KNOW	184	32052.6	
8	REFUSAL	78	14318.8	
9	NOT STATED	5094	1114275.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSADTNG: Tangible social support - MOS - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44033 / 10832109.94 ] [Invalid=80155 / 17892995.54 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	Tangible social support - MOS - (D)
<b>Notes</b>	Based on SSA_02, SSA_05, SSA_12, SSA_15. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		424	71355.3	0.7%
1		141	31893.8	0.3%
2		259	47334.9	0.4%
3		299	51784.1	0.5%
4		548	107967.0	1.0%
5		417	78546.6	0.7%
6		623	130981.6	1.2%
7		709	140089.5	1.3%
8		1372	293974.6	2.7%
9		1180	263466.0	2.4%
10		1778	378654.3	3.5%
11		1861	448321.4	4.1%
12		4685	1191633.5	11.0%
13		3134	769864.2	7.1%
14		3999	954914.5	8.8%
15		4585	1162373.4	10.7%
16		18019	4708955.2	43.5%
96	NOT APPLICABLE	74413	16679612.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	5742	1213383.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSADAFF: Affection - MOS subscale - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=44266 / 10859591.04 ] [Invalid=79922 / 17865514.44 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	Affection - MOS subscale - (D)

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSADAFF: Affection - MOS subscale - (D)

**Notes** Based on SSA\_06, SSA\_10, SSA\_20. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		392	59783.8	0.6%
1		148	28334.9	0.3%
2		250	38828.4	0.4%
3		436	83825.4	0.8%
4		532	89457.3	0.8%
5		647	125256.7	1.2%
6		1325	287816.5	2.7%
7		1165	245554.2	2.3%
8		1908	415089.7	3.8%
9		4459	1149125.6	10.6%
10		3177	734157.7	6.8%
11		3438	844780.1	7.8%
12		26389	6757580.8	62.2%
96	NOT APPLICABLE	74413	16679612.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	5509	1185902.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSADSOC: Positive social interaction - MOS - (D)

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=44212 / 10859093.15 ] [Invalid=79976 / 17866012.33 ]

**Universe** Respondents with DOSSA = 1

**Literal question** Positive social interaction - MOS - (D)

**Notes** Based on SSA\_07, SSA\_11, SSA\_14, SSA\_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		310	44885.1	0.4%
1		93	15784.2	0.1%
2		139	27164.4	0.3%
3		158	27232.9	0.3%
4		374	70513.0	0.6%
5		293	56215.2	0.5%
6		453	90024.1	0.8%
7		531	104348.6	1.0%
8		1589	342324.3	3.2%
9		1018	212025.2	2.0%
10		1410	306435.3	2.8%
11		1613	375641.3	3.5%
12		5523	1362341.5	12.5%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # SSADSOC: Positive social interaction - MOS - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
13		2550	601628.3	5.5%
14		3043	745500.8	6.9%
15		3070	762668.8	7.0%
16		22045	5714360.3	52.6%
96	NOT APPLICABLE	74413	16679612.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	5563	1186400.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSADEMO: Emot./info. support - MOS subscale - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=43508 / 10735322.77 ] [Invalid=80680 / 17989782.71 ] [Mean=27.206 / 27.472 ] [StdDev=6.321 / 6.054 ]
<b>Universe</b>	Respondents with DOSSA = 1
<b>Literal question</b>	Emot./info. support - MOS subscale - (D)
<b>Notes</b>	Based on SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	74413	16679612.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	6267	1310170.4	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSU\_24B: Freq. of emotional/info. support

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=16225 / 3775849.36 ] [Invalid=107963 / 24949256.12 ]
<b>Universe</b>	Respondents with DOSSU =1 who answered SSU_24A = (1, 7 or 8) or [SSA_03 = (1, 7 or 8) and SSA_04 = (1, 7 or 8) and SSA_08 = (1, 7 or 8) and SSA_09 = (1, 7 or 8) and SSA_13 = (1, 7 or 8) and SSA_16 = (1, 7 or 8) and SSA_17 = (1, 7 or 8) and SSA_19 = (1, 7 or 8) and at least one of SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)
<b>Literal question</b>	When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST ALWAYS	12482	2951624.6	78.2%
2	FREQUENTLY	2626	598830.4	15.9%
3	HALF THE TIME	861	177753.1	4.7%
4	RARELY	227	42826.2	1.1%
5	NEVER	29	4815.1	0.1%
6	NOT APPLICABLE	105549	24429279.3	
7	DON'T KNOW	16	2165.0	
8	REFUSAL	1	64.8	
9	NOT STATED	2397	517747.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DODIS: Module: DIS - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=41520 / 10577589.51 ] [Invalid=82668 / 18147515.97 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	41520	10577589.5	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10A: Frequency/distress:tired out-past month

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39900 / 10141967.29 ] [Invalid=84288 / 18583138.19 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)?
<b>Notes</b>	Formerly DISA_01B in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	720	167924.9	1.7%
2	MOST OF THE TIME	1896	442433.0	4.4%
3	SOME OF THE TIME	8153	2063875.5	20.3%
4	LITTLE OF TIME	10908	2811864.9	27.7%
5	NONE OF THE TIME	18223	4655868.9	45.9%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	202	34156.6	
8	REFUSAL	120	21645.8	
9	NOT STATED	1298	379819.8	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10B: Freq./distress: felt nervous - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39787 / 10122006.77 ] [Invalid=84401 / 18603098.71 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	During the past month, about how often did you feel nervous?
<b>Notes</b>	Formerly DISA_01B in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	675	171453.4	1.7%
2	MOST OF THE TIME	2091	580750.4	5.7%



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DIS\_10B: Freq./distress: felt nervous - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
3	SOME OF THE TIME	9011	2520923.4	24.9%
4	LITTLE OF TIME	9926	2650341.4	26.2%
5	NONE OF THE TIME	18084	4198538.2	41.5%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	100	16695.9	
8	REFUSAL	7	1980.2	
9	NOT STATED	1626	436906.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10C: Freq./distress:so nervous - past month

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39739 / 10112868.86 ] [Invalid=84449 / 18612236.62 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	(During the past month, about how often did you feel) so nervous that nothing could calm you down?
<b>Notes</b>	In processing, if a respondent answered DIS_10B = 5 (none of the time), the variable DIS_10C is given the value of 5 (none of the time).

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	157	39087.8	0.4%
2	MOST OF THE TIME	342	92855.1	0.9%
3	SOME OF THE TIME	1348	369391.8	3.7%
4	LITTLE OF TIME	2989	872357.2	8.6%
5	NONE OF THE TIME	34903	8739176.9	86.4%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	45	8505.7	
8	REFUSAL	3	632.2	
9	NOT STATED	1733	455582.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10D: Freq./distress: felt hopeless - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39796 / 10125826.36 ] [Invalid=84392 / 18599279.12 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	During the past month, about how often did you feel hopeless?
<b>Notes</b>	Formerly DISA_01D in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	163	37966.6	0.4%
2	MOST OF THE TIME	391	96312.4	1.0%
3	SOME OF THE TIME	2081	544272.6	5.4%
4	LITTLE OF TIME	3376	937909.7	9.3%
5	NONE OF THE TIME	33785	8509365.0	84.0%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	79	12281.0	

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DIS\_10D: Freq./distress: felt hopeless - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	16	1815.7	
9	NOT STATED	1629	437666.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10E: Freq./distress: felt restless - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39760 / 10116056.34 ] [Invalid=84428 / 18609049.14 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	During the past month, about how often did you feel restless or fidgety?
<b>Notes</b>	Formerly DISA_01C in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	562	148964.2	1.5%
2	MOST OF THE TIME	1150	286033.7	2.8%
3	SOME OF THE TIME	5545	1431093.5	14.1%
4	LITTLE OF TIME	6581	1733087.1	17.1%
5	NONE OF THE TIME	25922	6516877.9	64.4%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	112	21584.0	
8	REFUSAL	17	1959.1	
9	NOT STATED	1631	437990.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10F: Frequency/distress:could not sit still

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39713 / 10105939.62 ] [Invalid=84475 / 18619165.86 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	(During the past month, about how often did you feel) so restless you could not sit still?
<b>Notes</b>	In processing, if a respondent answered DIS_10E = 5 (none of the time), the variable DIS_10F is given the value of 5 (none of the time).

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	294	71623.8	0.7%
2	MOST OF THE TIME	531	130898.7	1.3%
3	SOME OF THE TIME	2037	523157.1	5.2%
4	LITTLE OF TIME	2942	779705.7	7.7%
5	NONE OF THE TIME	33909	8600554.3	85.1%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	46	9813.4	
8	REFUSAL	1	303.3	
9	NOT STATED	1760	461533.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10G: Freq./distress: sad,depressed - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
--------------------	------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DIS\_10G: Freq./distress: sad,depressed - past mo

<b>Statistics [NW/ W]</b>	[Valid=39796 / 10124342.81 ] [Invalid=84392 / 18600762.67 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	(During the past month, about how often did you feel) sad or depressed?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	276	67196.5	0.7%
2	MOST OF THE TIME	945	223989.3	2.2%
3	SOME OF THE TIME	6315	1666695.2	16.5%
4	LITTLE OF TIME	7863	2109090.5	20.8%
5	NONE OF THE TIME	24397	6057371.3	59.8%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	69	12169.3	
8	REFUSAL	21	1998.4	
9	NOT STATED	1634	439079.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10H: Freq./d.:dep,nothing cheer up - past mo.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39752 / 10114308.84 ] [Invalid=84436 / 18610796.64 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	(During the past month, about how often did you feel) so depressed that nothing could cheer you up?
<b>Notes</b>	In processing, if a respondent answered DIS_10G = 5 (none of the time), the variable DIS_10H is given the value of 5 (none of the time).

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	116	30704.2	0.3%
2	MOST OF THE TIME	370	86505.9	0.9%
3	SOME OF THE TIME	1363	346783.2	3.4%
4	LITTLE OF TIME	2309	653380.2	6.5%
5	NONE OF THE TIME	35594	8996935.4	89.0%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	41	9724.7	
8	REFUSAL	3	309.2	
9	NOT STATED	1724	453246.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10I: Freq./distr: every. was effort - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39671 / 10099672.21 ] [Invalid=84517 / 18625433.27 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	(During the past month, about how often did you feel) that everything was an effort?
<b>Notes</b>	Formerly DISA_01F in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	567	133696.0	1.3%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DIS\_10I: Freq./distr: every. was effort - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
2	MOST OF THE TIME	1145	267093.7	2.6%
3	SOME OF THE TIME	3994	1040011.8	10.3%
4	LITTLE OF TIME	4784	1349403.6	13.4%
5	NONE OF THE TIME	29181	7309467.1	72.4%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	179	32441.4	
8	REFUSAL	35	6323.2	
9	NOT STATED	1635	439152.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10J: Freq./distr.: felt worthless - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39749 / 10119243.28 ] [Invalid=84439 / 18605862.2 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	During the past month, about how often did you feel) worthless?
<b>Notes</b>	Formerly DISA_01E in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL OF THE TIME	178	31684.8	0.3%
2	MOST OF THE TIME	332	75431.7	0.7%
3	SOME OF THE TIME	1431	357759.8	3.5%
4	LITTLE OF TIME	2424	650286.3	6.4%
5	NONE OF THE TIME	35384	9004080.7	89.0%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	103	15730.2	
8	REFUSAL	32	3450.7	
9	NOT STATED	1636	439165.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10K: Freq. of distress feelings - past mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39543 / 10074469.58 ] [Invalid=84645 / 18650635.9 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual?
<b>Notes</b>	Formerly DISA_01G in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	MORE OFTEN	5102	1405412.7	14.0%
2	LESS OFTEN	3115	831237.9	8.3%
3	ABOUT THE SAME	23188	5931920.6	58.9%
4	NEVER HAD ANY	8138	1905898.5	18.9%
6	NOT APPLICABLE	82668	18147516.0	
7	DON'T KNOW	292	56583.2	

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DIS\_10K: Freq. of distress feelings - past mo

Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	31	4829.7	
9	NOT STATED	1654	441707.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10L: Freq. of distress feelings (more often)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=5054 / 1395457.69 ] [Invalid=119134 / 27329647.79 ]
<b>Universe</b>	Respondents who answered DIS_10K = (1, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
<b>Literal question</b>	Is that a lot more, somewhat more or only a little more often than usual?
<b>Notes</b>	Formerly DISA_01H in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1693	476639.5	34.2%
2	SOMEWHAT	1339	336179.4	24.1%
3	A LITTLE	2022	582638.8	41.8%
6	NOT APPLICABLE	117109	26816572.9	
7	DON'T KNOW	46	9721.5	
8	REFUSAL	1	67.2	
9	NOT STATED	1978	503286.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10M: Freq. of distress feelings (less often)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3042 / 820282.56 ] [Invalid=121146 / 27904822.92 ]
<b>Universe</b>	Respondents who answered DIS_10K = (2, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
<b>Literal question</b>	Is that a lot less, somewhat less or only a little less often than usual?
<b>Notes</b>	Formerly DISA_01I in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1090	286040.8	34.9%
2	SOMEWHAT	797	209352.2	25.5%
3	A LITTLE	1155	324889.6	39.6%
6	NOT APPLICABLE	119096	27390747.7	
7	DON'T KNOW	72	10927.2	
8	REFUSAL	1	28.1	
9	NOT STATED	1977	503119.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10N: Freq./distr. feelings int. w/life-p.m.

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=31321 / 8146832.81 ] [Invalid=92867 / 20578272.67 ]
<b>Universe</b>	

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DIS\_10N: Freq./distr. feelings int. w/life-p.m.

	Respondents who answered DIS_10K = (1, 2, 3, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8)
<b>Literal question</b>	During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?
<b>Notes</b>	Formerly DISA_01J in cycle 1.1.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT	1390	353020.6	4.3%
2	SOME	2679	699107.4	8.6%
3	A LITTLE	7600	1996995.6	24.5%
4	NOT AT ALL	19652	5097709.3	62.6%
6	NOT APPLICABLE	90806	20053414.4	
7	DON'T KNOW	70	17855.4	
8	REFUSAL	6	432.9	
9	NOT STATED	1985	506570.0	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DISDK6: Distress scale - K6 - past month - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39346 / 10042115.22 ] [Invalid=84842 / 18682990.26 ] [Mean=2.546 / 2.644 ] [StdDev=3.171 / 3.125 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	Distress scale - K6 - past month - (D)
<b>Notes</b>	Based on DIS_10B, DIS_10D, DIS_10E, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	82668	18147516.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2174	535474.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DISDCHR: Chronicity of distress/impair. scale (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39422 / 10053559.28 ] [Invalid=84766 / 18671546.2 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	Chronicity of distress/impair. scale (D)
<b>Notes</b>	Based on DIS_10K, DIS_10L, DIS_10M. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	A LOT MORE	1693	476639.5	4.7%
2	SOMEWHAT MORE	1339	336179.4	3.3%
3	LITTLE MORE	2022	582638.8	5.8%
4	ABOUT THE SAME	23188	5931920.6	59.0%
5	LITTLE LESS	1155	324889.6	3.2%
6	SOMEWHAT LESS	797	209352.2	2.1%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DISDCHR: Chronicity of distress/impair. scale (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
7	A LOT LESS	1090	286040.8	2.8%
8	NEVER HAD ANY	8138	1905898.5	19.0%
96	NOT APPLICABLE	82668	18147516.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2098	524030.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DISDDSX: Distress scale - K10 - past month - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=39280 / 10027565.14 ] [Invalid=84908 / 18697540.34 ] [Mean=4.468 / 4.59 ] [StdDev=5.104 / 5.061 ]
<b>Universe</b>	Respondents with DODIS = 1
<b>Literal question</b>	Distress scale - K10 - past month - (D)
<b>Notes</b>	Based on DIS_10A, DIS_10B, DIS_10C, DIS_10D, DIS_10E, DIS_10F, DIS_10G, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	82668	18147516.0	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2240	550024.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODEP: Module: DPS - (F)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=58471 / 14566055.91 ] [Invalid=65717 / 14159049.57 ]
<b>Universe</b>	All respondents
<b>Notes</b>	Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	58471	14566055.9	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	65717	14159049.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_02: Depressed >= 2 weeks - 12 mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=56226 / 13964371.03 ] [Invalid=67962 / 14760734.45 ]
<b>Universe</b>	Respondents with DODPS = 1
<b>Literal question</b>	During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_02: Depressed >= 2 weeks - 12 mo

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6967	1650161.5	11.8%
2	NO	49259	12314209.5	88.2%
6	NOT APPLICABLE	65717	14159049.6	
7	DON'T KNOW	146	28595.7	
8	REFUSAL	144	24048.0	
9	NOT STATED	1955	549041.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_03: Dep. -length/time feelings lasted - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6881 / 1632367.21 ] [Invalid=117307 / 27092738.27 ]
<b>Universe</b>	Respondents who answered DPS_02 = (1, 7 or 8)
<b>Literal question</b>	Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day long, most of the day, about half of the day, or less than half of a day)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	1912	459990.8	28.2%
2	MOST OF THE DAY	2087	492636.4	30.2%
3	ABOUT HALF/DAY	1568	354340.2	21.7%
4	LESS HALF/DAY	1314	325399.8	19.9%
6	NOT APPLICABLE	114976	26473259.1	
7	DON'T KNOW	69	15569.3	
8	REFUSAL	16	2089.0	
9	NOT STATED	2246	601820.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_04: Depressed - frequency - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3980 / 948028.09 ] [Invalid=120208 / 27777077.39 ]
<b>Universe</b>	Respondents who answered DPS_03 = (1, 2, 7 or 8) or DPS_02 = (7 or 8)
<b>Literal question</b>	How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	2132	521625.7	55.0%
2	ALMOST EVERY DAY	1600	369794.6	39.0%
3	LESS OFTEN	248	56607.7	6.0%
6	NOT APPLICABLE	117858	27152999.1	
7	DON'T KNOW	17	4000.1	
8	REFUSAL	0	0.0	
9	NOT STATED	2333	620078.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_05: Dep.-lost interest in most things - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3717 / 888416.63 ] [Invalid=120471 / 27836688.85 ]



# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_05: Dep.-lost interest in most things - 2 wk

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** During those 2 weeks did you lose interest in most things?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2891	689447.8	77.6%
2	NO	826	198968.8	22.4%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	12	2915.9	
8	REFUSAL	3	87.8	
9	NOT STATED	2350	624078.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_06: Dep. - felt tired all of the time - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3712 / 887731.15 ] [Invalid=120476 / 27837374.33 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you feel tired out or low on energy all of the time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3102	743592.0	83.8%
2	NO	610	144139.2	16.2%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	4	331.2	
8	REFUSAL	1	354.3	
9	NOT STATED	2365	627082.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_07: Depressed - weight change - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=3674 / 879182.46 ] [Invalid=120514 / 27845923.02 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you gain weight, lose weight or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	733	167501.8	19.1%
2	LOST WEIGHT	1087	271244.3	30.9%
3	STAYED SAME	1851	440141.0	50.1%
4	WAS ON A DIET	3	295.4	0.0%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	37	8498.0	
8	REFUSAL	1	50.7	
9	NOT STATED	2370	627767.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_08A: Depressed -weight change (amount) - 2 wk

**Information** [Type= continuous] [Format=numeric] [Range= 1-90] [Missing=\*]

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_08A: Depressed -weight change (amount) - 2 wk

**Statistics [NW/ W]** [Valid=1710 / 412299.56 ] [Invalid=122478 / 28312805.92 ] [Mean=13.646 / 12.921 ] [StdDev=11.464 / 10.464 ]

**Universe** Respondents who answered DPS\_07 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_05, DPS\_06 = (7 or 8)

**Literal question** About how much did you gain/lose?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	119960	27650043.2	
997	DON'T KNOW	106	25656.5	
998	REFUSAL	3	669.3	
999	NOT STATED	2409	636436.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_08B: Depressed - weight change (lb/kg) - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1710 / 412299.56 ] [Invalid=122478 / 28312805.92 ]

**Universe** Respondents who answered DPS\_07 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_05, DPS\_06 = (7 or 8)

**Literal question** Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	1674	401864.7	97.5%
2	KILOGRAMS	36	10434.8	2.5%
6	NOT APPLICABLE	119960	27650043.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2518	662762.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_09: Depressed - trouble fall asleep - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3658 / 876344.72 ] [Invalid=120530 / 27848760.76 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2648	628468.2	71.7%
2	NO	1010	247876.6	28.3%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	15	2717.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2409	636436.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_10: Depr. - fall asleep (freq.) - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=2635 / 625408.86 ] [Invalid=121553 / 28099696.62 ]

**Universe** Respondents who answered DPS\_09 = (1, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_05, DPS\_06 or DPS\_07 = (7 or 8)

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DPS\_10: Depr. - fall asleep (freq.) - 2 wk

**Literal question** How often did that happen: (every night, nearly every night, or less often)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	1161	266433.4	42.6%
2	NEARLY EVERY	1198	290716.0	46.5%
3	LESS OFTEN	276	68259.4	10.9%
6	NOT APPLICABLE	119116	27457483.4	
7	DON'T KNOW	13	3059.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2424	639153.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_11: Depressed - trouble concentrating - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3626 / 869860.64 ] [Invalid=120562 / 27855244.84 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2893	689561.2	79.3%
2	NO	733	180299.5	20.7%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	18	3159.0	
8	REFUSAL	1	265.8	
9	NOT STATED	2437	642213.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_12: Depressed - felt down on self - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3605 / 864421.3 ] [Invalid=120583 / 27860684.18 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	2280	536256.5	62.0%
2	NO	1325	328164.8	38.0%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	17	3766.5	
8	REFUSAL	4	1672.9	
9	NOT STATED	2456	645638.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_13: Depr.- thought a lot about death - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3586 / 861066.34 ] [Invalid=120602 / 27864039.14 ]

**Universe** Respondents who answered DPS\_04 = (1, 2, 7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DPS\_13: Depr.- thought a lot about death - 2 wk

<b>Literal question</b>		Did you think a lot about death - either your own, someone else's, or death in general?		
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1936	442057.8	51.3%
2	NO	1650	419008.6	48.7%
6	NOT APPLICABLE	118106	27209606.8	
7	DON'T KNOW	11	1369.3	
8	REFUSAL	8	1985.6	
9	NOT STATED	2477	651077.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_14: Depressed - number of weeks - 12 mo

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3389 / 819267.25 ] [Invalid=120799 / 27905838.23 ] [Mean=13.088 / 12.603 ] [StdDev=14.258 / 13.947 ]
<b>Universe</b>	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) or DPS_10 = (7 or 8)
<b>Literal question</b>	About how many weeks altogether did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	118152	27221855.4	
97	DON'T KNOW	145	28140.2	
98	REFUSAL	5	1056.7	
99	NOT STATED	2497	654785.9	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_15: Depressed - most recent month - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3093 / 749367.59 ] [Invalid=121095 / 27975737.89 ]
<b>Universe</b>	Respondents who answered DPS_14 < 52 or DPS_14 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13 = (7 or 8)
<b>Literal question</b>	Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	307	81000.8	10.8%
2	FEBRUARY	307	71244.2	9.5%
3	MARCH	263	65984.9	8.8%
4	APRIL	240	55148.8	7.4%
5	MAY	228	47561.6	6.3%
6	JUNE	226	55712.1	7.4%
7	JULY	216	47595.9	6.4%
8	AUGUST	218	54377.5	7.3%
9	SEPTEMBER	242	56080.7	7.5%
10	OCTOBER	244	59006.0	7.9%
11	NOVEMBER	284	82634.9	11.0%
12	DECEMBER	318	73020.2	9.7%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_15: Depressed - most recent month - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	118370	27270129.9	
97	DON'T KNOW	74	19504.3	
98	REFUSAL	3	1954.7	
99	NOT STATED	2648	684149.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_16: Loss int. - things give pleasure - 12 mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=52272 / 13026434.37 ] [Invalid=71916 / 15698671.11 ]
<b>Universe</b>	Respondents who answered DPS_02 = (2, 7 or 8) or DPS_03 = (3, 4, 7 or 8) or DPS_04 = (3, 7 or 8)
<b>Literal question</b>	During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3361	823795.1	6.3%
2	NO	48911	12202639.3	93.7%
6	NOT APPLICABLE	69449	15050469.9	
7	DON'T KNOW	100	20994.2	
8	REFUSAL	14	2543.2	
9	NOT STATED	2353	624663.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_17: Loss interest - freq. - 12 mo

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3316 / 816653.92 ] [Invalid=120872 / 27908451.56 ]
<b>Universe</b>	Respondents who answered DPS_16 = (1, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
<b>Literal question</b>	Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long,..., or less than half of a day)?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALL DAY LONG	600	145573.0	17.8%
2	MOST OF THE DAY	784	194560.2	23.8%
3	ABOUT HALF/DAY	1069	268848.9	32.9%
4	LESS HALF/DAY	863	207671.8	25.4%
6	NOT APPLICABLE	118360	27253109.2	
7	DON'T KNOW	42	6549.4	
8	REFUSAL	3	591.8	
9	NOT STATED	2467	648201.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_18: Loss interest - freq. - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1372 / 336296.97 ] [Invalid=122816 / 28388808.51 ]
<b>Universe</b>	Respondents who answered DPS_17 = (1, 2, 7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DPS\_18: Loss interest - freq. - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY DAY	377	86622.0	25.8%
2	ALMOST EVERY DAY	683	171407.5	51.0%
3	LESS OFTEN	312	78267.4	23.3%
6	NOT APPLICABLE	120292	27729629.9	
7	DON'T KNOW	11	3738.9	
8	REFUSAL	0	0.0	
9	NOT STATED	2513	655439.7	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_19: Loss int. -felt tired all the time -2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1060 / 258029.54 ] [Invalid=123128 / 28467075.94 ]
<b>Universe</b>	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
<b>Literal question</b>	During those 2 weeks did you feel tired out or low on energy all the time?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	901	218714.9	84.8%
2	NO	159	39314.6	15.2%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2524	659178.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_20: Loss interest - weight change - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1046 / 255148.56 ] [Invalid=123142 / 28469956.92 ]
<b>Universe</b>	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
<b>Literal question</b>	Did you gain weight, lose weight, or stay about the same?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	GAINED WEIGHT	222	57234.1	22.4%
2	LOST WEIGHT	217	49097.5	19.2%
3	STAYED SAME	605	147961.2	58.0%
4	WAS ON A DIET	2	855.7	0.3%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	14	2881.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2524	659178.6	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_21A: Loss interest - weight change (amount)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-50] [Missing=*]
--------------------	---------------------------------------------------------------

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_21A: Loss interest - weight change (amount)

**Statistics [NW/ W]** [Valid=407 / 100930 ] [Invalid=123781 / 28624175.48 ] [Mean=11.749 / 12.181 ] [StdDev=9.678 / 9.744 ]

**Universe** Respondents who answered DPS\_20 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_16, DPS\_17, DPS\_18 or DPS\_19 = (7 or 8)

**Literal question** About how much did you gain/lose?

Value	Label	Cases	Weighted	Percentage (Weighted)
996	NOT APPLICABLE	121211	27956714.3	
997	DON'T KNOW	31	5373.1	
998	REFUSAL	1	28.6	
999	NOT STATED	2538	662059.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_21B: Loss int. - weight change (lb/kg) - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=407 / 100930 ] [Invalid=123781 / 28624175.48 ]

**Universe** Respondents who answered DPS\_20 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_16, DPS\_17, DPS\_18 or DPS\_19 = (7 or 8)

**Literal question** Interviewer: Was that in pounds or in kilograms?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	POUNDS	397	97467.7	96.6%
2	KILOGRAMS	10	3462.3	3.4%
6	NOT APPLICABLE	121211	27956714.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2570	667461.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_22: Loss interest -trouble fall asleep -2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1042 / 254532.3 ] [Invalid=123146 / 28470573.18 ]

**Universe** Respondents who answered DPS\_18 = (1, 2, 7 or 8) or DPS\_17 = (7 or 8) or DPS\_16 = (7 or 8) or DPS\_04 = (7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you have more trouble falling asleep than you usually do?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	616	149379.4	58.7%
2	NO	426	105152.9	41.3%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	4	616.3	
8	REFUSAL	0	0.0	
9	NOT STATED	2538	662059.6	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_23: Loss int. -trouble to sleep (freq) -2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=\*]

**Statistics [NW/ W]** [Valid=614 / 149283.35 ] [Invalid=123574 / 28575822.13 ]

## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DPS\_23: Loss int. -trouble to sleep (freq) -2 wk

**Universe** Respondents who answered DPS\_22 = (1, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_16, DPS\_17, DPS\_18, DPS\_19, DPS\_20 = (7 or 8)

**Literal question** How often did that happen: (every night, nearly every night, or less often)? ?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	EVERY NIGHT	224	59122.8	39.6%
2	NEARLY EVERY	302	69934.0	46.8%
3	LESS OFTEN	88	20226.6	13.5%
6	NOT APPLICABLE	121030	27913050.2	
7	DON'T KNOW	2	96.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2542	662675.8	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_24: Loss int.- trouble concentrating - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1034 / 253981.62 ] [Invalid=123154 / 28471123.86 ]

**Universe** Respondents who answered DPS\_18 = (1, 2, 7 or 8) or DPS\_17 = (7 or 8) or DPS\_16 = (7 or 8) or DPS\_04 = (7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you have a lot more trouble concentrating than usual?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	746	176715.8	69.6%
2	NO	288	77265.8	30.4%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	6	454.6	
8	REFUSAL	0	0.0	
9	NOT STATED	2544	662771.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_25: Loss interest - felt down on self - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1030 / 253084.24 ] [Invalid=123158 / 28472021.24 ]

**Universe** Respondents who answered DPS\_18 = (1, 2, 7 or 8) or DPS\_17 = (7 or 8) or DPS\_16 = (7 or 8) or DPS\_04 = (7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	535	125704.7	49.7%
2	NO	495	127379.5	50.3%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	4	897.4	
8	REFUSAL	0	0.0	
9	NOT STATED	2550	663226.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*



## File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

### # DPS\_26: Loss int.- thought a lot/death - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=1028 / 252995.97 ] [Invalid=123160 / 28472109.51 ]
<b>Universe</b>	Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)
<b>Literal question</b>	Did you think a lot about death - either your own, someone else's, or death in general?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	435	99690.2	39.4%
2	NO	593	153305.8	60.6%
6	NOT APPLICABLE	120604	27807897.3	
7	DON'T KNOW	1	46.2	
8	REFUSAL	1	42.1	
9	NOT STATED	2554	664123.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_27: Loss interest - nombre of weeks - 12 mo

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=958 / 237202.18 ] [Invalid=123230 / 28487903.3 ] [Mean=9.514 / 8.724 ] [StdDev=12.327 / 11.168 ]
<b>Universe</b>	Respondents who answered DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)
<b>Literal question</b>	About how many weeks did you feel this way during the past 12 months?

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	120634	27816684.1	
97	DON'T KNOW	40	7007.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2556	664212.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_28: Loss interest - most recent month - 2 wk

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=883 / 223887.5 ] [Invalid=123305 / 28501217.98 ]
<b>Universe</b>	Respondents who answered DPS_27 < 52 or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)
<b>Literal question</b>	Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	105	32675.9	14.6%
2	FEBRUARY	85	20377.1	9.1%
3	MARCH	73	17528.7	7.8%
4	APRIL	63	11198.9	5.0%
5	MAY	64	15951.1	7.1%
6	JUNE	53	11033.7	4.9%
7	JULY	73	13193.1	5.9%
8	AUGUST	62	23806.8	10.6%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPS\_28: Loss interest - most recent month - 2 wk

Value	Label	Cases	Weighted	Percentage (Weighted)
9	SEPTEMBER	57	12514.3	5.6%
10	OCTOBER	68	14133.6	6.3%
11	NOVEMBER	86	22416.0	10.0%
12	DECEMBER	94	29058.3	13.0%
96	NOT APPLICABLE	120675	27823836.5	
97	DON'T KNOW	33	6073.8	
98	REFUSAL	1	88.4	
99	NOT STATED	2596	671219.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPSDSF: Depr. scale - short form score - (D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=55769 / 13871489.71 ] [Invalid=68419 / 14853615.77 ]
<b>Universe</b>	Respondents with DODPS = 1
<b>Literal question</b>	Depr. scale - short form score - (D)
<b>Notes</b>	Based on DPS_02, DPS_05, DPS_06, DPS_08A, DPS_08B, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_21A, DPS_21B, DPS_23, DPS_24, DPS_25, DPS_26. Higher scores indicate higher level of depression. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0		51155	12757427.4	92.0%
1		93	27447.5	0.2%
2		220	54282.1	0.4%
3		459	113840.6	0.8%
4		692	179828.6	1.3%
5		920	219353.7	1.6%
6		1030	235567.4	1.7%
7		852	198934.1	1.4%
8		348	84808.3	0.6%
96	NOT APPLICABLE	65717	14159049.6	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	2702	694566.2	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPSDPP: Depr. scale - predicted prob. - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=55769 / 13871489.71 ] [Invalid=68419 / 14853615.77 ]
<b>Universe</b>	Respondents with DODPS = 1
<b>Literal question</b>	Depr. scale - predicted prob. - (D)
<b>Notes</b>	Based on DPSDSF. A probability of caseness of 0 was assigned to respondents who denied the stem questions. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
0	0.00	51155	12757427.4	92.0%

# File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1

## # DPSDPP: Depr. scale - predicted prob. - (D)

Value	Label	Cases	Weighted	Percentage (Weighted)
0.05	0.05	93	27447.5	0.2%
0.25	0.25	220	54282.1	0.4%
0.5	0.50	459	113840.6	0.8%
0.8	0.80	692	179828.6	1.3%
0.9	0.90	3150	738663.4	5.3%
9.96	NOT APPLICABLE	65717	14159049.6	
9.97	DON'T KNOW	0	0.0	
9.98	REFUSAL	0	0.0	
9.99	NOT STATED	2702	694566.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDWK: No. of weeks felt depressed - (D)

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4231 / 1028945.68 ] [Invalid=119957 / 27696159.8 ] [Mean=12.247 / 11.711 ] [StdDev=13.898 / 13.477 ]
<b>Universe</b>	Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_10, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8)
<b>Literal question</b>	No. of weeks felt depressed - (D)
<b>Notes</b>	Based on DPS_14, DPS_27. Respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
96	NOT APPLICABLE	116948	26937512.3	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3009	758647.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDMT: Mth last felt depr.- 2 wks in a row -(D)

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=3878 / 949854.11 ] [Invalid=120310 / 27775251.37 ]
<b>Universe</b>	Respondents who answered DPS_14 < 52 or DPS_27 < 52 or DPS_14 = (97 or 98) or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)
<b>Literal question</b>	Mth last felt depr.- 2 wks in a row -(D)
<b>Notes</b>	Based on DPS_14, DPS_15, DPS_27, DPS_28. The following respondents have been excluded from the population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this variable. See documentation on derived variables.

Value	Label	Cases	Weighted	Percentage (Weighted)
1	JANUARY	402	112142.7	11.8%
2	FEBRUARY	381	90191.7	9.5%
3	MARCH	325	81166.6	8.5%
4	APRIL	292	64565.7	6.8%

**File : CCHS\_82M0013\_E\_2009-2010\_Annualcomponent\_F1**

**# DPSDMT: Mth last felt depr.- 2 wks in a row -(D)**

Value	Label	Cases	Weighted	Percentage (Weighted)
5	MAY	282	61810.8	6.5%
6	JUNE	272	65524.2	6.9%
7	JULY	283	60410.4	6.4%
8	AUGUST	277	77452.3	8.2%
9	SEPTEMBER	287	63876.3	6.7%
10	OCTOBER	306	71742.4	7.6%
11	NOVEMBER	364	102002.4	10.7%
12	DECEMBER	407	98968.6	10.4%
96	NOT APPLICABLE	117207	26992939.2	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	3103	782312.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# DOSFR: Module: SFR - (F)**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=6825 / 976552.13 ] [Invalid=117363 / 27748553.35 ]
<b>Universe</b>	All respondents

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	6825	976552.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	117363	27748553.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># LBSG31: Employment status - 12 mo - (G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=63886 / 17135149.73 ] [Invalid=60302 / 11589955.75 ]			
<b>Universe</b>	Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)			
<b>Literal question</b>	Are you an employee or self-employed?			
<b>Notes</b>	Based on LBS_31. See documentation on derived variables			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	EMPLOYEE	52884	14225169.6	83.0%
2	SELF-EMPLOYED	11002	2909980.1	17.0%
6	NOT APPLICABLE	58137	10955016.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2165	634939.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># LBSGHPW: Total usual hrs. worked current - (D, G)</b>				
<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=63294 / 16997117.22 ] [Invalid=60894 / 11727988.26 ]			
<b>Universe</b>	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).			
<b>Notes</b>	Based on LBSDHPW. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
99	99 HRS OR MORE	267	63061.6	100.0%
996	NOT APPLICABLE	58137	10955016.2	
997	DON'T KNOW	0	0.0	
998	REFUSAL	0	0.0	
999	NOT STATED	2757	772972.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># LBSDPFT: Full/part-time - current jobs - (D)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=63294 / 16997117.22 ] [Invalid=60894 / 11727988.26 ]			
<b>Universe</b>	Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).			
<b>Notes</b>	Based on LBSDHPW. Usual hours currently worked. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	FULL-TIME	51178	14037289.7	82.6%
2	PART-TIME	12116	2959827.5	17.4%
6	NOT APPLICABLE	58137	10955016.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2757	772972.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># LBSDWSS: Working status last week - 4 grps - (D)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=102624 / 25026779.96 ] [Invalid=21564 / 3698325.52 ]			

<b># LBSDWSS: Working status last week - 4 grps - (D)</b>				
<b>Universe</b>	Respondents aged 15 to 75			
<b>Notes</b>	Based on LBS_01, LBS_02. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	AT WORK LAST WK	58582	15883068.4	63.5%
2	ABSENT LAST WK	5569	1324119.4	5.3%
3	NO JOB LAST WK	34794	7150711.0	28.6%
4	UNABLE/PERMANENT	3679	668881.2	2.7%
6	NOT APPLICABLE	19664	3135424.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1900	562901.5	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># LBSGSOC: Occupation group - (G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=63533 / 17008637.54 ] [Invalid=60655 / 11716467.94 ]			
<b>Universe</b>	Respondents aged 15 to 75 with LBSDWSS ne (3,4) and LBSCSOC ne (97, 98, 99)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	MANAG./ART, EDUC	21859	6076725.8	35.7%
2	BUSIN./FINANC.	11638	3233649.8	19.0%
3	SALES, SERVICES	15245	3965678.0	23.3%
4	TRADES/TRANSP.	9270	2483927.3	14.6%
5	PRIM. IND./PROC.	5521	1248656.6	7.3%
6	NOT APPLICABLE	58137	10955016.2	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2518	761451.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DHH_OWN: Dwelling - owned by a member of hhld</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=121652 / 28056837.64 ] [Invalid=2536 / 668267.84 ]			
<b>Universe</b>	All respondents			
<b>Literal question</b>	Is the dwelling you live in currently owned by a member of this household?			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	92548	20981558.6	74.8%
2	NO	29104	7075279.0	25.2%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	161	33463.7	
8	REFUSAL	203	46306.9	
9	NOT STATED	2172	588497.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># SDCGCBG: Country of birth - Canada/other - (G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			

<b># SDCGCBG: Country of birth - Canada/other - (G)</b>				
<b>Statistics [NW/ W]</b>	[Valid=121625 / 28059165.69 ] [Invalid=2563 / 665939.79 ]			
<b>Universe</b>	All respondents			
<b>Notes</b>	Based on SDCCCB. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	CANADA	103075	21365198.6	76.1%
2	OTHER	18550	6693967.1	23.9%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2563	665939.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># SDCGLHM: Language(s) spoken at home</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=121853 / 28101406.56 ] [Invalid=2335 / 623698.92 ]			
<b>Universe</b>	All respondents			
<b>Notes</b>	Based on SDC_5AA, SDC_5AB, SDC_5AC, SDC_5AD, SDC_5AE, SDC_5AF, SDC_5AG, SDC_5AH, SDC_5AI, SDC_5AJ, SDC_5AK, SDC_5AL, SDC_5AM, SDC_5AN, SDC_5AO, SDC_5AP, SDC_5AQ, SDC_5AR, SDC_5AS, SDC_5AT, SDC_5AU, SDC_5AV, SDC_5AW. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	ENG. W-W/O OTHER	90844	18842985.2	67.1%
2	FRE. W-W/O OTHER	22545	5692467.3	20.3%
3	ENG./FRE. W-W/O	949	251464.3	0.9%
4	NOT ENGL. / FRE.	7515	3314489.7	11.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2335	623698.9	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># SDCFIMM: Immigrant - (F)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=121472 / 27999401.4 ] [Invalid=2716 / 725704.08 ]			
<b>Universe</b>	All respondents			
<b>Notes</b>	Based on SDC_3. See documentation on derived variables.			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	17645	6426515.8	23.0%
2	NO	103827	21572885.6	77.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2716	725704.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				

<b># SDCGRES: Length/time in Canada since imm. - (D,G)</b>				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=17645 / 6426515.85 ] [Invalid=106543 / 22298589.63 ]		
<b>Universe</b>		Respondents who answered SDC_2 = (2, 7 or 8) or SDC_1 = (97 or 98)		
<b>Notes</b>		Based on SDC_3 and ADM_YOI. See documentation on derived variables.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	0 TO 9 YEARS	3802	1853608.6	28.8%
2	10 OR MORE YEARS	13843	4572907.3	71.2%
6	NOT APPLICABLE	103827	21572885.6	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2716	725704.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># SDCGLNG: Languages - can converse - (D,G)</b>				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=121731 / 28088142.22 ] [Invalid=2457 / 636963.26 ]		
<b>Universe</b>		All respondents		
<b>Notes</b>		Based on SDC_5A, SDC_5B, SDC_5C, SDC_5D, SDC_5E, SDC_5F, SDC_5G, SDC_5H, SDC_5I, SDC_5J, SDC_5K, SDC_5L, SDC_5M, SDC_5N, SDC_5O, SDC_5P, SDC_5Q, SDC_5R, SDC_5S, SDC_5T, SDC_5U, SDC_5V, SDC_5W. See documentation on derived variables.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	ENG. W-W/O OTHER	84016	18191773.7	64.8%
2	FRE. W-W/O OTHER	12453	3053940.7	10.9%
3	ENG./FRE. W-W/O	24063	6283932.6	22.4%
4	NOT ENGL. / FRE.	1199	558495.2	2.0%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2457	636963.3	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># SDCGCGT: Cultural or racial origin - (D, G)</b>				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=121253 / 27975922.85 ] [Invalid=2935 / 749182.63 ]		
<b>Universe</b>		All respondents		
<b>Notes</b>		Based on SDCDCGT and SDC_41.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	WHITE	104817	22239697.4	79.5%
2	VISIBLE MINORITY	16436	5736225.4	20.5%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	2935	749182.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				



# SDC_8: Current student	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=116109 / 26797669.75 ] [Invalid=8079 / 1927435.73 ]
<b>Universe</b>	DHH_AGE > 15 or PMKProxy = 1
<b>Literal question</b>	Are you currently attending a school, college or university?
<b>Notes</b>	For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	13001	3705515.2	13.8%
2	NO	103108	23092154.5	86.2%
6	NOT APPLICABLE	5397	1224925.2	
7	DON'T KNOW	198	36320.4	
8	REFUSAL	170	40955.8	
9	NOT STATED	2314	625234.3	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# SDC_9: Full-time student/part-time student	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=12787 / 3681688.76 ] [Invalid=111401 / 25043416.72 ]
<b>Universe</b>	Respondents who answered SDC_8 = (1, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	Are you enrolled as a full-time student or a part-time student?
<b>Notes</b>	For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	FULL-TIME	9992	2847121.3	77.3%
2	PART-TIME	2795	834567.5	22.7%
6	NOT APPLICABLE	108505	24317079.7	
7	DON'T KNOW	212	23644.9	
8	REFUSAL	2	181.6	
9	NOT STATED	2682	702510.5	

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# EDUDH04: Highest level/edu. - HH 4 levels - (D)	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=115124 / 26299069.72 ] [Invalid=9064 / 2426035.76 ]
<b>Universe</b>	DHHHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1
<b>Notes</b>	Based on EDUDR04 for each member of the household. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	14244	1900339.1	7.2%
2	SECONDARY GRAD.	14379	2784609.9	10.6%
3	OTHER POST-SEC.	6335	1461095.0	5.6%
4	POST-SEC. GRAD.	80166	20153025.7	76.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	

<b># EDUDH04: Highest level/edu. - HH 4 levels - (D)</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
8	REFUSAL	0	0.0	
9	NOT STATED	9064	2426035.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest</i>				
<b># EDUDR04: Highest level/edu. - respond. 4 levels -</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=120803 / 27845658.41 ] [Invalid=3385 / 879447.07 ]			
<b>Universe</b>	(DHHDHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1			
<b>Notes</b>	Based on EDU_1, EDU_2, EDU_3, EDU_4. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	< THAN SECONDARY	31493	5983006.0	21.5%
2	SECONDARY GRAD.	19192	4379727.5	15.7%
3	OTHER POST-SEC.	8871	2218058.9	8.0%
4	POST-SEC. GRAD.	61247	15264866.0	54.8%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3385	879447.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># DOFSC: Module: Food security</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=117440 / 27959237.06 ] [Invalid=6748 / 765868.42 ]			
<b>Universe</b>	All respondents			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	117440	27959237.1	100.0%
2	NO	0	0.0	
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	0	0.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_010: Food situation in household - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=114415 / 27139959.9 ] [Invalid=9773 / 1585145.58 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Literal question</b>	Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALWAYS ENOUGH	102826	24325034.0	89.6%

**# FSC\_010: Food situation in household - 12 mo**

Value	Label	Cases	Weighted	Percentage (Weighted)
2	ENOUGH-NOT KIND	9857	2396919.9	8.8%
3	SOMETIMES NOT	1272	315730.1	1.2%
4	OFTEN NOT	460	102275.8	0.4%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	286	72082.6	
8	REFUSAL	381	96253.5	
9	NOT STATED	2358	650941.1	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# FSC\_020: Worried food would run out - 12 mo**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=114252 / 27101611.67 ] [Invalid=9936 / 1623493.81 ]
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)
<b>Literal question</b>	You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1998	486990.0	1.8%
2	SOMETIMES TRUE	6759	1738759.7	6.4%
3	NEVER TRUE	105495	24875862.0	91.8%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	88	22276.6	
8	REFUSAL	57	11284.4	
9	NOT STATED	3043	824064.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# FSC\_030: No food and no money for more - 12 mo**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=114202 / 27093837.39 ] [Invalid=9986 / 1631268.09 ]
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)
<b>Literal question</b>	The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1451	309589.5	1.1%
2	SOMETIMES TRUE	5334	1357919.3	5.0%
3	NEVER TRUE	107417	25426328.6	93.8%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	112	26775.8	
8	REFUSAL	84	15233.5	
9	NOT STATED	3042	823390.4	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_040: Could not afford balanced meals - 12 mo</b>	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=114158 / 27085629.16 ] [Invalid=10030 / 1639476.32 ]
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)
<b>Literal question</b>	You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	1896	390014.4	1.4%
2	SOMETIMES TRUE	5320	1330366.8	4.9%
3	NEVER TRUE	106942	25365248.0	93.6%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	150	33894.3	
8	REFUSAL	85	15148.7	
9	NOT STATED	3047	824564.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_050: Few kinds low-cost food for kids -12 mo</b>	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=31864 / 10269998.63 ] [Invalid=92324 / 18455106.85 ]
<b>Universe</b>	Respondents with (DHHOKD + DHHDYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	482	153454.5	1.5%
2	SOMETIMES TRUE	2039	632047.7	6.2%
3	NEVER TRUE	29343	9484496.4	92.4%
6	NOT APPLICABLE	91241	18055944.3	
7	DON'T KNOW	89	30270.4	
8	REFUSAL	37	10725.0	
9	NOT STATED	957	358167.2	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_060: Couldn't feed child. bal. meal - 12 mo</b>	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=31853 / 10265061.73 ] [Invalid=92335 / 18460043.75 ]
<b>Universe</b>	Respondents with (DHHOKD + DHHDYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	262	78963.5	0.8%

<b># FSC_060: Couldn't feed child. bal. meal - 12 mo</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	SOMETIMES TRUE	1335	426415.0	4.2%
3	NEVER TRUE	30256	9759683.2	95.1%
6	NOT APPLICABLE	91241	18055944.3	
7	DON'T KNOW	98	34563.4	
8	REFUSAL	40	11672.2	
9	NOT STATED	956	357863.9	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_070: Children were not eating enough - 12 mo</b>	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=4629 / 1435919.31 ] [Invalid=119559 / 27289186.17 ]
<b>Universe</b>	Respondents with (DHHOKD + DHHYKD) > 0, who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1,2, 7 or 8) or (FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	OFTEN TRUE	111	39880.5	2.8%
2	SOMETIMES TRUE	575	191642.5	13.3%
3	NEVER TRUE	3943	1204396.3	83.9%
6	NOT APPLICABLE	118448	26881397.2	
7	DON'T KNOW	20	8068.0	
8	REFUSAL	6	1326.7	
9	NOT STATED	1085	398394.3	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_080: Adults cut or skipped meals - 12 mo</b>	
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=11877 / 2986418.24 ] [Invalid=112311 / 25738687.24 ]
<b>Universe</b>	Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or (FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)
<b>Literal question</b>	In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	3824	918331.9	30.8%
2	NO	8053	2068086.4	69.2%
6	NOT APPLICABLE	108860	24824518.6	
7	DON'T KNOW	27	5611.7	
8	REFUSAL	14	1766.2	
9	NOT STATED	3410	906790.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

<b># FSC_081: Adults skipped meals (freq) - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=3809 / 913077.98 ] [Invalid=120379 / 27812027.5 ]			
<b>Universe</b>	Respondents who answered FSC_080 = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHOKD+DHHYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	How often did this happen--almost every month, some months but not every month, or in only 1 or 2 months?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	ALMOST EVERY MON	1500	309893.4	33.9%
2	SOME MONTHS	1349	355307.1	38.9%
3	ONLY 1 OR 2 MONT	960	247877.5	27.1%
6	NOT APPLICABLE	116913	26892605.0	
7	DON'T KNOW	15	5253.9	
8	REFUSAL	0	0.0	
9	NOT STATED	3451	914168.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_090: Ate less than felt should - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=11846 / 2980063.49 ] [Invalid=112342 / 25745041.99 ]			
<b>Universe</b>	Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	4021	989184.9	33.2%
2	NO	7825	1990878.6	66.8%
6	NOT APPLICABLE	108860	24824518.6	
7	DON'T KNOW	50	10404.4	
8	REFUSAL	21	2865.2	
9	NOT STATED	3411	907253.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_100: Was hungry but could not eat - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=11868 / 2985533.81 ] [Invalid=112320 / 25739571.67 ]			
<b>Universe</b>	Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (1, 2, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	2339	574454.0	19.2%

<b># FSC_100: Was hungry but could not eat - 12 mo</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
2	NO	9529	2411079.8	80.8%
6	NOT APPLICABLE	108860	24824518.6	
7	DON'T KNOW	29	5205.8	
8	REFUSAL	20	2593.5	
9	NOT STATED	3411	907253.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_110: Lost weight no money for food- 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=11793 / 2966913.74 ] [Invalid=112395 / 25758191.74 ]			
<b>Universe</b>	Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1518	362298.9	12.2%
2	NO	10275	2604614.9	87.8%
6	NOT APPLICABLE	108860	24824518.6	
7	DON'T KNOW	100	22408.4	
8	REFUSAL	23	3837.5	
9	NOT STATED	3412	907427.2	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_120: Adults did not eat whole day - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=5110 / 1260604.53 ] [Invalid=119078 / 27464500.95 ]			
<b>Universe</b>	Respondents who answered (FSC_070 = (1, 2, 7 or 8)) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHDOKD+DHHDYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	1003	224179.8	17.8%
2	NO	4107	1036424.7	82.2%
6	NOT APPLICABLE	115574	26534342.8	
7	DON'T KNOW	14	3686.0	
8	REFUSAL	7	882.0	
9	NOT STATED	3483	925590.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_121: Adults not eat whole day (freq) - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=997 / 220365.05 ] [Invalid=123191 / 28504740.43 ]			

<b># FSC_121: Adults not eat whole day (freq) - 12 mo</b>				
<b>Universe</b>	Respondents who ans. FSC_120 = (1, 7 or 8) or ((DHHOKD+DHHYKD)=0 or FSC_70=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHOKD+DHHYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE>15 or PMKProxy=1)			
<b>Literal question</b>	How often did this happen--almost every month, some months but not every month, or in only 1 or 2 months?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	ALMOST EVERY MON	399	81207.1	36.9%
2	SOME MONTHS	351	80446.0	36.5%
3	ONLY 1 OR 2 MONT	247	58711.9	26.6%
6	NOT APPLICABLE	119681	27570767.6	
7	DON'T KNOW	5	3695.1	
8	REFUSAL	1	119.7	
9	NOT STATED	3504	930158.1	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_130: Cut size of children's meals - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1887 / 572060.63 ] [Invalid=122301 / 28153044.85 ]			
<b>Universe</b>	Respondents with DHHOKD+DHHYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	208	70443.6	12.3%
2	NO	1679	501617.0	87.7%
6	NOT APPLICABLE	121168	27739020.5	
7	DON'T KNOW	8	4369.1	
8	REFUSAL	5	434.2	
9	NOT STATED	1120	409221.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_140: Children skipped meals - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1888 / 574991.25 ] [Invalid=122300 / 28150114.23 ]			
<b>Universe</b>	Respondents with DHHOKD+DHHYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			



<b># FSC_140: Children skipped meals - 12 mo</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	126	45671.9	7.9%
2	NO	1762	529319.4	92.1%
6	NOT APPLICABLE	121168	27739020.5	
7	DON'T KNOW	6	866.3	
8	REFUSAL	6	1006.4	
9	NOT STATED	1120	409221.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_141: Freq. - child. skipped meals - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=125 / 43922.8 ] [Invalid=124063 / 28681182.68 ]			
<b>Universe</b>	Respondents with DHHDOKD+DHHDYKD > 0 who answered FSC_140 = (1, 7 or 8) or FSC_070=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1			
<b>Literal question</b>	How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	ALMOST EVERY MON	37	13737.9	31.3%
2	SOME MONTHS	52	18143.4	41.3%
3	ONLY 1 OR 2 MONT	36	12041.5	27.4%
6	NOT APPLICABLE	122930	28268339.9	
7	DON'T KNOW	1	1749.1	
8	REFUSAL	0	0.0	
9	NOT STATED	1132	411093.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_150: Children were hungry - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1882 / 572397.58 ] [Invalid=122306 / 28152707.9 ]			
<b>Universe</b>	Respondents with DHHDOKD+DHHDYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	YES	187	62347.3	10.9%
2	NO	1695	510050.3	89.1%
6	NOT APPLICABLE	121168	27739020.5	
7	DON'T KNOW	10	2643.5	
8	REFUSAL	8	1822.9	
9	NOT STATED	1120	409221.0	

<b># FSC_150: Children were hungry - 12 mo</b>				
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSC_160: Children did not eat whole day - 12 mo</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=1886 / 574498.17 ] [Invalid=122302 / 28150607.31 ]			
<b>Universe</b>	Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Literal question</b>	In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food?			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	YES	50	16806.5	2.9%
2	NO	1836	557691.7	97.1%
6	NOT APPLICABLE	121168	27739020.5	
7	DON'T KNOW	7	1295.9	
8	REFUSAL	7	1069.9	
9	NOT STATED	1120	409221.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSCDHF2: Household Food Security Status (HC)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=113756 / 26981613.21 ] [Invalid=10432 / 1743492.27 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Literal question</b>	Household Food Security Status (HC)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
0	FOOD SECURE	106008	25052484.8	92.9%
1	MOD. FOOD INSEC.	5219	1316303.5	4.9%
2	SEV. FOOD INSEC.	2529	612824.9	2.3%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3684	977623.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSCDAFS2: Food Security - Adult Status</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=113779 / 26988437.05 ] [Invalid=10409 / 1736668.43 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
0	FOOD SECURE	106159	25108140.5	93.0%

<b># FSCDAFS2: Food Security - Adult Status</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
1	MOD. FOOD INSEC.	5107	1270552.1	4.7%
2	SEV. FOOD INSEC.	2513	609744.5	2.3%
6	NOT APPLICABLE	6748	765868.4	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	3661	970800.0	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># FSCDCFS2: Food Security - Child Status</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=31788 / 10246978.56 ] [Invalid=92400 / 18478126.92 ]			
<b>Universe</b>	DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
0	FOOD SECURE	30318	9782982.1	95.5%
1	MOD. FOOD INSEC.	1332	419952.1	4.1%
2	SEV. FOOD INSEC.	138	44044.4	0.4%
6	NOT APPLICABLE	91241	18055944.3	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	1159	422182.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCG2: Total hhld inc. - main source - (G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=114172 / 26416275.77 ] [Invalid=10016 / 2308829.71 ]			
<b>Universe</b>	DHH_AGE > 15 or PMKProxy = 1			
<b>Notes</b>	Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_2. See documentation on derived variables.			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	EMPLOYMENT INC.	76249	20565428.0	77.9%
2	EI/WORKER'S COMP	4724	913691.2	3.5%
3	SENIOR BENEFITS	29037	4048095.2	15.3%
4	OTHER	4162	889061.4	3.4%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	10016	2308829.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCG7: Main source of personal income - (G)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=73491 / 20115280.13 ] [Invalid=50697 / 8609825.35 ]			
<b>Universe</b>				

<b># INCG7: Main source of personal income - (G)</b>				
		Respondents who answered INC_3 > 0 and who live in a household of more than one person and(D HH_AGE > 15 or PMKProxy = 1)		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_7. See documentation on derived variables.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	EMPLOYMENT INC.	47041	14209465.2	70.6%
2	EI/WORKER'S COMP	3144	797197.2	4.0%
3	SENIOR BENEFITS	14797	2808863.5	14.0%
4	OTHER	8509	2299754.2	11.4%
6	NOT APPLICABLE	37369	4920899.7	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	13328	3688925.6	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCGHH: Total hhld inc. from all sources - (D,G)</b>				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=102802 / 23486262.65 ] [Invalid=21386 / 5238842.83 ]		
<b>Universe</b>		DHH_AGE > 15 or PMKProxy = 1		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDHH. See documentation on derived variables.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	NO OR <\$20,000	12413	1973674.2	8.4%
2	\$20,000-\$39,999	22248	4046588.6	17.2%
3	\$40,000-\$59,999	19136	4070304.4	17.3%
4	\$60,000-\$79,999	15526	3853204.2	16.4%
5	\$80,000 OR MORE	33479	9542491.2	40.6%
6	NOT APPLICABLE	0	0.0	
7	DON'T KNOW	0	0.0	
8	REFUSAL	0	0.0	
9	NOT STATED	21386	5238842.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCGPER: Total pers. inc. from all sources (D,G)</b>				
<b>Information</b>		[Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]		
<b>Statistics [NW/ W]</b>		[Valid=97449 / 22443177.93 ] [Invalid=26739 / 6281927.55 ]		
<b>Universe</b>		Respondents aged 15 and over or PMKProxy = 1		
<b>Notes</b>		Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDPER. See documentation on derived variables.		
<b>Value</b>	<b>Label</b>	<b>Cases</b>	<b>Weighted</b>	<b>Percentage (Weighted)</b>
1	NO INCOME	3482	1002893.8	4.5%
2	LESS THAN 20,000	29126	6007566.3	26.8%
3	\$20,000-\$39,999	28313	6164448.4	27.5%
4	\$40,000-\$59,999	17454	4183949.7	18.6%
5	\$60,000-\$79,999	9564	2454525.7	10.9%

<b># INCGPER: Total pers. inc. from all sources (D,G)</b>				
Value	Label	Cases	Weighted	Percentage (Weighted)
6	\$80,000 OR MORE	9510	2629794.1	11.7%
96	NOT APPLICABLE	6271	1431893.8	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	20468	4850033.8	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCDRCA: Household income distribution - (D)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=100334 / 23423776.36 ] [Invalid=23854 / 5301329.12 ]			
<b>Universe</b>	Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Notes</b>	Based on INCDADR. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	9855	2341720.4	10.0%
2	DECILE 2	11475	2353985.3	10.0%
3	DECILE 3	10348	2344010.9	10.0%
4	DECILE 4	9927	2356946.8	10.1%
5	DECILE 5	9735	2320883.7	9.9%
6	DECILE 6	10196	2362500.1	10.1%
7	DECILE 7	9893	2341031.7	10.0%
8	DECILE 8	9153	2338427.9	10.0%
9	DECILE 9	9554	2335073.8	10.0%
10	DECILE 10	10198	2329195.8	9.9%
96	NOT APPLICABLE	3080	79873.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	20774	5221455.7	
<i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i>				
<b># INCDRPR: Hhld inc. distribution-prov. level - (D)</b>				
<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]			
<b>Statistics [NW/ W]</b>	[Valid=100334 / 23423776.36 ] [Invalid=23854 / 5301329.12 ]			
<b>Universe</b>	Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)			
<b>Notes</b>	Based on INCDADR, GEO_PRV. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)			
Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	10357	2368443.4	10.1%
2	DECILE 2	11449	2357351.7	10.1%
3	DECILE 3	10613	2348961.7	10.0%
4	DECILE 4	9557	2339638.6	10.0%
5	DECILE 5	9803	2344761.3	10.0%
6	DECILE 6	10143	2347066.7	10.0%
7	DECILE 7	9808	2355839.4	10.1%

**# INCDRPR: Hhld inc. distribution-prov. level - (D)**

Value	Label	Cases	Weighted	Percentage (Weighted)
8	DECILE 8	9176	2346017.4	10.0%
9	DECILE 9	9486	2332368.5	10.0%
10	DECILE 10	9942	2283327.6	9.7%
96	NOT APPLICABLE	3080	79873.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	20774	5221455.7	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# INCDRRS: Hhld inc. distribution- hr level - (D)**

<b>Information</b>	[Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=86429 / 22347200.61 ] [Invalid=37759 / 6377904.87 ]
<b>Universe</b>	Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)
<b>Notes</b>	Based on INCDADR, GEODHR4. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)

Value	Label	Cases	Weighted	Percentage (Weighted)
1	DECILE 1	10736	2474771.3	11.1%
2	DECILE 2	9688	2244881.2	10.0%
3	DECILE 3	9122	2262698.6	10.1%
4	DECILE 4	8622	2251643.6	10.1%
5	DECILE 5	8359	2259377.8	10.1%
6	DECILE 6	8175	2236137.4	10.0%
7	DECILE 7	8233	2240996.7	10.0%
8	DECILE 8	7764	2238355.0	10.0%
9	DECILE 9	7674	2163253.9	9.7%
10	DECILE 10	8056	1975085.0	8.8%
96	NOT APPLICABLE	3080	79873.4	
97	DON'T KNOW	0	0.0	
98	REFUSAL	0	0.0	
99	NOT STATED	34679	6298031.5	

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# WTS\_M: Weights - Master**

<b>Information</b>	[Type= continuous] [Format=numeric] [Range= 2.85-9649.25] [Missing=*]
<b>Statistics [NW/ W]</b>	[Valid=124188 /-] [Invalid=0 /-] [Mean=231.303 /-] [StdDev=348.758 /-]
<b>Universe</b>	All respondents