

**Statistics Canada**

**Canadian Community Health  
Survey, 2010: Annual component**

**Study Documentation**

September 20, 2013

# Metadata Production

|                             |   |
|-----------------------------|---|
| <b>Metadata Producer(s)</b> | Map & Data Library (MDL) , University of Toronto , Producer |
| <b>Production Date</b>      | September 18, 2011  |
| <b>Version</b>              | V2, SP  |
| <b>Identification</b>       | CCHS_82M0013_E_2010_Annual Component                        |

# Table of Contents

|   |    |
|---|----|
| <a href="#">Overview</a>  | 4  |
| <a href="#">Scope &amp; Coverage</a>                              | 4  |
| <a href="#">Producers &amp; Sponsors</a>                          | 4  |
| <a href="#">Accessibility</a>                                     | 5  |
| <a href="#">Rights &amp; Disclaimer</a>                           | 5  |
| <a href="#">Files Description</a>                                 | 6  |
| <a href="#">CCHS-82M0013-E-2010-AnnualComponent_F1</a>            | 6  |
| <a href="#">Variables Group(s)</a>                                | 7  |
| <a href="#">Geographic Variables (GEO)</a>                        | 7  |
| <a href="#">Administration Information (ADM)</a>                  | 7  |
| <a href="#">Socio-demographic Variables</a>                       | 7  |
| <a href="#">General Health (GEN)</a>                              | 8  |
| <a href="#">Height and weight - Self-reported (HWT)</a>           | 8  |
| <a href="#">Chronic conditions (CCC)</a>                          | 9  |
| <a href="#">Health utility index (HUI)</a>                        | 10 |
| <a href="#">Health care utilization (HCU)</a>                     | 11 |
| <a href="#">Patient satisfaction - Health care services (PAS)</a> | 11 |
| <a href="#">Patient satisfaction - Community-based care (PSC)</a> | 12 |
| <a href="#">Restriction of activities (RAC)</a>                   | 12 |
| <a href="#">Activities of Daily Living (ADL)</a>                  | 13 |
| <a href="#">Dental visits (DEN)</a>                               | 13 |
| <a href="#">Food choices (FDC)</a>                                | 14 |
| <a href="#">Physical activities (PAC)</a>                         | 14 |
| <a href="#">Satisfaction with life (SWL)</a>                      | 14 |
| <a href="#">Mastery (MAS)</a>                                     | 14 |
| <a href="#">Smoking (SMK)</a>                                     | 15 |
| <a href="#">Alcohol use (ALC)</a>                                 | 15 |
| <a href="#">Maternal experiences - Breastfeeding (MEX)</a>        | 15 |
| <a href="#">Social support - Availability (SSA)</a>               | 16 |
| <a href="#">Social support - Utilization (SSU)</a>                | 16 |
| <a href="#">Consultations about mental health (CMH)</a>           | 17 |
| <a href="#">Distress (DIS)</a>                                    | 17 |
| <a href="#">Depression (DEP)</a>                                  | 18 |
| <a href="#">Suicidal thoughts and attempts (SUI)</a>              | 20 |
| <a href="#">Health status (SF-36) (SFR)</a>                       | 20 |
| <a href="#">Access to health care services (ACC)</a>              | 21 |
| <a href="#">Labour force (LBS)</a>                                | 29 |
| <a href="#">Loss of Productivity (LOP)</a>                        | 30 |
| <a href="#">Physical activities - Facilities at work (PAF)</a>    | 31 |
| <a href="#">Food security (FSC)</a>                               | 31 |
| <a href="#">Neurological Conditions (NEU)</a>                     | 33 |
| <a href="#">Income (INC)</a>                                      | 33 |
| <a href="#">Weights</a>   | 33 |
| <a href="#">Variables Description</a>                             | 34 |
| <a href="#">CCHS-82M0013-E-2010-AnnualComponent_F1</a>            | 35 |

## Canadian Community Health Survey, 2010: Annual component (CCHS 2010: Annual component)

*Enquête sur la santé dans les collectivités canadiennes (ESCC) - Composante annuelle*

| Overview   |   |
|--|---|
| <b>Type</b>  | Canadian Community Health Survey  |
| <b>Identification</b>  | CCHS-82M0013-E-2010-AnnualComponent   |
| <b>Version</b>   | Statistics Canada. Data Liberation Initiative.  |
| <b>Series</b>  | The central objective of the Canadian Community Health Survey (CCHS) is to gather health-related data at the sub-provincial levels of geography (health region or combined health regions). |
| <p><b>Abstract</b></p> <p>The Canadian Community Health Survey (CCHS) is a cross-sectional survey that collects information related to health status, health care utilization and health determinants for the Canadian population. It surveys a large sample of respondents and is designed to provide reliable estimates at the health region level. In 2007, major changes were made to the CCHS design. Data is now collected on an ongoing basis with annual releases, rather than every two years as was the case prior to 2007. The survey's objectives were also revised and are as follows:</p> <ul style="list-style-type: none"> <li>• support health surveillance programs by providing health data at the national, provincial and intra-provincial levels;</li> <li>• provide a single data source for health research on small populations and rare characteristics;</li> <li>• timely release of information easily accessible to a diverse community of users; and</li> <li>• create a flexible survey instrument that includes a rapid response option to address emerging issues related to the health of the population.</li> </ul> |   |
| <b>Kind of Data</b>  | Survey data   |
| <b>Unit of Analysis</b>  | Individuals   |

| Scope & Coverage  |  |
|---|--|
| <b>Countries</b>  |  |
| <p><b>Geographic Coverage</b><br/>Canada, Provinces, Territories</p>  |  |
| <p><b>Universe</b></p> <p>The CCHS targets persons aged 12 years and older who are living in private dwellings in the ten provinces and three territories. Persons living on Indian Reserves or Crown lands, those residing in institutions, full-time members of the Canadian Forces and residents of certain remote regions are excluded from this survey. The CCHS covers approximately 98% of the Canadian population aged 12 and older</p> |  |

| Producers & Sponsors           |                   |
|--------------------------------|-------------------|
| <b>Primary Investigator(s)</b> | Statistics Canada |
| <b>Other Producer(s)</b>       | Statistics Canada |

|   |                            |
|---|----------------------------|
| <b>Accessibility</b>  |                            |
| <b>Distributor(s)</b>   | Data Liberation Initiative |
| <b>Access Conditions</b>  |                            |
| <p><b><u>Citation Requirements</u></b><br/>           The publishing of analysis and results from research using any of the data products is permitted in research communications such as scholarly papers, journals and the like. The authors of these communications are required to cite Statistics Canada as the source of the data, and to indicate that the results or views expressed are those of the author/authorized user and are not those of Statistics Canada. Permission to include extracts of these data in textbooks must be obtained from the Licencing Section of Statistics Canada's Marketing Division.</p> |                            |
| <b>Rights &amp; Disclaimer</b>  |                            |
| <b>Copyright</b>  | 2011                       |

# Files Description

Dataset contains 1 file(s)

| <b>CCHS-82M0013-E-2010-AnnualComponent_F1</b> |       |
|---|-------|
| <b># Cases</b>                                | 62909 |
| <b># Variable(s)</b>                          | 1325  |

## Variables Group(s)

Dataset contains 69 group(s) total - showing a subset of 35

### Group Geographic Variables (GEO)

| # | Name    | Label               | Type       | Format      | Valid | Invalid | Question |
|---|---------|---------------------|------------|-------------|-------|---------|----------|
| 2 | GEODPMF | Health Region - (G) | continuous | numeric-5.0 | 62909 | 0       | -        |

### Group Administration Information (ADM)

| # | Name    | Label                    | Type       | Format      | Valid | Invalid | Question |
|---|---------|--------------------------|------------|-------------|-------|---------|----------|
| 6 | ADM_RNO | Sequential record number | continuous | numeric-6.0 | 62909 | 0       | -        |

### Group Socio-demographic Variables

| #  | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|----|---------|--|----------|-------------|-------|---------|--|
| 1  | DHHGAGE | Age - (G)                                | discrete | numeric-2.0 | 62909 | 0       | What is your age?  |
| 2  | DHH_SEX | Sex                                      | discrete | numeric-1.0 | 62909 | 0       | Enter the respondent's sex. If necessary, ask: Is respondent male or female?   |
| 3  | DHHGMS  | Marital status - (G)                     | discrete | numeric-1.0 | 62783 | 126     | What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married? |
| 4  | DHHGLE5 | No. pers. <= 5 years old in hhld - (D,G) | discrete | numeric-1.0 | 62909 | 0       | -  |
| 5  | DHHG611 | No. persons 6-11 years/in hhld - (D,G)   | discrete | numeric-1.0 | 62909 | 0       | -  |
| 6  | DHHGL12 | No. pers. < 12 years old in hhld - (D,G) | discrete | numeric-1.0 | 62909 | 0       | -  |
| 7  | DHHGLVG | Living arrangements/selected resp -(D,G) | discrete | numeric-2.0 | 62591 | 318     | -  |
| 8  | DHHGHSZ | Household size - (D, G)                  | discrete | numeric-1.0 | 62895 | 14      | -  |
| 9  | DHH_OWN | Dwelling - owned by a member of hhld     | discrete | numeric-1.0 | 61434 | 1475    | Is the dwelling you live in currently owned by a member of this household?   |
| 10 | SDCGCBG | Country of birth - Canada/other - (G)    | discrete | numeric-1.0 | 61410 | 1499    | -  |
| 11 | SDCGLHM | Language(s) spoken at home               | discrete | numeric-1.0 | 61530 | 1379    | -  |
| 12 | SDCFIMM | Immigrant - (F)                          | discrete | numeric-1.0 | 61323 | 1586    | -  |
| 13 | SDCGRES | Length/time in Canada since imm. - (D,G) | discrete | numeric-1.0 | 8848  | 54061   | -  |
| 14 | SDCGLNG | Languages - can converse - (D,G)         | discrete | numeric-1.0 | 61462 | 1447    | -  |
| 15 | SDCGCGT | Cultural or racial origin - (D, G)       | discrete | numeric-1.0 | 61233 | 1676    | -  |
| 16 | SDC_8   | Current student                          | discrete | numeric-1.0 | 58580 | 4329    | Are you currently attending a school, college or university?   |
| 17 | SDC_9   | Full-time student/part-time student      | discrete | numeric-1.0 | 6468  | 56441   | Are you enrolled as a full-time student or a part-time student?  |

| #  | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question |
|----|---------|--|----------|-------------|-------|---------|----------|
| 18 | EDUDH04 | Highest level/edu. - HH 4 levels - (D)   | discrete | numeric-1.0 | 58390 | 4519    | -        |
| 19 | EDUDR04 | Highest level/edu. - respond. 4 levels - | discrete | numeric-1.0 | 60901 | 2008    | -        |

### Group General Health (GEN)

| #  | Name     | Label                                   | Type     | Format      | Valid | Invalid | Question   |
|----|----------|---|----------|-------------|-------|---------|--|
| 1  | GEN_01   | Self-perceived health                   | discrete | numeric-1.0 | 62827 | 82      | In general, would you say your health is: (excellent, very good, good, fair, or poor)  |
| 2  | GEN_02   | Self-perceived hlth - compared 1 yr ago | discrete | numeric-1.0 | 62820 | 89      | Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)? |
| 3  | GEN_02A2 | Satisfaction with life in general       | discrete | numeric-2.0 | 61087 | 1822    | Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now?  |
| 4  | GEN_02B  | Self-perceived mental health            | discrete | numeric-1.0 | 61554 | 1355    | In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?  |
| 5  | GEN_07   | Perceived life stress                   | discrete | numeric-1.0 | 62670 | 239     | Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?                                      |
| 6  | GEN_08   | Worked at job                           | discrete | numeric-1.0 | 52059 | 10850   | Have you worked at a job or business at any time in the past 12 months?  |
| 7  | GEN_09   | Self perceived work stress              | discrete | numeric-1.0 | 36484 | 26425   | The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)?           |
| 8  | GEN_10   | Sense of belonging - local community    | discrete | numeric-1.0 | 60911 | 1998    | How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?  |
| 9  | GENDHDI  | Perceived Health - (D)                  | discrete | numeric-1.0 | 62827 | 82      | -  |
| 10 | GENDMHI  | Perceived Mental Health - (D)           | discrete | numeric-1.0 | 61554 | 1355    | -  |
| 11 | GENGSWL  | Satisfaction with life in general       | discrete | numeric-1.0 | 61087 | 1822    | -  |

### Group Height and weight - Self-reported (HWT)

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|----------|
| 5 | HWTGISW | BMI class. (18 +) / self-report - (D,G) | discrete | numeric-1.0 | 54261 | 8648    | -        |

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|----------|
| 6 | HWTDCOL | BMI class. (12-17) / self-report. - (D) | discrete | numeric-1.0 | 4773  | 58136   | -        |

### Group Chronic conditions (CCC)

| #  | Name     | Label                                    | Type     | Format      | Valid | Invalid | Question  |
|----|----------|--|----------|-------------|-------|---------|---|
| 1  | CCC_031  | Has asthma                               | discrete | numeric-1.0 | 62852 | 57      | (Do you have) asthma?   |
| 2  | CCC_035  | Asthma - had symptoms/attacks            | discrete | numeric-1.0 | 5500  | 57409   | Have you had any asthma symptoms or asthma attacks in the past 12 months?   |
| 3  | CCC_041  | Has fibromyalgia                         | discrete | numeric-1.0 | 62779 | 130     | Do you have fibromyalgia?   |
| 4  | CCC_036  | Asthma - took medication                 | discrete | numeric-1.0 | 5509  | 57400   | In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections? |
| 5  | CCC_051  | Has arthritis                            | discrete | numeric-1.0 | 60061 | 2848    | Do you have arthritis, excluding fibromyalgia?  |
| 6  | CCC_061  | Has back problems/excl. fibro/arthritis  | discrete | numeric-1.0 | 62836 | 73      | Do you have back problems, excluding fibromyalgia and arthritis?  |
| 7  | CCC_071  | Has high blood pressure                  | discrete | numeric-1.0 | 62734 | 175     | Do you have high blood pressure?  |
| 8  | CCC_072  | Ever diagnosed with high blood pressure  | discrete | numeric-1.0 | 48691 | 14218   | Have you ever been diagnosed with high blood pressure?  |
| 9  | CCC_073  | Medication - high blood pressure         | discrete | numeric-1.0 | 17336 | 45573   | In the past month, have you taken any medicine for high blood pressure?   |
| 10 | CCC_073A | Preg. - diag. high blood press. 1st time | discrete | numeric-1.0 | 8422  | 54487   | Were you pregnant when you were first diagnosed with high blood pressure?   |
| 11 | CCC_073B | Not pregnant - diagn. high blood press.  | discrete | numeric-1.0 | 480   | 62429   | Other than during pregnancy, has a health professional ever told you that you have high blood pressure?                   |
| 12 | CCC_081  | Has migraine headaches                   | discrete | numeric-1.0 | 62850 | 59      | Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?             |
| 13 | CCC_091  | Has a COPD                               | discrete | numeric-1.0 | 43791 | 19118   | (Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?                             |
| 14 | CCC_101  | Has diabetes                             | discrete | numeric-1.0 | 62860 | 49      | (Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?                     |
| 15 | CCCG102  | Diabetes - age first diagnosed - (G)     | discrete | numeric-2.0 | 5029  | 57880   | How old were you when this was first diagnosed?   |
| 16 | CCC_10A  | Diabetes diagnosed when pregnant         | discrete | numeric-1.0 | 767   | 62142   | Were you pregnant when you were first diagnosed with diabetes?  |
| 17 | CCC_10B  | Diabetes diagnosed - other than pregnant | discrete | numeric-1.0 | 121   | 62788   | Other than during pregnancy, has a health professional ever told you that you have diabetes?                              |
| 18 | CCC_10C  | Diabetes diag. - when started w/insulin  | discrete | numeric-2.0 | 5042  | 57867   | When you were first diagnosed with diabetes, how long was it before you were started on insulin?                          |
| 19 | CCC_105  | Diabetes - currently takes insulin       | discrete | numeric-1.0 | 5074  | 57835   | Do you currently take insulin for your diabetes?  |
| 20 | CCC_106  | Diabetes - pills to control blood sugar  | discrete | numeric-1.0 | 5071  | 57838   | In the past month, did you take pills to control your blood sugar?  |

| #  | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|----|---------|---|----------|-------------|-------|---------|---|
| 21 | CCC_121 | Has heart disease                       | discrete | numeric-1.0 | 62755 | 154     | Do you have heart disease?  |
| 22 | CCC_131 | Has cancer                              | discrete | numeric-1.0 | 62820 | 89      | (Do you have) cancer?   |
| 23 | CCC_31A | Ever had cancer                         | discrete | numeric-1.0 | 61265 | 1644    | Have you ever been diagnosed with cancer?   |
| 24 | CCC_141 | Has stomach or intestinal ulcers        | discrete | numeric-1.0 | 62768 | 141     | Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?   |
| 25 | CCC_151 | Suffers from the effects of a stroke    | discrete | numeric-1.0 | 62835 | 74      | Do you suffer from the effects of a stroke?   |
| 26 | CCC_161 | Has urinary incontinence                | discrete | numeric-1.0 | 52027 | 10882   | (Do you suffer) from urinary incontinence?  |
| 27 | CCC_171 | Has bowel disorder                      | discrete | numeric-1.0 | 62797 | 112     | Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence?                                    |
| 28 | CCC_17A | Type of bowel disease                   | discrete | numeric-1.0 | 3243  | 59666   | What kind of bowel disease do you have?   |
| 29 | CCC_251 | Has chronic fatigue syndrome            | discrete | numeric-1.0 | 62778 | 131     | Do you suffer from multiple chemical sensitivities?   |
| 30 | CCC_261 | Suffers multiple chemical sensitivities | discrete | numeric-1.0 | 62723 | 186     | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?  |
| 31 | CCC_280 | Has a mood disorder                     | discrete | numeric-1.0 | 62816 | 93      | Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia? |
| 32 | CCC_290 | Has an anxiety disorder                 | discrete | numeric-1.0 | 62801 | 108     | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder?  |

### Group Health utility index (HUI)

| # | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question               |
|---|---------|--|------------|-------------|-------|---------|------------------------|
| 1 | DOHUI   | Module: HUI - (F)                        | discrete   | numeric-1.0 | 62909 | 0       | -                      |
| 2 | HUIGVIS | Vision trouble - function code - (D,G)   | discrete   | numeric-1.0 | 62437 | 472     | -                      |
| 3 | HUIGHER | Hearing problems - function code - (D,G) | discrete   | numeric-1.0 | 62144 | 765     | -                      |
| 4 | HUIGSPE | Speech trouble - function code - (D,G)   | discrete   | numeric-1.0 | 62820 | 89      | -                      |
| 5 | HUIGMOB | Mobility trouble - function code - (D,G) | discrete   | numeric-1.0 | 62787 | 122     | -                      |
| 6 | HUIGDEX | Dexterity trouble - function code -(D,G) | discrete   | numeric-1.0 | 62833 | 76      | -                      |
| 7 | HUIDEMO | Emotion (function code)                  | discrete   | numeric-1.0 | 62656 | 253     | -                      |
| 8 | HUIDCOG | Cognition prob. - function code - (D)    | discrete   | numeric-2.0 | 62686 | 223     | -                      |
| 9 | HUIDHSI | Health utilities index                   | continuous | numeric-6.3 | 61254 | 1655    | Health utilities index |

| #  | Name    | Label                | Type     | Format      | Valid | Invalid | Question |
|----|---------|----------------------|----------|-------------|-------|---------|----------|
| 10 | HUPDPAD | Pain (function code) | discrete | numeric-1.0 | 62752 | 157     | -        |

### Group Health care utilization (HCU)

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|---|---------|---|----------|-------------|-------|---------|---|
| 1 | HCU_1AA | Has regular medical doctor              | discrete | numeric-1.0 | 62824 | 85      | Do you have a regular medical doctor?   |
| 2 | HCU_1BA | Reason no dr - no one available in area | discrete | numeric-1.0 | 8462  | 54447   | Why do you not have a regular medical doctor? - No medical doctors available in the area                |
| 3 | HCU_1BB | Reason no dr - none taking new patients | discrete | numeric-1.0 | 8462  | 54447   | Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients |
| 4 | HCU_1BC | Reason no dr - not tried to contact one | discrete | numeric-1.0 | 8462  | 54447   | Why do you not have a regular medical doctor? - Have not tried to contact one                           |
| 5 | HCU_1BD | Reason no dr - has left/retired         | discrete | numeric-1.0 | 8462  | 54447   | Why do you not have a regular medical doctor? - Had a medical doctor who left or retired                |
| 6 | HCU_1BE | Reason no dr - other                    | discrete | numeric-1.0 | 8462  | 54447   | Why do you not have a regular medical doctor? - Other   |
| 7 | HCU_1A1 | Has place to go when sick/health advice | discrete | numeric-1.0 | 8564  | 54345   | Is there a place that you usually go to when you are sick or need advice about your health?             |
| 8 | HCU_1A2 | Kind of place                           | discrete | numeric-2.0 | 7226  | 55683   | What kind of place is it?   |

### Group Patient satisfaction - Health care services (PAS)

| # | Name    | Label                                  | Type     | Format      | Valid | Invalid | Question   |
|---|---------|--|----------|-------------|-------|---------|--|
| 1 | DOPAS   | Module: PAS - (F)                      | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2 | PAS_11  | Rec'd health care services             | discrete | numeric-1.0 | 20189 | 42720   | In the past 12 months, have you received any health care services?   |
| 3 | PAS_12  | Rating of quality of care rec'd        | discrete | numeric-1.0 | 19301 | 43608   | Overall, how would you rate the quality of health care you received? Would you say it was: (excellent, good, fair, poor)?  |
| 4 | PAS_13  | Satisfaction with way care provided    | discrete | numeric-1.0 | 19288 | 43621   | Overall, how satisfied were you with the way health care services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)? |
| 5 | PAS_21A | Rec'd health care services at hospital | discrete | numeric-1.0 | 19357 | 43552   | In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery, overnight stay, or as an emergency room patient?   |
| 6 | PAS_21B | Type of patient - most recent visit    | discrete | numeric-1.0 | 6371  | 56538   | Thinking of your most recent hospital visit, were you: (admitted overnight or longer, a patient at a diagnostic or day surgery clinic, an emergency room patient)?   |
| 7 | PAS_22  | Rating quality care rec'd - hospital   | discrete | numeric-1.0 | 6358  | 56551   | How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?  |

| #  | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|----|---------|--|----------|-------------|-------|---------|--|
| 8  | PAS_23  | Satisfaction w/way care provided - hosp. | discrete | numeric-1.0 | 6354  | 56555   | How satisfied were you with the way hospital services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)? |
| 9  | PAS_31A | Rec'd physician care                     | discrete | numeric-1.0 | 19360 | 43549   | In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician?   |
| 10 | PAS_31B | Type of physician - most recent care     | discrete | numeric-1.0 | 12797 | 50112   | Thinking of the most recent time, was care provided by: (a family doctor, a medical specialist)?   |
| 11 | PAS_32  | Rating of quality of care rec'd - phy.   | discrete | numeric-1.0 | 12784 | 50125   | How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?  |
| 12 | PAS_33  | Satisfaction w/way care provided - phy.  | discrete | numeric-1.0 | 12779 | 50130   | How satisfied were you with the way physician care was provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?     |

### Group Patient satisfaction - Community-based care (PSC)

| # | Name  | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|---|-------|---|----------|-------------|-------|---------|---|
| 1 | DOPSC | Module: PSC - (F)                       | discrete | numeric-1.0 | 61276 | 1633    | -   |
| 2 | PSC_1 | Received any community-based care       | discrete | numeric-1.0 | 11250 | 51659   | In the past 12 months, have you received any community-based care?                                      |
| 3 | PSC_2 | How rate quality of com.-based received | discrete | numeric-1.0 | 2174  | 60735   | Overall, how would you rate the quality of the community-based care you received? Would you say it was: |
| 4 | PSC_3 | Satisf.the way com.-based care provided | discrete | numeric-1.0 | 2166  | 60743   | Overall, how satisfied were you with the way community-based care was provided? Were you:               |

### Group Restriction of activities (RAC)

| # | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|---|---------|--|----------|-------------|-------|---------|--|
| 1 | RAC_1   | Has difficulty with activities           | discrete | numeric-1.0 | 62847 | 62      | Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?  |
| 2 | RAC_2A  | Reduction kind/amount activities - home  | discrete | numeric-1.0 | 62833 | 76      | Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)? |
| 3 | RAC_2B1 | Reduction kind/amount activities- school | discrete | numeric-1.0 | 62879 | 30      | (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?                           |
| 4 | RAC_2B2 | Reduction kind/amount act. - at work     | discrete | numeric-1.0 | 62865 | 44      | Does a long-term physical condition or mental condition or health problem,   |

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question   |
|---|---------|---|----------|-------------|-------|---------|--|
|   |         |   |          |             |       |         | reduce the amount or the kind of activity you can do) at work?   |
| 5 | RAC_2C  | Reduction kind/amount act. - other      | discrete | numeric-1.0 | 62777 | 132     | (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?   |
| 6 | RACG5   | Cause of health problem - (G)           | discrete | numeric-2.0 | 21010 | 41899   | Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)? |
| 7 | RACDIMP | Impact of health problems - (D)         | discrete | numeric-1.0 | 62804 | 105     | -  |
| 8 | RACDPAL | Participation and activity limit. - (D) | discrete | numeric-1.0 | 62675 | 234     | -  |

### Group Activities of Daily Living (ADL)

| # | Name   | Label                                  | Type     | Format      | Valid | Invalid | Question  |
|---|--------|--|----------|-------------|-------|---------|---|
| 1 | DOADL  | Content module - ADL (F)               | discrete | numeric-1.0 | 62909 | 0       | -   |
| 2 | ADL_01 | Needs help - preparing meals           | discrete | numeric-1.0 | 62877 | 32      | Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals?   |
| 3 | ADL_02 | Needs help - getting to appointments   | discrete | numeric-1.0 | 62879 | 30      | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries?            |
| 4 | ADL_03 | Needs help - doing housework           | discrete | numeric-1.0 | 62869 | 40      | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework?   |
| 5 | ADL_04 | Needs help - personal care             | discrete | numeric-1.0 | 62886 | 23      | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication?                  |
| 6 | ADL_05 | Needs help - moving about inside house | discrete | numeric-1.0 | 62896 | 13      | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house?   |
| 7 | ADL_06 | Needs help - looking after finances    | discrete | numeric-1.0 | 62832 | 77      | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills? |
| 8 | ADLF6R | Help needed for tasks - (F)            | discrete | numeric-1.0 | 62817 | 92      | Help needed for tasks - (F)   |

### Group Dental visits (DEN)

| # | Name | Label | Type | Format | Valid | Invalid | Question |
|---|------|-------|------|--------|-------|---------|----------|
|---|------|-------|------|--------|-------|---------|----------|

| # | Name    | Label           | Type     | Format      | Valid | Invalid | Question   |
|---|---------|-----------------|----------|-------------|-------|---------|--|
| 2 | DEN_130 | Visited dentist | discrete | numeric-1.0 | 16932 | 45977   | It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one? |

### Group Food choices (FDC)

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question |
|----|---------|--|------------|-------------|-------|---------|----------|
| 23 | FVCDTOT | Daily cons. - total fruits and veg. - D) | continuous | numeric-5.1 | 58921 | 3988    | -        |
| 24 | FVCGTOT | Daily cons. total fruits/veg. - (D, G)   | discrete   | numeric-1.0 | 58921 | 3988    | -        |

### Group Physical activities (PAC)

| #  | Name    | Label                                | Type     | Format      | Valid | Invalid | Question |
|----|---------|--------------------------------------|----------|-------------|-------|---------|----------|
| 83 | PACDFR  | Freq. of all physical activity - (D) | discrete | numeric-1.0 | 61624 | 1285    | -        |
| 85 | PACDPAI | Physical activity index - (D)        | discrete | numeric-1.0 | 61634 | 1275    | -        |

### Group Satisfaction with life (SWL)

| #  | Name   | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|----|--------|--|----------|-------------|-------|---------|--|
| 1  | DOSWL  | Module: SWL - (F)                        | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2  | SWL_02 | Satisfaction - job                       | discrete | numeric-1.0 | 7474  | 55435   | How satisfied are you with your job or main activity?                    |
| 3  | SWL_03 | Satisfaction - leisure activities        | discrete | numeric-1.0 | 7476  | 55433   | How satisfied are you with your leisure activities?                      |
| 4  | SWL_04 | Satisfaction - financial situation       | discrete | numeric-1.0 | 7446  | 55463   | (How satisfied are you) with your financial situation?                   |
| 5  | SWL_05 | Satisfaction - with self                 | discrete | numeric-1.0 | 7475  | 55434   | How satisfied are you with yourself?                                     |
| 6  | SWL_06 | Satisfaction - way body looks            | discrete | numeric-1.0 | 7465  | 55444   | How satisfied are you with the way your body looks?                      |
| 7  | SWL_07 | Satisfaction - relationship with family  | discrete | numeric-1.0 | 7472  | 55437   | How satisfied are you with your relationships with other family members? |
| 8  | SWL_08 | Satisfaction - relationship with friends | discrete | numeric-1.0 | 7478  | 55431   | (How satisfied are you) with your relationships with friends?            |
| 9  | SWL_09 | Satisfaction - housing                   | discrete | numeric-1.0 | 7490  | 55419   | (How satisfied are you) with your housing?                               |
| 10 | SWL_10 | Satisfaction - neighbourhood             | discrete | numeric-1.0 | 7477  | 55432   | (How satisfied are you) with your neighbourhood?                         |

### Group Mastery (MAS)

| # | Name    | Label                     | Type     | Format      | Valid | Invalid | Question  |
|---|---------|---------------------------|----------|-------------|-------|---------|---|
| 1 | DOMAS   | Module: MAS - (F)         | discrete | numeric-1.0 | 61276 | 1633    | You have little control over the things that happen to you. |
| 2 | MAS_601 | Mastery - lack of control | discrete | numeric-1.0 | 3297  | 59612   | You have little control over the things that happen to you. |

| # | Name    | Label                            | Type       | Format      | Valid | Invalid | Question  |
|---|---------|----------------------------------|------------|-------------|-------|---------|---|
| 3 | MAS_602 | Mastery - cannot solve problems  | discrete   | numeric-1.0 | 3319  | 59590   | There is really no way you can solve some of the problems you have.             |
| 4 | MAS_603 | Mastery - cannot change things   | discrete   | numeric-1.0 | 3307  | 59602   | There is little you can do to change many of the important things in your life. |
| 5 | MAS_604 | Mastery - helpless               | discrete   | numeric-1.0 | 3341  | 59568   | You often feel helpless in dealing with problems of life.                       |
| 6 | MAS_605 | Mastery - pushed around          | discrete   | numeric-1.0 | 3355  | 59554   | Sometimes you feel that you are being pushed around in life.                    |
| 7 | MAS_606 | Mastery - fate depends upon self | discrete   | numeric-1.0 | 3333  | 59576   | What happens to you in the future mostly depends on you.                        |
| 8 | MAS_607 | Mastery - can do anything        | discrete   | numeric-1.0 | 3348  | 59561   | You can do just about anything you really set your mind to.                     |
| 9 | MASDM1  | Mastery scale - (D)              | continuous | numeric-2.0 | 3187  | 59722   | Mastery scale - (D)   |

### Group Smoking (SMK)

| # | Name    | Label          | Type     | Format      | Valid | Invalid | Question  |
|---|---------|----------------|----------|-------------|-------|---------|---|
| 4 | SMK_202 | Type of smoker | discrete | numeric-1.0 | 62722 | 187     | At the present time, do you smoke cigarettes daily, occasionally or not at all? |

### Group Alcohol use (ALC)

| # | Name    | Label                                | Type     | Format      | Valid | Invalid | Question   |
|---|---------|--------------------------------------|----------|-------------|-------|---------|--|
| 1 | ALC_1   | Drank alcohol - past 12 months       | discrete | numeric-1.0 | 62228 | 681     | During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage? |
| 2 | ALC_2   | Frequency of drinking alcohol        | discrete | numeric-2.0 | 46606 | 16303   | During the past 12 months, how often did you drink alcoholic beverages?                                |
| 3 | ALC_3   | Frequency of having 5 or more drinks | discrete | numeric-2.0 | 46494 | 16415   | How often in the past 12 months have you had 5 or more drinks on one occasion?                         |
| 4 | ALCDTTM | Type of drinker (12 months)          | discrete | numeric-1.0 | 62026 | 883     | -  |

### Group Maternal experiences - Breastfeeding (MEX)

| # | Name   | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|---|--------|---|----------|-------------|-------|---------|---|
| 1 | MEX_01 | Has given birth in the past 5 years     | discrete | numeric-1.0 | 16011 | 46898   | Have you given birth in the past 5 years?   |
| 2 | MEX_02 | Took folic acid - before last pregnancy | discrete | numeric-1.0 | 3420  | 59489   | Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant? |
| 3 | MEX_03 | Breastfed/tried breastfeed/last child   | discrete | numeric-1.0 | 3440  | 59469   | (For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time?                                     |
| 4 | MEXG04 | Reason did not breastfeed - (G)         | discrete | numeric-2.0 | 421   | 62488   | -   |
| 5 | MEX_05 | Still breastfeeding last child          | discrete | numeric-1.0 | 3015  | 59894   | Are you still breastfeeding?  |

| #  | Name     | Label                                    | Type     | Format      | Valid | Invalid | Question  |
|----|----------|--|----------|-------------|-------|---------|---|
| 6  | MEX_06   | Duration of breastfeeding last child     | discrete | numeric-2.0 | 2453  | 60456   | How long did you breastfeed (your last baby)?   |
| 7  | MEX_07   | Age of last baby - other foods added     | discrete | numeric-2.0 | 2981  | 59928   | How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds? |
| 8  | MEX_08   | Main reason other foods added            | discrete | numeric-2.0 | 2797  | 60112   | What is the main reason that you first added other liquids or solid foods?  |
| 9  | MEX_09   | Gave vitamin D - breast milk only        | discrete | numeric-1.0 | 2596  | 60313   | During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D?                            |
| 10 | MEX_10   | Main reason stopped breastfeeding        | discrete | numeric-2.0 | 2423  | 60486   | What is the main reason that you stopped breastfeeding?   |
| 11 | MEXDEBF2 | Duration of exclusive breastfeeding- (D) | discrete | numeric-2.0 | 3244  | 59665   | -   |
| 12 | MEXFEB6  | Exclus. breastfeed for at least 6 months | discrete | numeric-1.0 | 3244  | 59665   | -   |

### Group Social support - Availability (SSA)

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question                                 |
|----|---------|--|------------|-------------|-------|---------|--|
| 22 | SSADTNG | Tangible social support - MOS - (D)      | discrete   | numeric-2.0 | 22222 | 40687   | Tangible social support - MOS - (D)      |
| 24 | SSADSOC | Positive social interaction - MOS - (D)  | discrete   | numeric-2.0 | 22318 | 40591   | Positive social interaction - MOS - (D)  |
| 25 | SSADEMO | Emot./info. support - MOS subscale - (D) | continuous | numeric-2.0 | 21981 | 40928   | Emot./info. support - MOS subscale - (D) |

### Group Social support - Utilization (SSU)

| # | Name    | Label                               | Type     | Format      | Valid | Invalid | Question  |
|---|---------|-------------------------------------|----------|-------------|-------|---------|---|
| 1 | DOSSU   | Module: SSU - (F)                   | discrete | numeric-1.0 | 61276 | 1633    | -   |
| 2 | SSU_21A | Received tangible social support    | discrete | numeric-1.0 | 12019 | 50890   | In the past 12 months, did you receive the following support? - Someone [list of tangible support reported]   |
| 3 | SSU_21B | Freq. of tangible social support    | discrete | numeric-1.0 | 4369  | 58540   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)? |
| 4 | SSU_22A | Received affective support          | discrete | numeric-1.0 | 12022 | 50887   | In the past 12 months, did you receive the following support? - Someone [list of affection support reported]  |
| 5 | SSU_22B | Freq. of affective support          | discrete | numeric-1.0 | 11250 | 51659   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)? |
| 6 | SSU_23A | Rec'd pos. social interac. supp.    | discrete | numeric-1.0 | 12040 | 50869   | (In the past 12 months, did you receive the following support?) - Someone [list of positive social interaction reported]                                |
| 7 | SSU_23B | Freq. of pos. social interac. supp. | discrete | numeric-1.0 | 11519 | 51390   | When you needed it, how often did you receive this kind of support in the past  |

| # | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question  |
|---|---------|--|----------|-------------|-------|---------|---|
|   |         |  |          |             |       |         | 12 months: (almost always, frequently, half the time, rarely, or never)?  |
| 8 | SSU_24A | Received emotional/informational support | discrete | numeric-1.0 | 12051 | 50858   | (In the past 12 months, did you receive the following support?) - Someone [list of emotional or informational support reported]                         |
| 9 | SSU_24B | Freq. of emotional/info. support         | discrete | numeric-1.0 | 11213 | 51696   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)? |

### Group Consultations about mental health (CMH)

| # | Name    | Label                                     | Type     | Format      | Valid | Invalid | Question   |
|---|---------|---|----------|-------------|-------|---------|--|
| 1 | DOCMH   | Module: CMH - (F)                         | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2 | CMH_01K | Consulted mental health professional      | discrete | numeric-1.0 | 43906 | 19003   | In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health? |
| 3 | CMHG01L | Cons. mental hlth prof. - no. times -(G)  | discrete | numeric-2.0 | 4802  | 58107   | How many times (in the past 12 months)?  |
| 4 | CMH_1MA | Consulted mental hlth prof. - fam. doc.   | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Family doctor or general practitioner   |
| 5 | CMH_1MB | Consulted men. hlth prof. - psychiatrist  | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Psychiatrist  |
| 6 | CMH_1MC | Consulted men. hlth prof. - psychologist  | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Psychologist  |
| 7 | CMH_1MD | Consulted mental hlth prof. - nurse       | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Nurse   |
| 8 | CMH_1ME | Consulted men. hlth prof. - social worker | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Social worker or counsellor   |
| 9 | CMH_1MF | Consulted mental hlth prof. - other       | discrete | numeric-1.0 | 4845  | 58064   | Whom did you see or talk to? - Other   |

### Group Distress (DIS)

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|---|---------|---|----------|-------------|-------|---------|---|
| 1 | DODIS   | Module: DIS - (F)                       | discrete | numeric-1.0 | 61276 | 1633    | -   |
| 2 | DIS_10A | Frequency/distress:tired out-past month | discrete | numeric-1.0 | 20109 | 42800   | During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)? |
| 3 | DIS_10B | Freq./distress: felt nervous - past mo  | discrete | numeric-1.0 | 20038 | 42871   | During the past month, about how often did you feel nervous?  |
| 4 | DIS_10C | Freq./distress:so nervous - past month  | discrete | numeric-1.0 | 20016 | 42893   | (During the past month, about how often did you feel) so nervous that nothing could calm you down?  |
| 5 | DIS_10D | Freq./distress: felt hopeless - past mo | discrete | numeric-1.0 | 20058 | 42851   | During the past month, about how often did you feel hopeless?   |
| 6 | DIS_10E | Freq./distress: felt restless - past mo | discrete | numeric-1.0 | 20040 | 42869   | During the past month, about how often did you feel restless or fidgety?  |

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question   |
|----|---------|--|------------|-------------|-------|---------|--|
| 7  | DIS_10F | Frequency/distress:could not sit still   | discrete   | numeric-1.0 | 20016 | 42893   | (During the past month, about how often did you feel) so restless you could not sit still?   |
| 8  | DIS_10G | Freq./distress: sad,depressed - past mo  | discrete   | numeric-1.0 | 20060 | 42849   | (During the past month, about how often did you feel) sad or depressed?  |
| 9  | DIS_10H | Freq./d.:dep,nothing cheer up - past mo. | discrete   | numeric-1.0 | 20041 | 42868   | (During the past month, about how often did you feel) so depressed that nothing could cheer you up?  |
| 10 | DIS_10I | Freq./distr: every. was effort - past mo | discrete   | numeric-1.0 | 19990 | 42919   | (During the past month, about how often did you feel) that everything was an effort?   |
| 11 | DIS_10J | Freq./distr.: felt worthless - past mo   | discrete   | numeric-1.0 | 20043 | 42866   | During the past month, about how often did you feel) worthless?  |
| 12 | DIS_10K | Freq. of distress feelings - past mo     | discrete   | numeric-1.0 | 19931 | 42978   | Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual? |
| 13 | DIS_10L | Freq. of distress feelings (more often)  | discrete   | numeric-1.0 | 2503  | 60406   | Is that a lot more, somewhat more or only a little more often than usual?  |
| 14 | DIS_10M | Freq. of distress feelings (less often)  | discrete   | numeric-1.0 | 1514  | 61395   | Is that a lot less, somewhat less or only a little less often than usual?  |
| 15 | DIS_10N | Freq./distr. feelings int. w/life-p.m.   | discrete   | numeric-1.0 | 15583 | 47326   | During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?             |
| 16 | DISDK6  | Distress scale - K6 - past month - (D)   | continuous | numeric-2.0 | 19823 | 43086   | Distress scale - K6 - past month - (D)   |
| 17 | DISDCHR | Chronicity of distress/impair. scale (D) | discrete   | numeric-2.0 | 19866 | 43043   | Chronicity of distress/impair. scale (D)   |
| 18 | DISDDSX | Distress scale - K10 - past month - (D)  | continuous | numeric-2.0 | 19793 | 43116   | Distress scale - K10 - past month - (D)  |

### Group Depression (DEP)

| # | Name   | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|---|--------|--|----------|-------------|-------|---------|--|
| 1 | DODEP  | Module: DPS - (F)                        | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2 | DPS_02 | Depressed >= 2 weeks - 12 mo             | discrete | numeric-1.0 | 28491 | 34418   | During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row?   |
| 3 | DPS_03 | Dep. -length/time feelings lasted - 2 wk | discrete | numeric-1.0 | 3549  | 59360   | Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day long, most of the day, about half of the day, or less than half of a day)? |
| 4 | DPS_04 | Depressed - frequency - 2 wk             | discrete | numeric-1.0 | 2081  | 60828   | How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)?  |
| 5 | DPS_05 | Dep.-lost interest in most things - 2 wk | discrete | numeric-1.0 | 1946  | 60963   | During those 2 weeks did you lose interest in most things?   |
| 6 | DPS_06 | Dep. - felt tired all of the time - 2 wk | discrete | numeric-1.0 | 1943  | 60966   | Did you feel tired out or low on energy all of the time?   |

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question  |
|----|---------|--|------------|-------------|-------|---------|---|
| 7  | DPS_07  | Depressed - weight change - 2 wk         | discrete   | numeric-1.0 | 1925  | 60984   | Did you gain weight, lose weight or stay about the same?  |
| 8  | DPS_08A | Depressed -weight change (amount) - 2 wk | continuous | numeric-3.0 | 895   | 62014   | About how much did you gain/lose?   |
| 9  | DPS_08B | Depressed - weight change (lb/kg) - 2 wk | discrete   | numeric-1.0 | 895   | 62014   | Interviewer: Was that in pounds or in kilograms?  |
| 10 | DPS_09  | Depressed - trouble fall asleep - 2 wk   | discrete   | numeric-1.0 | 1919  | 60990   | Did you have more trouble falling asleep than you usually do?   |
| 11 | DPS_10  | Depr. - fall asleep (freq.) - 2 wk       | discrete   | numeric-1.0 | 1397  | 61512   | How often did that happen: (every night, nearly every night, or less often)?  |
| 12 | DPS_11  | Depressed - trouble concentrating - 2 wk | discrete   | numeric-1.0 | 1900  | 61009   | Did you have a lot more trouble concentrating than usual?   |
| 13 | DPS_12  | Depressed - felt down on self - 2 wk     | discrete   | numeric-1.0 | 1889  | 61020   | At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way?  |
| 14 | DPS_13  | Depr.- thought a lot about death - 2 wk  | discrete   | numeric-1.0 | 1880  | 61029   | Did you think a lot about death - either your own, someone else's, or death in general?   |
| 15 | DPS_14  | Depressed - number of weeks - 12 mo      | continuous | numeric-2.0 | 1775  | 61134   | About how many weeks altogether did you feel this way during the past 12 months?  |
| 16 | DPS_15  | Depressed - most recent month - 2 wk     | discrete   | numeric-2.0 | 1620  | 61289   | Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?   |
| 17 | DPS_16  | Loss int. - things give pleasure - 12 mo | discrete   | numeric-1.0 | 26431 | 36478   | During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure?   |
| 18 | DPS_17  | Loss interest - freq. - 12 mo            | discrete   | numeric-1.0 | 1692  | 61217   | Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long,..., or less than half of a day)? |
| 19 | DPS_18  | Loss interest - freq. - 2 wk             | discrete   | numeric-1.0 | 706   | 62203   | -   |
| 20 | DPS_19  | Loss int. -felt tired all the time -2 wk | discrete   | numeric-1.0 | 543   | 62366   | During those 2 weeks did you feel tired out or low on energy all the time?  |
| 21 | DPS_20  | Loss interest - weight change - 2 wk     | discrete   | numeric-1.0 | 536   | 62373   | Did you gain weight, lose weight, or stay about the same?   |
| 22 | DPS_21A | Loss interest - weight change (amount)   | continuous | numeric-3.0 | 213   | 62696   | About how much did you gain/lose?   |
| 23 | DPS_21B | Loss int. - weight change (lb/kg) - 2 wk | discrete   | numeric-1.0 | 213   | 62696   | Interviewer: Was that in pounds or in kilograms?  |
| 24 | DPS_22  | Loss interest -trouble fall asleep -2 wk | discrete   | numeric-1.0 | 535   | 62374   | Did you have more trouble falling asleep than you usually do?   |
| 25 | DPS_23  | Loss int. -trouble to sleep (freq) -2 wk | discrete   | numeric-1.0 | 317   | 62592   | How often did that happen: (every night, nearly every night, or less often)? ?  |
| 26 | DPS_24  | Loss int.- trouble concentrating - 2 wk  | discrete   | numeric-1.0 | 530   | 62379   | Did you have a lot more trouble concentrating than usual?   |
| 27 | DPS_25  | Loss interest - felt down on self - 2 wk | discrete   | numeric-1.0 | 527   | 62382   | At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?   |

| #  | Name   | Label                                     | Type       | Format      | Valid | Invalid | Question   |
|----|--------|---|------------|-------------|-------|---------|--|
| 28 | DPS_26 | Loss int.- thought a lot/death - 2 wk     | discrete   | numeric-1.0 | 526   | 62383   | Did you think a lot about death - either your own, someone else's, or death in general?            |
| 29 | DPS_27 | Loss interest - nombre of weeks - 12 mo   | continuous | numeric-2.0 | 494   | 62415   | About how many weeks did you feel this way during the past 12 months?                              |
| 30 | DPS_28 | Loss interest - most recent month - 2 wk  | discrete   | numeric-2.0 | 456   | 62453   | Think about the last time you had 2 weeks in a row when you felt this way. In what month was that? |
| 31 | DPSDSF | Depr. scale - short form score - (D)      | discrete   | numeric-2.0 | 28266 | 34643   | Depr. scale - short form score - (D)   |
| 32 | DPSDPP | Depr. scale - predicted prob. - (D)       | continuous | numeric-4.2 | 28266 | 34643   | Depr. scale - predicted prob. - (D)  |
| 33 | DPSDWK | No. of weeks felt depressed - (D)         | continuous | numeric-2.0 | 2205  | 60704   | No. of weeks felt depressed - (D)  |
| 34 | DPSDMT | Mth last felt depr.- 2 wks in a row - (D) | discrete   | numeric-2.0 | 2022  | 60887   | Mth last felt depr.- 2 wks in a row - (D)  |

### Group Suicidal thoughts and attempts (SUI)

| # | Name  | Label                               | Type     | Format      | Valid | Invalid | Question   |
|---|-------|-------------------------------------|----------|-------------|-------|---------|--|
| 1 | DOSUI | Module: SUI - (F)                   | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2 | SUI_1 | Has considered suicide - lifetime   | discrete | numeric-1.0 | 14378 | 48531   | Have you ever seriously considered committing suicide or taking your own life? |
| 3 | SUI_2 | Has considered suicide - past 12 mo | discrete | numeric-1.0 | 1423  | 61486   | Has this happened in the past 12 months?                                       |

### Group Health status (SF-36) (SFR)

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question                                 |
|----|---------|--|------------|-------------|-------|---------|--|
| 1  | DOSFR   | Module: SFR - (F)                        | discrete   | numeric-1.0 | 62909 | 0       | -  |
| 2  | SFRDPFS | Physical functioning scale - (D)         | discrete   | numeric-3.0 | 3299  | 59610   | Physical functioning scale - (D)         |
| 3  | SFRDSFS | Social functioning scale - (D)           | discrete   | numeric-3.0 | 3306  | 59603   | Social functioning scale - (D)           |
| 4  | SFRDPRF | Role functioning (physical) scale - (D)  | discrete   | numeric-3.0 | 3322  | 59587   | Role functioning (physical) scale - (D)  |
| 5  | SFRDMRF | Role functioning (mental) scale - (D)    | discrete   | numeric-3.0 | 3321  | 59588   | Role functioning (mental) scale - (D)    |
| 6  | SFRDGMH | General mental health scale - (D)        | continuous | numeric-3.0 | 3263  | 59646   | General mental health scale - (D)        |
| 7  | SFRDVTS | Vitality scale - (D)                     | discrete   | numeric-3.0 | 3221  | 59688   | Vitality scale - (D)                     |
| 8  | SFRDBPS | Bodily pain scale - (D)                  | continuous | numeric-3.0 | 3331  | 59578   | Bodily pain scale - (D)                  |
| 9  | SFRDGHP | General health perceptions scale - (D)   | continuous | numeric-3.0 | 3219  | 59690   | General health perceptions scale - (D)   |
| 10 | SFRDPCS | Summary measure of physical health - (D) | continuous | numeric-2.0 | 3034  | 59875   | Summary measure of physical health - (D) |

| #  | Name    | Label                                  | Type       | Format      | Valid | Invalid | Question                               |
|----|---------|--|------------|-------------|-------|---------|--|
| 11 | SFRDMCS | Summary measure of mental health - (D) | continuous | numeric-2.0 | 3034  | 59875   | Summary measure of mental health - (D) |

### Group Access to health care services (ACC)

| #  | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|----|---------|---|----------|-------------|-------|---------|---|
| 1  | DOACC   | Module: ACC - (F)                       | discrete | numeric-1.0 | 61276 | 1633    | -   |
| 2  | ACC_10  | Rep. strain - body part affected        | discrete | numeric-2.0 | 62909 | 0       | Thinking about the most serious repetitive strain, what part of the body was affected?  |
| 3  | ACC_11  | Diff. getting specialist care           | discrete | numeric-1.0 | 5776  | 57133   | In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation? |
| 4  | ACC_12A | Diff. - getting a referral              | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Difficulty getting a referral   |
| 5  | ACC_12B | Diff. - getting an appointment          | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Difficulty getting an appointment   |
| 6  | ACC_12C | Diff. - no specialists in area          | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - No specialists in the area  |
| 7  | ACC_12D | Diff. - waited too long for appointment | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Waited too long between booking appointment and visit                                   |
| 8  | ACC_12E | Diff. - waited too long /see doc.       | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)                              |
| 9  | ACC_12F | Diff. - transportation                  | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Transportation problems   |
| 10 | ACC_12G | Diff. - language                        | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Language problem  |
| 11 | ACC_12H | Diff. - cost                            | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Cost  |
| 12 | ACC_12I | Diff. - pers./family responsibilities   | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Personal or family responsibilities   |
| 13 | ACC_12J | Diff. - deterioration of health         | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - General deterioration of health   |
| 14 | ACC_12K | Diff. - appointment cancelled/deferred  | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Appointment cancelled or deferred by specialist   |
| 15 | ACC_12L | Diff. - still waiting for visit         | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Still waiting for visit   |
| 16 | ACC_12M | Diff. - unable leave house/health       | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Unable to leave the house because of a health problem                                   |
| 17 | ACC_12N | Diff. - other                           | discrete | numeric-1.0 | 1141  | 61768   | What type of difficulties did you experience? - Other   |
| 18 | ACC_20  | Required non-emergency surgery          | discrete | numeric-1.0 | 19653 | 43256   | In the past 12 months, did you require any non-emergency surgery?   |

| #  | Name    | Label                                  | Type     | Format      | Valid | Invalid | Question   |
|----|---------|--|----------|-------------|-------|---------|--|
| 19 | ACC_21  | Diff. getting non-emerg. surg.         | discrete | numeric-1.0 | 1526  | 61383   | In the past 12 months, did you ever experience any difficulties getting the surgery you needed?          |
| 20 | ACC_22A | Diff. - getting an appointment         | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon         |
| 21 | ACC_22B | Diff. - getting a diagnosis            | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Difficulty getting a diagnosis                           |
| 22 | ACC_22C | Diff. - wait too long/diag. test       | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Waited too long for a diagnostic test                    |
| 23 | ACC_22D | Diff. - waited too long/hosp. bed      | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Waited too long for a hospital bed to become available   |
| 24 | ACC_22E | Diff. - waited too long/surgery        | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Waited too long for surgery                              |
| 25 | ACC_22F | Diff. - service not available/area     | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Service not available in the area                        |
| 26 | ACC_22G | Diff. - transportation                 | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Transportation problems                                  |
| 27 | ACC_22H | Diff. - language                       | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Language problem   |
| 28 | ACC_22I | Diff. - cost                           | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Cost   |
| 29 | ACC_22J | Diff. - pers./family responsibilities  | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Personal or family responsibilities                      |
| 30 | ACC_22K | Diff. - deterioration of health        | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - General deterioration of health                          |
| 31 | ACC_22L | Diff. - appointment cancelled/deferred | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital |
| 32 | ACC_22M | Diff. - still waiting for surgery      | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Still waiting for surgery                                |
| 33 | ACC_22N | Diff. - unable leave house/health      | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Unable to leave the house because of a health problem    |
| 34 | ACC_22O | Diff. - other                          | discrete | numeric-1.0 | 192   | 62717   | What type of difficulties did you experience? - Other  |
| 35 | ACC_30  | Required MRI, CT Scan, angiography     | discrete | numeric-1.0 | 19620 | 43289   | -  |
| 36 | ACC_31  | Difficulties getting test              | discrete | numeric-1.0 | 2671  | 60238   | In the past 12 months, did you ever experience any difficulties getting the tests you needed?            |
| 37 | ACC_32A | Diff. - getting a referral             | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Difficulty getting a referral                            |
| 38 | ACC_32B | Diff. - getting an appointment         | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Difficulty getting an appointment                        |

| #  | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|----|---------|--|----------|-------------|-------|---------|--|
| 39 | ACC_32C | Diff. - waited too long for appt.        | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Waited too long to get an appointment  |
| 40 | ACC_32D | Diff. - waited too long/get test         | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting)   |
| 41 | ACC_32E | Diff. - not available at time required   | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Service not available at time required   |
| 42 | ACC_32F | Diff. - not available/area               | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Service not available in the area  |
| 43 | ACC_32G | Diff. - transportation                   | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Transportation problems  |
| 44 | ACC_32H | Diff. - language                         | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Language problem   |
| 45 | ACC_32I | Diff. - cost                             | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Cost   |
| 46 | ACC_32J | Diff. - deterioration of health          | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - General deterioration of health  |
| 47 | ACC_32K | Diff. - did not know where to go         | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)   |
| 48 | ACC_32L | Diff. - still waiting for test           | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Still waiting for test   |
| 49 | ACC_32M | Diff. - unable leave house /health       | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Unable to leave the house because of a health problem  |
| 50 | ACC_32N | Diff. - other                            | discrete | numeric-1.0 | 355   | 62554   | What type of difficulties did you experience? - Other  |
| 51 | ACC_40  | Required health information              | discrete | numeric-1.0 | 19619 | 43290   | In the past 12 months, have you required health information or advice for yourself or a family member?   |
| 52 | ACC_40A | Contact/health info - doctor             | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office  |
| 53 | ACC_40B | Contact/health info - community hlth ctr | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC   |
| 54 | ACC_40C | Contact/health info - walk-in clinic     | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Walkin clinic  |
| 55 | ACC_40D | Contact/health info - health line        | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé) |
| 56 | ACC_40E | Contact/health info - emergency room     | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Hospital emergency room  |

| #  | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question   |
|----|---------|---|----------|-------------|-------|---------|--|
| 57 | ACC_40F | Contact/health info - other hosp. serv. | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service   |
| 58 | ACC_40G | Contact/health info - other             | discrete | numeric-1.0 | 8451  | 54458   | Who did you contact when you needed health information or advice for yourself or a family member? - Other  |
| 59 | ACC_41  | Diff. getting health information        | discrete | numeric-1.0 | 8442  | 54467   | In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed for yourself or a family member?   |
| 60 | ACC_42  | Exp. diff. during regular hrs.          | discrete | numeric-1.0 | 1275  | 61634   | Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?   |
| 61 | ACC_43A | Diff. - contact a physician/nurse       | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Difficulty contacting a physician or nurse   |
| 62 | ACC_43B | Diff. - did not have a phone number     | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Did not have a phone number  |
| 63 | ACC_43C | Diff. - could not get through           | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Could not get through (i.e. no answer)   |
| 64 | ACC_43D | Diff. - waited too long to speak        | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Waited too long to speak to someone  |
| 65 | ACC_43E | Diff. - inadequate information          | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Did not get adequate info or advice  |
| 66 | ACC_43F | Diff. - language                        | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Language problem   |
| 67 | ACC_43G | Diff. - did not know where to go/call   | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Did not know where to go / call / uninformed   |
| 68 | ACC_43H | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Unable to leave the house because of a health problem  |
| 69 | ACC_43I | Diff. - other                           | discrete | numeric-1.0 | 1001  | 61908   | What type of difficulties did you experience? - Other  |
| 70 | ACC_44  | Exp. diff. during evening/weekends      | discrete | numeric-1.0 | 1274  | 61635   | Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 71 | ACC_45A | Diff. - contact a physician/nurse       | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Difficulty contacting a physician or nurse   |
| 72 | ACC_45B | Diff. - did not have a phone number     | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Did not have a phone number  |
| 73 | ACC_45C | Diff. - could not get through           | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Could not get through (i.e. no answer)   |

| #  | Name    | Label                                  | Type     | Format      | Valid | Invalid | Question  |
|----|---------|--|----------|-------------|-------|---------|---|
| 74 | ACC_45D | Diff. - waited too long to speak       | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Waited too long to speak to someone   |
| 75 | ACC_45E | Diff. - inadequate information         | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Did not get adequate info or advice   |
| 76 | ACC_45F | Diff. - language                       | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Language problem  |
| 77 | ACC_45G | Diff. - did not know where to go/call  | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Did not know where to go / call / uninformed  |
| 78 | ACC_45H | Diff. - unable to leave/health         | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Unable to leave the house because of a health problem                               |
| 79 | ACC_45I | Diff. - other                          | discrete | numeric-1.0 | 424   | 62485   | What type of difficulties did you experience? - Other   |
| 80 | ACC_46  | Exp. diff. during middle of night      | discrete | numeric-1.0 | 1274  | 61635   | Did you experience difficulties getting health information or advice during the middle of the night?                                |
| 81 | ACC_47A | Diff. - contact a physician/nurse      | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Difficulty contacting a physician or nurse  |
| 82 | ACC_47B | Diff. - did not have a phone number    | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Did not have a phone number   |
| 83 | ACC_47C | Diff. - could not get through          | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Could not get through (i.e. no answer)  |
| 84 | ACC_47D | Diff. - waited too long/to speak       | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Waited too long to speak to someone   |
| 85 | ACC_47E | Diff. - inadequate information         | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Did not get adequate info or advice   |
| 86 | ACC_47F | Diff. - language                       | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Language problem  |
| 87 | ACC_47G | Diff. - did not know where to go/call  | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Did not know where to go / call / uninformed  |
| 88 | ACC_47H | Diff. - unable to leave/health         | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Unable to leave the house because of a health problem                               |
| 89 | ACC_47I | Diff. - other                          | discrete | numeric-1.0 | 155   | 62754   | What type of difficulties did you experience? - Other   |
| 90 | ACC_50A | Has a regular family doctor            | discrete | numeric-1.0 | 19634 | 43275   | Do you have a regular family doctor?  |
| 91 | ACC_50  | Required routine care for self/family  | discrete | numeric-1.0 | 19606 | 43303   | In the past 12 months, did you require any routine or on-going care for yourself or a family member?                                |
| 92 | ACC_51  | Exp. diff. getting on-going care       | discrete | numeric-1.0 | 10524 | 52385   | In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed? |
| 93 | ACC_52  | Experienced diff. during regular hours | discrete | numeric-1.0 | 1399  | 61510   | Did you experience difficulties getting such care during « regular » office hours   |

| #   | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|-----|---------|---|----------|-------------|-------|---------|---|
|     |         |   |          |             |       |         | (that is, 9:00 am to 5:00 pm, Monday to Friday)?  |
| 94  | ACC_53A | Diff. - contact a physician             | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Difficulty contacting a physician   |
| 95  | ACC_53B | Diff. - getting an appointment          | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Difficulty getting an appointment   |
| 96  | ACC_53C | Diff. - do not have family physician    | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Do not have personal / family physician   |
| 97  | ACC_53D | Diff. - waited too long for appointment | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Waited too long to get an appointment   |
| 98  | ACC_53E | Diff. - waited too long/see doc.        | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)  |
| 99  | ACC_53F | Diff. - not available at time required  | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Service not available at time required  |
| 100 | ACC_53G | Diff. - not available in the area       | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Service not available in the area   |
| 101 | ACC_53H | Diff. - transportation                  | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Transportation problems   |
| 102 | ACC_53I | Diff. - language                        | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Language problem  |
| 103 | ACC_53J | Diff. - cost                            | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Cost  |
| 104 | ACC_53K | Diff. - did not know where to go        | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |
| 105 | ACC_53L | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Unable to leave the house because of a health problem   |
| 106 | ACC_53M | Diff. - other                           | discrete | numeric-1.0 | 1208  | 61701   | What type of difficulties did you experience? - Other   |
| 107 | ACC_54  | Exp. diff. during evening/weekends      | discrete | numeric-1.0 | 1394  | 61515   | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 108 | ACC_55A | Diff. - contact a physician             | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Difficulty contacting a physician   |
| 109 | ACC_55B | Diff. - getting an appointment          | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Difficulty getting an appointment   |
| 110 | ACC_55C | Diff. - do not have family physician    | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Do not have personal / family physician   |
| 111 | ACC_55D | Diff. - waited too long for appointment | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Waited too long to get an appointment   |

| #   | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|-----|---------|---|----------|-------------|-------|---------|---|
| 112 | ACC_55E | Diff. - waited too long/see doc         | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)  |
| 113 | ACC_55F | Diff. - not available at time required  | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Service not available at time required  |
| 114 | ACC_55G | Diff. - not available/area              | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Service not available in the area   |
| 115 | ACC_55H | Diff. - transportation                  | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Transportation problems   |
| 116 | ACC_55I | Diff. - language                        | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Language problem  |
| 117 | ACC_55J | Diff. - cost                            | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Cost  |
| 118 | ACC_55K | Diff. - did not know where to go        | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |
| 119 | ACC_55L | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Unable to leave house because of a health problem   |
| 120 | ACC_55M | Diff. - other                           | discrete | numeric-1.0 | 330   | 62579   | What type of difficulties did you experience? - Other   |
| 121 | ACC_60  | Required immediate care - self/family   | discrete | numeric-1.0 | 19594 | 43315   | In the past 12 months, have you or a family member required immediate health care services for a minor health problem?  |
| 122 | ACC_61  | Exp. diff. getting immediate care       | discrete | numeric-1.0 | 5869  | 57040   | In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member? |
| 123 | ACC_62  | Experienced diff. during regular hours  | discrete | numeric-1.0 | 1224  | 61685   | Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?                            |
| 124 | ACC_63A | Diff. - contact a physician             | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Difficulty contacting a physician   |
| 125 | ACC_63B | Diff. - getting an appointment          | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Difficulty getting an appointment   |
| 126 | ACC_63C | Diff. - do not have family physician    | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Do not have personal / family physician   |
| 127 | ACC_63D | Diff. - waited too long/for appointment | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Waited too long to get an appointment   |
| 128 | ACC_63E | Diff. - waited too long/see doc         | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)  |
| 129 | ACC_63F | Diff. - not available at time required  | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Service not available at time required  |

| #   | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question   |
|-----|---------|---|----------|-------------|-------|---------|--|
| 130 | ACC_63G | Diff. - not available/area              | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Service not available in the area  |
| 131 | ACC_63H | Diff. - transportation                  | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Transportation problems  |
| 132 | ACC_63I | Diff. - language                        | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Language problem   |
| 133 | ACC_63J | Diff. - cost                            | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Cost   |
| 134 | ACC_63K | Diff. - did not know where to go        | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)   |
| 135 | ACC_63L | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Unable to leave the house because of a health problem  |
| 136 | ACC_63M | Diff. - other                           | discrete | numeric-1.0 | 782   | 62127   | What type of difficulties did you experience? - Other  |
| 137 | ACC_64  | Exp. diff. during evening/weekends      | discrete | numeric-1.0 | 1222  | 61687   | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |
| 138 | ACC_65A | Diff. - contact a physician             | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Difficulty contacting a physician  |
| 139 | ACC_65B | Diff. - getting an appointment          | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Difficulty getting an appointment  |
| 140 | ACC_65C | Diff. - do not have family physician    | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Do not have personal / family physician  |
| 141 | ACC_65D | Diff. - waited too long/for appointment | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Waited too long to get an appointment  |
| 142 | ACC_65E | Diff. - waited too long/see doc         | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)   |
| 143 | ACC_65F | Diff. - not available at time required  | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Service not available at time required   |
| 144 | ACC_65G | Diff. - not available/area              | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Service not available in the area  |
| 145 | ACC_65H | Diff. - transportation                  | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Transportation problems  |
| 146 | ACC_65I | Diff. - language                        | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Language problem   |
| 147 | ACC_65J | Diff. - cost                            | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Cost   |
| 148 | ACC_65K | Diff. - did not know where to go        | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)   |

| #   | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question   |
|-----|---------|---|----------|-------------|-------|---------|--|
| 149 | ACC_65L | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Unable to leave the house because of a health problem      |
| 150 | ACC_65M | Diff. - other                           | discrete | numeric-1.0 | 598   | 62311   | What type of difficulties did you experience? - Other  |
| 151 | ACC_66  | Exp. diff. during middle of night       | discrete | numeric-1.0 | 1222  | 61687   | Did you experience difficulties getting such care during the middle of the night?                          |
| 152 | ACC_67A | Diff. - contact a physician             | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Difficulty contacting a physician                          |
| 153 | ACC_67B | Diff. - getting an appointment          | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Difficulty getting an appointment                          |
| 154 | ACC_67C | Diff. - do not have family physician    | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Do not have personal / family physician                    |
| 155 | ACC_67D | Diff. - waited too long/for appointment | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Waited too long to get an appointment                      |
| 156 | ACC_67E | Diff. - waited too long/see doc         | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |
| 157 | ACC_67F | Diff. - not available at time required  | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Service not available at time required                     |
| 158 | ACC_67G | Diff. - not available/area              | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Service not available in the area                          |
| 159 | ACC_67H | Diff. - transportation                  | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Transportation problems                                    |
| 160 | ACC_67I | Diff. - language                        | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Language problem   |
| 161 | ACC_67J | Diff. - cost                            | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Cost   |
| 162 | ACC_67K | Diff. - did not know where to go        | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)       |
| 163 | ACC_67L | Diff. - unable to leave house/health    | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Unable to leave the house because of a health problem      |
| 164 | ACC_67M | Diff. - other                           | discrete | numeric-1.0 | 244   | 62665   | What type of difficulties did you experience? - Other  |

### Group Labour force (LBS)

| # | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question                              |
|---|---------|--|------------|-------------|-------|---------|---------------------------------------|
| 1 | LBSG31  | Employment status - 12 mo - (G)          | discrete   | numeric-1.0 | 32071 | 30838   | Are you an employee or self-employed? |
| 2 | LBSGHPW | Total usual hrs. worked current - (D, G) | continuous | numeric-3.0 | 31796 | 31113   | -                                     |
| 3 | LBSDPFT | Full/part-time - current jobs - (D)      | discrete   | numeric-1.0 | 31796 | 31113   | -                                     |

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|----------|
| 4 | LBSDWSS | Working status last week - 4 grps - (D) | discrete | numeric-1.0 | 51711 | 11198   | -        |
| 5 | LBSGSOC | Occupation group - (G)                  | discrete | numeric-1.0 | 31925 | 30984   | -        |

### Group Loss of Productivity (LOP)

| #  | Name    | Label                                    | Type       | Format      | Valid | Invalid | Question  |
|----|---------|--|------------|-------------|-------|---------|---|
| 1  | DOLOP   | Module: LOP - (F)                        | discrete   | numeric-1.0 | 62909 | 0       | -   |
| 2  | LOP_015 | Employed in past 3 months                | discrete   | numeric-1.0 | 35906 | 27003   | Did you work at a job or a business at any time in the past three months?   |
| 3  | LOPG020 | Reason for not working - (G)             | discrete   | numeric-2.0 | 18969 | 43940   | -   |
| 4  | LOP_030 | Couldn't work due to chronic condition   | discrete   | numeric-1.0 | 32590 | 30319   | In the past three months, that is from [date three months ago] to yesterday, have you missed any days at work because of a chronic health condition? By chronic condition, we mean a long-term physical or mental condition that is expected to last or hav |
| 5  | LOPG040 | Work days lost due to chronic cond. (G)  | continuous | numeric-2.0 | 1801  | 61108   | -   |
| 6  | LOPG050 | Chronic condition - (G)                  | discrete   | numeric-2.0 | 3902  | 59007   | -   |
| 7  | LOP_060 | Missed work due to injury                | discrete   | numeric-1.0 | 32591 | 30318   | In the past three months, have you missed any days at work because of injury such as a broken bone, a bad cut, a burn or a sprain?  |
| 8  | LOPG070 | Work days missed due to injury - (G)     | continuous | numeric-2.0 | 1096  | 61813   | -   |
| 9  | LOP_080 | Missed work due to infectious disease    | discrete   | numeric-1.0 | 32578 | 30331   | In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection?   |
| 10 | LOP_81A | Had a cold                               | discrete   | numeric-1.0 | 5187  | 57722   | Which infectious disease was this? - Cold   |
| 11 | LOP_81B | Had the flu or influenza                 | discrete   | numeric-1.0 | 5187  | 57722   | Which infectious disease was this? - Flu or influenza   |
| 12 | LOP_81C | Stomach Flu                              | discrete   | numeric-1.0 | 5187  | 57722   | Which infectious disease was this? - Stomach flu  |
| 13 | LOP_81D | Respiratory Flu                          | discrete   | numeric-1.0 | 5187  | 57722   | Which infectious disease was this? - Respiratory infection  |
| 14 | LOP_81E | Other                                    | discrete   | numeric-1.0 | 5187  | 57722   | Which infectious disease was this? - autre  |
| 15 | LOPG082 | Work days missed due to cold - (G)       | discrete   | numeric-2.0 | 2592  | 60317   | -   |
| 16 | LOPG083 | Work days missed due/ flu/influenza (G)  | discrete   | numeric-2.0 | 1215  | 61694   | -   |
| 17 | LOPG084 | Work days missed due to stomach flu (G)  | discrete   | numeric-2.0 | 982   | 61927   | -   |
| 18 | LOPG085 | Work days missed due/ respir.infect. (G) | discrete   | numeric-2.0 | 299   | 62610   | -   |
| 19 | LOPG086 | Wrk days missed due/other infect.dis.(G) | discrete   | numeric-2.0 | 354   | 62555   | -   |

| #  | Name    | Label                                       | Type     | Format      | Valid | Invalid | Question  |
|----|---------|---|----------|-------------|-------|---------|---|
| 20 | LOP_090 | Missed work for reason /ph.<br>Or m. health | discrete | numeric-1.0 | 32580 | 30329   | In the past three months, have you been absent from work because of any other reason related to your physical or mental health? |
| 21 | LOPG100 | Work days missed related/<br>ph/m hlth (G)  | discrete | numeric-2.0 | 2563  | 60346   | -   |

### Group Physical activities - Facilities at work (PAF)

| #  | Name    | Label                                      | Type     | Format      | Valid | Invalid | Question   |
|----|---------|--|----------|-------------|-------|---------|--|
| 1  | DOPAF   | Module: Phys. Act. - Facili.<br>at work    | discrete | numeric-1.0 | 61276 | 1633    | -  |
| 2  | PAF_01  | Work at home                               | discrete | numeric-1.0 | 1007  | 61902   | Do you usually work most of the time at home?  |
| 3  | PAF_02  | At work - Pleasant place to<br>walk        | discrete | numeric-1.0 | 1001  | 61908   | At or near your place of work, do you have access to a pleasant place to walk, jog, bicycle or rollerblade?        |
| 4  | PAF_03  | At work - Access to playing<br>fields      | discrete | numeric-1.0 | 1000  | 61909   | At or near your place of work, do you have access to playing fields or open spaces for ball games or other sports? |
| 5  | PAF_04  | At work - Access to a gym                  | discrete | numeric-1.0 | 998   | 61911   | At or near your place of work, do you have access to a gym or physical fitness facilities?                         |
| 6  | PAF_05  | At work - Access to fitness<br>classes     | discrete | numeric-1.0 | 979   | 61930   | At or near your place of work, do you have access to organized fitness classes?                                    |
| 7  | PAF_06  | At work - Organized sport<br>teams         | discrete | numeric-1.0 | 882   | 62027   | At or near your place of work, do you have access to any organized recreational sport teams?                       |
| 8  | PAF_07  | At work - Showers / change<br>rooms        | discrete | numeric-1.0 | 889   | 62020   | At or near your place of work, do you have access to showers and/or change rooms?                                  |
| 9  | PAF_08  | At work - Prog. to improve<br>health       | discrete | numeric-1.0 | 893   | 62016   | At or near your place of work, do you have access to programs to improve health, physical fitness or nutrition?    |
| 10 | PAFFACC | Access to phys. act. facilities<br>at work | discrete | numeric-1.0 | 945   | 61964   | Access to phys. act. facilities at work  |

### Group Food security (FSC)

| # | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question   |
|---|---------|--|----------|-------------|-------|---------|--|
| 1 | DOFSC   | Module: Food security                    | discrete | numeric-1.0 | 62909 | 0       | -  |
| 2 | FSC_010 | Food situation in household<br>- 12 mo   | discrete | numeric-1.0 | 57855 | 5054    | Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)? |
| 3 | FSC_020 | Worried food would run out<br>- 12 mo    | discrete | numeric-1.0 | 57783 | 5126    | You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?  |
| 4 | FSC_030 | No food and no money for<br>more - 12 mo | discrete | numeric-1.0 | 57757 | 5152    | The food that you and other household members bought just didn't last, and   |

| #  | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question  |
|----|---------|---|----------|-------------|-------|---------|---|
|    |         |   |          |             |       |         | there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months?   |
| 5  | FSC_040 | Could not afford balanced meals - 12 mo | discrete | numeric-1.0 | 57743 | 5166    | You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?  |
| 6  | FSC_050 | Few kinds low-cost food for kids -12 mo | discrete | numeric-1.0 | 15891 | 47018   | You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months? |
| 7  | FSC_060 | Couldn't feed child. bal. meal - 12 mo  | discrete | numeric-1.0 | 15889 | 47020   | You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months?   |
| 8  | FSC_070 | Children were not eating enough - 12 mo | discrete | numeric-1.0 | 2214  | 60695   | The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?   |
| 9  | FSC_080 | Adults cut or skipped meals - 12 mo     | discrete | numeric-1.0 | 5695  | 57214   | In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?  |
| 10 | FSC_081 | Adults skipped meals (freq) - 12 mo     | discrete | numeric-1.0 | 1809  | 61100   | How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?  |
| 11 | FSC_090 | Ate less than felt should - 12 mo       | discrete | numeric-1.0 | 5676  | 57233   | In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?   |
| 12 | FSC_100 | Was hungry but could not eat - 12 mo    | discrete | numeric-1.0 | 5693  | 57216   | In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?  |
| 13 | FSC_110 | Lost weight no money for food- 12 mo    | discrete | numeric-1.0 | 5656  | 57253   | In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?  |
| 14 | FSC_120 | Adults did not eat whole day - 12 mo    | discrete | numeric-1.0 | 2455  | 60454   | In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?   |
| 15 | FSC_121 | Adults not eat whole day (freq) - 12 mo | discrete | numeric-1.0 | 483   | 62426   | How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?  |
| 16 | FSC_130 | Cut size of children's meals - 12 mo    | discrete | numeric-1.0 | 905   | 62004   | In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?   |
| 17 | FSC_140 | Children skipped meals - 12 mo          | discrete | numeric-1.0 | 904   | 62005   | In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?  |

| #  | Name     | Label                                  | Type     | Format      | Valid | Invalid | Question  |
|----|----------|--|----------|-------------|-------|---------|---|
| 18 | FSC_141  | Freq. - child. skipped meals - 12 mo   | discrete | numeric-1.0 | 55    | 62854   | How often did this happen---almost every month, some months but not every month, or in only 1 or 2 months?              |
| 19 | FSC_150  | Children were hungry - 12 mo           | discrete | numeric-1.0 | 900   | 62009   | In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?                     |
| 20 | FSC_160  | Children did not eat whole day - 12 mo | discrete | numeric-1.0 | 904   | 62005   | In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food? |
| 21 | FSCDHFS2 | Household Food Security Status (HC)    | discrete | numeric-1.0 | 57572 | 5337    | Household Food Security Status (HC)   |
| 22 | FSCDAFS2 | Food Security - Adult Status           | discrete | numeric-1.0 | 57583 | 5326    | -   |
| 23 | FSCDCFS2 | Food Security - Child Status           | discrete | numeric-1.0 | 15860 | 47049   | -   |

### Group Neurological Conditions (NEU)

| # | Name    | Label                                   | Type     | Format      | Valid | Invalid | Question |
|---|---------|---|----------|-------------|-------|---------|----------|
| 1 | DONEU   | Module: NEU - (F)                       | discrete | numeric-1.0 | 62909 | 0       | -        |
| 2 | NEUDNCR | Has a neurological condition-sel. resp. | discrete | numeric-1.0 | 60915 | 1994    | -        |
| 3 | NEUDNCH | Presence of neurological cond in hhld   | discrete | numeric-1.0 | 60986 | 1923    | -        |
| 4 | NEUDSIR | Has neuro. cond.-spinal inj.-sel. resp. | discrete | numeric-1.0 | 61096 | 1813    | -        |

### Group Income (INC)

| # | Name    | Label                                    | Type     | Format      | Valid | Invalid | Question |
|---|---------|--|----------|-------------|-------|---------|----------|
| 1 | INCG2   | Total hhld inc. - main source - (G)      | discrete | numeric-1.0 | 57357 | 5552    | -        |
| 2 | INCG7   | Main source of personal income - (G)     | discrete | numeric-1.0 | 35289 | 27620   | -        |
| 3 | INCGHH  | Total hhld inc. from all sources - (D,G) | discrete | numeric-1.0 | 51769 | 11140   | -        |
| 4 | INCGPER | Total pers. inc. from all sources (D,G)  | discrete | numeric-2.0 | 48658 | 14251   | -        |
| 5 | INCDRCA | Household income distribution - (D)      | discrete | numeric-2.0 | 50443 | 12466   | -        |
| 6 | INCDRPR | Hhld inc. distribution-prov. level - (D) | discrete | numeric-2.0 | 50443 | 12466   | -        |
| 7 | INCDRRS | Hhld inc. distribution- hr level - (D)   | discrete | numeric-2.0 | 43503 | 19406   | -        |

### Group Weights

| # | Name  | Label            | Type       | Format      | Valid | Invalid | Question |
|---|-------|------------------|------------|-------------|-------|---------|----------|
| 1 | WTS_M | Weights - Master | continuous | numeric-8.2 | 62909 | 0       | -        |

# Variables Description

**Dataset contains 1325 variable(s) total - showing a subset of 479**

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 10911-60901] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                        |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on GEODHR4. See documentation on derived variables             |

| Value | Label             | Cases | Weighted  | Percentage (Weighted) |
|-------|-------------------|-------|-----------|-----------------------|
| 10911 | EASTERN REGIO HA  | 781   | 264867.7  | 0.9%                  |
| 10912 | CENTRAL REGIO HA  | 414   | 80494.7   | 0.3%                  |
| 10913 | WESTERN/LABR      | 675   | 99337.3   | 0.3%                  |
| 11901 | PEI               | 973   | 122401.4  | 0.4%                  |
| 12901 | ZONE 1 (DHA 1,2)  | 372   | 104200.2  | 0.4%                  |
| 12902 | ZONE 2 (DHA 3)    | 314   | 70161.6   | 0.2%                  |
| 12903 | ZONE 1 (DHA 4,5)  | 343   | 90633.1   | 0.3%                  |
| 12904 | ZONE 1 (DHA 6,7)  | 326   | 75856.8   | 0.3%                  |
| 12905 | ZONE 5 (DHA 8)    | 359   | 103135.4  | 0.4%                  |
| 12906 | ZONE 6 (DHA 9)    | 628   | 363783.3  | 1.3%                  |
| 13901 | ZONE 1            | 443   | 174971.6  | 0.6%                  |
| 13902 | ZONE 2            | 485   | 151714.7  | 0.5%                  |
| 13903 | ZONE 3            | 479   | 143711.8  | 0.5%                  |
| 13904 | ZONES 4 AND 5     | 487   | 64836.5   | 0.2%                  |
| 13906 | ZONES 6 AND 7     | 535   | 106022.6  | 0.4%                  |
| 24901 | RÉG. BAS-ST LAUR. | 526   | 173625.3  | 0.6%                  |
| 24902 | RÉG. SAGUENAY     | 595   | 235275.0  | 0.8%                  |
| 24903 | RÉG. CAP. NAT.    | 990   | 601283.6  | 2.1%                  |
| 24904 | RÉG. MAURICIE     | 741   | 425567.6  | 1.5%                  |
| 24905 | RÉG. ESTRIE       | 602   | 266765.2  | 0.9%                  |
| 24906 | RÉG. MONTREAL     | 1418  | 1664872.5 | 5.8%                  |
| 24907 | RÉG. OUTAOUAIS    | 667   | 310854.5  | 1.1%                  |
| 24908 | RÉG. ABITIBI      | 527   | 122361.8  | 0.4%                  |
| 24909 | RÉG. COTE-NORD    | 549   | 74740.8   | 0.3%                  |
| 24911 | RÉG. GASPÉSIE     | 562   | 81674.7   | 0.3%                  |
| 24912 | RÉG. LA CHAUD.    | 714   | 347246.7  | 1.2%                  |
| 24913 | RÉGION DE LAVAL   | 661   | 341782.2  | 1.2%                  |
| 24914 | RÉG. LANAUDIAIRE  | 673   | 399168.0  | 1.4%                  |
| 24915 | RÉG. DES LAUREN.  | 749   | 472765.2  | 1.6%                  |
| 24916 | RÉG. MONTRÉGIE    | 1297  | 1224416.5 | 4.2%                  |
| 35926 | DIST. ALGOMA      | 422   | 102217.0  | 0.4%                  |
| 35927 | BRANT COUNT       | 395   | 111662.8  | 0.4%                  |
| 35930 | DURHAM REG. HLTH  | 802   | 529487.8  | 1.8%                  |
| 35931 | ELGIN-ST THOMAS   | 364   | 74354.6   | 0.3%                  |
| 35933 | GREY B. HLTH UN.  | 500   | 137659.6  | 0.5%                  |
| 35934 | HALDIMAND-NORF H  | 393   | 94296.2   | 0.3%                  |
| 35935 | HALIBURTON-KAW.   | 421   | 149443.8  | 0.5%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 35936 | HALTON REG. H. U | 674   | 426313.3  | 1.5%                  |
| 35937 | CITY HAMILTON H. | 773   | 458334.9  | 1.6%                  |
| 35938 | HASTINGS. PIE H. | 456   | 137481.6  | 0.5%                  |
| 35939 | HURON, PERTH UN. | 595   | 117005.5  | 0.4%                  |
| 35940 | CHATHAM-KENT U.  | 380   | 92956.8   | 0.3%                  |
| 35941 | KINGSTON-FRONT.  | 485   | 165867.1  | 0.6%                  |
| 35942 | LAMBTON H. UNIT  | 417   | 110860.2  | 0.4%                  |
| 35943 | LEEDS-GRENVILLE  | 498   | 147684.1  | 0.5%                  |
| 35944 | MIDDLESEX-LON. H | 748   | 390864.9  | 1.4%                  |
| 35946 | NIAGARA REG. H.  | 762   | 385190.3  | 1.3%                  |
| 35947 | NORTH BAY H.U.   | 603   | 134968.4  | 0.5%                  |
| 35949 | NORTHWESTERN H.  | 453   | 56003.4   | 0.2%                  |
| 35951 | CITY OF OTTAWA H | 1011  | 765168.6  | 2.6%                  |
| 35952 | OXFORD COUNTY H. | 370   | 93695.7   | 0.3%                  |
| 35953 | PEEL REGION H    | 1202  | 1128132.9 | 3.9%                  |
| 35955 | PETERB. COUNTY H | 397   | 120397.8  | 0.4%                  |
| 35956 | PORCUPINE H.     | 372   | 68860.9   | 0.2%                  |
| 35957 | RENFREW COUNTY H | 378   | 88437.7   | 0.3%                  |
| 35958 | EASTERN ONT. H.U | 508   | 169363.3  | 0.6%                  |
| 35960 | SIMCOE MUSK. H   | 1102  | 442533.8  | 1.5%                  |
| 35961 | SUDBURY,DIST. H. | 523   | 169666.7  | 0.6%                  |
| 35962 | THUNDER BAY D. H | 707   | 128372.0  | 0.4%                  |
| 35965 | WATERLOO H.U.    | 787   | 443502.6  | 1.5%                  |
| 35966 | WELLINGTON-DUF-G | 543   | 233447.5  | 0.8%                  |
| 35968 | WINDSOR-ESSEX H  | 673   | 341711.6  | 1.2%                  |
| 35970 | YORK REGIONAL H. | 895   | 886188.1  | 3.1%                  |
| 35995 | CITY OF TORO. H. | 1917  | 2358061.4 | 8.2%                  |
| 46910 | WINNIPEG         | 991   | 597152.9  | 2.1%                  |
| 46915 | BRANDON AND ASS. | 603   | 99252.2   | 0.3%                  |
| 46920 | NORTH AND SO. E  | 519   | 84701.4   | 0.3%                  |
| 46931 | INTERLAKE/PARLAN | 548   | 92513.9   | 0.3%                  |
| 46940 | CENTRAL          | 373   | 83580.9   | 0.3%                  |
| 46970 | NOR-MAN/BURNTW   | 422   | 27846.9   | 0.1%                  |
| 47901 | SUN COUNTRY/FIVE | 871   | 125492.4  | 0.4%                  |
| 47904 | REGINA QU'APPE   | 591   | 213602.0  | 0.7%                  |
| 47905 | SUNRISE/KELSEY   | 527   | 79198.6   | 0.3%                  |
| 47906 | SASKATOON        | 607   | 263984.4  | 0.9%                  |
| 47907 | HEARTLAND/PR. N  | 523   | 79930.2   | 0.3%                  |
| 47909 | PRINCE ALBERT/MA | 530   | 65472.9   | 0.2%                  |
| 48931 | SOUTH ZONE       | 878   | 228718.7  | 0.8%                  |
| 48932 | CALGARY ZONE     | 1410  | 1169401.5 | 4.0%                  |
| 48933 | CENTRAL ZONE     | 1069  | 368039.3  | 1.3%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEODPMF: Health Region - (G)

| Value | Label            | Cases | Weighted | Percentage (Weighted) |
|-------|------------------|-------|----------|-----------------------|
| 48934 | EDMONTON ZONE    | 1324  | 996083.5 | 3.4%                  |
| 48935 | NORTH ZONE       | 1328  | 327801.0 | 1.1%                  |
| 59911 | EAST KOOTENAY    | 312   | 66825.6  | 0.2%                  |
| 59912 | KOOTENAY-BOUND.  | 266   | 72253.1  | 0.3%                  |
| 59913 | OKANAGAN         | 605   | 295828.7 | 1.0%                  |
| 59914 | THOMPSON/CARIB.  | 443   | 186184.7 | 0.6%                  |
| 59921 | FRASER EAST      | 499   | 234495.8 | 0.8%                  |
| 59922 | FRASER NORTH     | 784   | 531237.0 | 1.8%                  |
| 59923 | FRASER SOUTH     | 752   | 608035.6 | 2.1%                  |
| 59931 | RICHMOND         | 373   | 168208.1 | 0.6%                  |
| 59932 | VANCOUVER        | 781   | 583757.1 | 2.0%                  |
| 59933 | NORTH SHORE/C. G | 457   | 237815.3 | 0.8%                  |
| 59941 | SOUTH VANC. ISL  | 681   | 321433.6 | 1.1%                  |
| 59942 | CENTRAL VANC. IS | 505   | 232070.8 | 0.8%                  |
| 59943 | NORTH VANC. ISL. | 281   | 103058.6 | 0.4%                  |
| 59951 | NORTHWEST        | 307   | 57591.0  | 0.2%                  |
| 59952 | NORTHERN INTER.  | 430   | 119549.2 | 0.4%                  |
| 59953 | NORTHEAST        | 275   | 56479.7  | 0.2%                  |
| 60901 | YUKON/NORTHWEST  | 1633  | 82100.9  | 0.3%                  |
| 99996 | NOT APPLICABLE   | 0     | 0.0      |                       |
| 99997 | DON'T KNOW       | 0     | 0.0      |                       |
| 99998 | REFUSAL          | 0     | 0.0      |                       |
| 99999 | NOT STATED       | 0     | 0.0      |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADM\_RNO: Sequential record number

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 1-124188] [Missing=*]                                       |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ] [Mean=31455 / 31361.351 ] [StdDev=18160.408 / 18200.381 ] |
| <b>Universe</b>           | All respondents   |

## # DHHGAGE: Age - (G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-16] [Missing=*]                               |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | What is your age?   |
| <b>Notes</b>              | Derived from DHH_DOB, DHH_MOB and DHH_YOB during interview and confirmed with respondent. |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | 12 TO 14 YEARS | 2696  | 1210263.1 | 4.2%                  |
| 2     | 15 TO 17 YEARS | 2751  | 1269135.2 | 4.4%                  |
| 3     | 18 TO 19 YEARS | 1783  | 855878.2  | 3.0%                  |
| 4     | 20 TO 24 YEARS | 3581  | 2329053.1 | 8.1%                  |
| 5     | 25 TO 29 YEARS | 4310  | 2305265.8 | 8.0%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGAGE: Age - (G)

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 6     | 30 TO 34 YEARS   | 3895  | 2084875.7 | 7.2%                  |
| 7     | 35 TO 39 YEARS   | 4125  | 2202525.6 | 7.6%                  |
| 8     | 40 TO 44 YEARS   | 4139  | 2574554.7 | 8.9%                  |
| 9     | 45 TO 49 YEARS   | 3932  | 2656729.7 | 9.2%                  |
| 10    | 50 TO 54 YEARS   | 4915  | 2567030.9 | 8.9%                  |
| 11    | 55 TO 59 YEARS   | 5482  | 2373052.7 | 8.2%                  |
| 12    | 60 TO 64 YEARS   | 5529  | 1919435.2 | 6.6%                  |
| 13    | 65 TO 69 YEARS   | 4623  | 1497504.9 | 5.2%                  |
| 14    | 70 TO 74 YEARS   | 3682  | 1075533.5 | 3.7%                  |
| 15    | 75 TO 79 YEARS   | 3308  | 913892.6  | 3.2%                  |
| 16    | 80 YEARS OR MORE | 4158  | 1043687.4 | 3.6%                  |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHH\_SEX: Sex

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                   |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                                |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Enter the respondent's sex. If necessary, ask: Is respondent male or female? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | MALE           | 28546 | 14248382.3 | 49.3%                 |
| 2     | FEMALE         | 34363 | 14630036.0 | 50.7%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGMS: Marital status - (G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62783 / 28838320.47 ] [Invalid=126 / 40097.9 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | What is your marital status? Are you married, living common-law, widowed, separated, divorced, or single, never married? |
| <b>Notes</b>              | Based on DHH_MS. See documentation on derived variables.   |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | MARRIED          | 26329 | 13809327.0 | 47.9%                 |
| 2     | COMMON-LAW       | 5249  | 2986040.5  | 10.4%                 |
| 3     | WIDOW/SEP/DIV    | 12527 | 3494376.0  | 12.1%                 |
| 4     | SINGLE/NEVER MAR | 18678 | 8548577.0  | 29.6%                 |
| 6     | NOT APPLICABLE   | 0     | 0.0        |                       |
| 7     | DON'T KNOW       | 0     | 0.0        |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 126   | 40097.9    |                       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGMS: Marital status - (G)

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGLE5: No. pers. <= 5 years old in hhld - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]                    |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                                 |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     | NONE           | 55960 | 25263917.7 | 87.5%                 |
| 1     | 1 OR MORE      | 6949  | 3614500.6  | 12.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHG611: No. persons 6-11 years/in hhld - (D,G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]                   |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                                |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on SAMPLEID, PERSONID,DHH_AGE. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     | NONE           | 55392 | 24661467.3 | 85.4%                 |
| 1     | 1 OR MORE      | 7517  | 4216951.1  | 14.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DHHGL12: No. pers. < 12 years old in hhld - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-1] [Missing=*]                    |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                                 |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | Based on SAMPLEID, PERSONID, DHH_AGE. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     | NONE           | 51075 | 22320657.5 | 77.3%                 |
| 1     | 1 OR MORE      | 11834 | 6557760.9  | 22.7%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DHHGLVG: Living arrangements/selected resp -(D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]                    |
| <b>Statistics [NW/ W]</b> | [Valid=62591 / 28688435.41 ] [Invalid=318 / 189982.96 ]                       |
| <b>Notes</b>              | Based on relationship matrix, DHHHSZ. See documentation on derived variables. |

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 1     | UNATTACHED ALONE | 17230 | 4131297.5 | 14.4%                 |
| 2     | UNATTACHED OTH   | 1968  | 1436509.0 | 5.0%                  |
| 3     | SPOUSE / PARTER  | 19771 | 7581513.4 | 26.4%                 |
| 4     | PAR SPOUSE CHILD | 9444  | 7490768.6 | 26.1%                 |
| 5     | PARENT CHILD     | 1910  | 1176813.3 | 4.1%                  |
| 6     | CHILD PARENT SIB | 2533  | 1195525.5 | 4.2%                  |
| 7     | CHILD 2 PAR SIB  | 7246  | 3635496.7 | 12.7%                 |
| 8     | OTHER            | 2489  | 2040511.4 | 7.1%                  |
| 96    | NOT APPLICABLE   | 0     | 0.0       |                       |
| 99    | NOT STATED       | 318   | 189983.0  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DHHGHSZ: Household size - (D, G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]                             |
| <b>Statistics [NW/ W]</b> | [Valid=62895 / 28870485.92 ] [Invalid=14 / 7932.45 ]                                   |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on household roster, SAMPLEID, PERSONID. See documentation on derived variables. |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | 1 PERSON       | 17237 | 4132045.9 | 14.3%                 |
| 2     | 2 PERSONS      | 23797 | 9634178.3 | 33.4%                 |
| 3     | 3 PERSONS      | 8744  | 5331655.4 | 18.5%                 |
| 4     | 4 PERSONS      | 8625  | 5992789.2 | 20.8%                 |
| 5     | 5 OR + PERSONS | 4492  | 3779817.1 | 13.1%                 |
| 6     | NOT APPLICABLE | 0     | 0.0       |                       |
| 7     | DON'T KNOW     | 0     | 0.0       |                       |
| 8     | REFUSAL        | 0     | 0.0       |                       |
| 9     | NOT STATED     | 14    | 7932.4    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # GEN\_01: Self-perceived health

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62827 / 28846013.67 ] [Invalid=82 / 32404.7 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | In general, would you say your health is: (excellent, very good, good, fair, or poor)                        |
| <b>Notes</b>              | By health, we mean not only the absence of disease or injury but also physical, mental and social wellbeing. |

| Value | Label     | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------|-------|------------|-----------------------|
| 1     | EXCELLENT | 12035 | 6510838.6  | 22.6%                 |
| 2     | VERY GOOD | 23139 | 10822445.4 | 37.5%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEN\_01: Self-perceived health

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 3     | GOOD           | 18693 | 8170539.2 | 28.3%                 |
| 4     | FAIR           | 6669  | 2529664.0 | 8.8%                  |
| 5     | POOR           | 2291  | 812526.5  | 2.8%                  |
| 6     | NOT APPLICABLE | 0     | 0.0       |                       |
| 7     | DON'T KNOW     | 70    | 26624.0   |                       |
| 8     | REFUSAL        | 12    | 5780.6    |                       |
| 9     | NOT STATED     | 0     | 0.0       |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_02: Self-perceived hlth - compared 1 yr ago

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62820 / 28853935.93 ] [Invalid=89 / 24482.44 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Compared to one year ago, how would you say your health is now? Is it : (much better now than 1 year ago, somewhat better now than 1 year ago, about the same as 1 year ago, somewhat worse now, or much worse now than 1 year ago)? |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | MUCH BETTER     | 4539  | 2188566.4  | 7.6%                  |
| 2     | SOMEWHAT BETTER | 7747  | 3591175.9  | 12.4%                 |
| 3     | ABOUT THE SAME  | 42804 | 19780498.6 | 68.6%                 |
| 4     | SOMEWHAT WORSE  | 6557  | 2836679.4  | 9.8%                  |
| 5     | MUCH WORSE      | 1173  | 457015.6   | 1.6%                  |
| 6     | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7     | DON'T KNOW      | 81    | 22281.4    |                       |
| 8     | REFUSAL         | 8     | 2201.0     |                       |
| 9     | NOT STATED      | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GEN\_02A2: Satisfaction with life in general

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-10] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61087 / 28116617.61 ] [Invalid=1822 / 761800.76 ]  |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "Very satisfied", how do you feel about life as a whole right now? |

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 0     | VERY DISSATISFIE | 331   | 114497.2  | 0.4%                  |
| 1     | 1                | 91    | 30433.2   | 0.1%                  |
| 2     | 2                | 247   | 92481.3   | 0.3%                  |
| 3     | 3                | 405   | 177203.2  | 0.6%                  |
| 4     | 4                | 749   | 290163.5  | 1.0%                  |
| 5     | 5                | 3589  | 1518917.7 | 5.4%                  |
| 6     | 6                | 3102  | 1436844.8 | 5.1%                  |
| 7     | 7                | 9180  | 4441277.7 | 15.8%                 |
| 8     | 8                | 19707 | 9306462.8 | 33.1%                 |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # GEN\_02A2: Satisfaction with life in general

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 9     | 9              | 11671 | 5533207.4 | 19.7%                 |
| 10    | VERY SATISFIED | 12015 | 5175128.9 | 18.4%                 |
| 96    | NOT APPLICABLE | 0     | 0.0       |                       |
| 97    | DON'T KNOW     | 533   | 173112.5  |                       |
| 98    | REFUSAL        | 67    | 27272.3   |                       |
| 99    | NOT STATED     | 1222  | 561416.0  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # GEN\_02B: Self-perceived mental health

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61554 / 28261302.04 ] [Invalid=1355 / 617116.33 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | In general, would you say your mental health is: (excellent, very good, good, fair, or poor)?  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EXCELLENT      | 21349 | 10538089.3 | 37.3%                 |
| 2     | VERY GOOD      | 22644 | 10345527.8 | 36.6%                 |
| 3     | GOOD           | 13808 | 5882330.6  | 20.8%                 |
| 4     | FAIR           | 3066  | 1224816.8  | 4.3%                  |
| 5     | POOR           | 687   | 270537.5   | 1.0%                  |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 103   | 44306.4    |                       |
| 8     | REFUSAL        | 29    | 11177.8    |                       |
| 9     | NOT STATED     | 1223  | 561632.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # GEN\_07: Perceived life stress

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62670 / 28801562.21 ] [Invalid=239 / 76856.16 ]  |
| <b>Universe</b>           | Respondents aged 15 and over  |
| <b>Literal question</b>   | Thinking about the amount of stress in your life, would you say that most days are: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | NOT AT ALL     | 8975  | 3586283.7  | 12.5%                 |
| 2     | NOT VERY       | 16195 | 6695175.8  | 23.2%                 |
| 3     | A BIT          | 25010 | 11932014.7 | 41.4%                 |
| 4     | QUITE A BIT    | 10574 | 5538493.7  | 19.2%                 |
| 5     | EXTREMELY      | 1916  | 1049594.2  | 3.6%                  |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 218   | 66774.2    |                       |
| 8     | REFUSAL        | 21    | 10082.0    |                       |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # GEN\_07: Perceived life stress

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 9     | NOT STATED | 0     | 0.0      |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # GEN\_08: Worked at job

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=52059 / 25365748.6 ] [Invalid=10850 / 3512669.77 ]  |
| <b>Universe</b>           | Respondents aged 15 to 75  |
| <b>Literal question</b>   | Have you worked at a job or business at any time in the past 12 months?  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 36970 | 19432861.4 | 76.6%                 |
| 2     | NO             | 15089 | 5932887.2  | 23.4%                 |
| 6     | NOT APPLICABLE | 10162 | 3167843.2  |                       |
| 7     | DON'T KNOW     | 6     | 2999.1     |                       |
| 8     | REFUSAL        | 13    | 11035.6    |                       |
| 9     | NOT STATED     | 669   | 330791.9   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # GEN\_09: Self perceived work stress

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=36484 / 19217700.28 ] [Invalid=26425 / 9660718.09 ]   |
| <b>Universe</b>           | Respondents who answered GEN_08 = (1, 7 or 8)  |
| <b>Literal question</b>   | The next question is about your main job or business in the past 12 months. Would you say that most days were: (not at all stressful, not very stressful, a bit stressful, quite a bit stressful, or extremely stressful)? |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.       |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | NOT AT ALL     | 3848  | 1921087.9 | 10.0%                 |
| 2     | NOT VERY       | 7412  | 3723586.0 | 19.4%                 |
| 3     | A BIT          | 15156 | 7981383.5 | 41.5%                 |
| 4     | QUITE A BIT    | 8289  | 4567374.7 | 23.8%                 |
| 5     | EXTREMELY      | 1779  | 1024268.0 | 5.3%                  |
| 6     | NOT APPLICABLE | 25251 | 9100730.4 |                       |
| 7     | DON'T KNOW     | 87    | 41285.6   |                       |
| 8     | REFUSAL        | 9     | 3921.1    |                       |
| 9     | NOT STATED     | 1078  | 514781.0  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # GEN\_10: Sense of belonging - local community

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=60911 / 28051598.31 ] [Invalid=1998 / 826820.06 ]   |
| <b>Universe</b>           | All respondents  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GEN\_10: Sense of belonging - local community

**Literal question** How would you describe your sense of belonging to your local community? Would you say it is: (very strong, somewhat strong, somewhat weak, or very weak)?

**Notes** Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed.

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | VERY STRONG     | 12529 | 4924153.6  | 17.6%                 |
| 2     | SOMEWHAT STRONG | 29530 | 13417596.3 | 47.8%                 |
| 3     | SOMEWHAT WEAK   | 14032 | 7188759.2  | 25.6%                 |
| 4     | VERY WEAK       | 4820  | 2521089.2  | 9.0%                  |
| 6     | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7     | DON'T KNOW      | 752   | 257782.2   |                       |
| 8     | REFUSAL         | 23    | 7405.8     |                       |
| 9     | NOT STATED      | 1223  | 561632.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDHDI: Perceived Health - (D)

**Information** [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=62827 / 28846013.67 ] [Invalid=82 / 32404.7 ]

**Universe** All respondents

**Notes** Based on GEN\_02B. See documentation on derived variables

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     | POOR           | 2291  | 812526.5   | 2.8%                  |
| 1     | FAIR           | 6669  | 2529664.0  | 8.8%                  |
| 2     | GOOD           | 18693 | 8170539.2  | 28.3%                 |
| 3     | VERY GOOD      | 23139 | 10822445.4 | 37.5%                 |
| 4     | EXCELLENT      | 12035 | 6510838.6  | 22.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 82    | 32404.7    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENDMHI: Perceived Mental Health - (D)

**Information** [Type= discrete] [Format=numeric] [Range= 0-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=61554 / 28261302.04 ] [Invalid=1355 / 617116.33 ]

**Universe** All respondents

**Notes** Based on GEN\_02B. See documentation on derived variables.

| Value | Label     | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------|-------|------------|-----------------------|
| 0     | POOR      | 687   | 270537.5   | 1.0%                  |
| 1     | FAIR      | 3066  | 1224816.8  | 4.3%                  |
| 2     | GOOD      | 13808 | 5882330.6  | 20.8%                 |
| 3     | VERY GOOD | 22644 | 10345527.8 | 36.6%                 |
| 4     | EXCELLENT | 21349 | 10538089.3 | 37.3%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # GENDMI: Perceived Mental Health - (D)

| Value | Label          | Cases | Weighted | Percentage (Weighted) |
|-------|----------------|-------|----------|-----------------------|
| 6     | NOT APPLICABLE | 0     | 0.0      |                       |
| 7     | DON'T KNOW     | 0     | 0.0      |                       |
| 8     | REFUSAL        | 0     | 0.0      |                       |
| 9     | NOT STATED     | 1355  | 617116.3 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # GENGSWL: Satisfaction with life in general

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=61087 / 28116617.61 ] [Invalid=1822 / 761800.76 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on GEN_02A2. See documentation on derived variables  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 23686 | 10708336.3 | 38.1%                 |
| 2     | SATISFIED      | 31989 | 15184585.3 | 54.0%                 |
| 3     | NEITHER NOR    | 3589  | 1518917.7  | 5.4%                  |
| 4     | DISSATISFIED   | 1401  | 559847.9   | 2.0%                  |
| 5     | VERY DISSATIS. | 422   | 144930.4   | 0.5%                  |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1822  | 761800.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTGISW: BMI class. (18 +) / self-report - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]          |
| <b>Statistics [NW/ W]</b> | [Valid=54261 / 25029915.6 ] [Invalid=8648 / 3848502.77 ]            |
| <b>Universe</b>           | Respondents aged 18 and over excluding pregnant women (MAM_037 = 1) |
| <b>Notes</b>              | Based on DHH_AGE, HWTDBMI. See documentation on derived variables.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | UNDERWEIGHT    | 1175  | 623597.2   | 2.5%                  |
| 2     | NORMAL WEIGHT  | 23155 | 11313313.8 | 45.2%                 |
| 3     | OVERWEIGHT     | 18850 | 8551649.3  | 34.2%                 |
| 4     | OBESE          | 11081 | 4541355.3  | 18.1%                 |
| 6     | NOT APPLICABLE | 5447  | 2479398.3  |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 3201  | 1369104.4  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HWTDCOL: BMI class. (12-17) / self-report. - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]       |
| <b>Statistics [NW/ W]</b> | [Valid=4773 / 2184678.19 ] [Invalid=58136 / 26693740.18 ]        |
| <b>Universe</b>           | Respondents aged 12 to 17 excluding pregnant women (MAM_037 = 1) |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # HWTDCOL: BMI class. (12-17) / self-report. - (D)

**Notes** Based on HWTDBMI, DHH\_YOB, DHH\_MOB, DHH\_DOB, ADM\_YOI, ADM\_MOI, ADM\_DOI, DHH\_SEX et MAM\_037. See documentation on derived variables.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | NEITHER NOR    | 3698  | 1746992.9  | 80.0%                 |
| 2     | OVERWEIGHT     | 824   | 349962.5   | 16.0%                 |
| 3     | OBESE          | 251   | 87722.8    | 4.0%                  |
| 6     | NOT APPLICABLE | 57462 | 26399020.0 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 674   | 294720.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_031: Has asthma

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=62852 / 28853518.68 ] [Invalid=57 / 24899.69 ]

**Universe** All respondents

**Literal question** (Do you have) asthma?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 5512  | 2445243.4  | 8.5%                  |
| 2     | NO             | 57340 | 26408275.3 | 91.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 44    | 19021.2    |                       |
| 8     | REFUSAL        | 13    | 5878.5     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_035: Asthma - had symptoms/attacks

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=5500 / 2443505.23 ] [Invalid=57409 / 26434913.14 ]

**Universe** Respondents who answered CCC\_031 = (1, 7, 8)

**Literal question** Have you had any asthma symptoms or asthma attacks in the past 12 months?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2915  | 1317833.7  | 53.9%                 |
| 2     | NO             | 2585  | 1125671.6  | 46.1%                 |
| 6     | NOT APPLICABLE | 57340 | 26408275.3 |                       |
| 7     | DON'T KNOW     | 12    | 1738.1     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 57    | 24899.7    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_041: Has fibromyalgia

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=62779 / 28811739.05 ] [Invalid=130 / 66679.32 ]

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCC\_041: Has fibromyalgia

|                         |                           |
|-------------------------|---------------------------|
| <b>Universe</b>         | All respondents           |
| <b>Literal question</b> | Do you have fibromyalgia? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1198  | 438830.9   | 1.5%                  |
| 2     | NO             | 61581 | 28372908.2 | 98.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 116   | 60453.4    |                       |
| 8     | REFUSAL        | 1     | 347.4      |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_036: Asthma - took medication

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=5509 / 2443890.35 ] [Invalid=57400 / 26434528.02 ]   |
| <b>Universe</b>           | Respondents who answered CCC_031 = (1, 7, 8)  |
| <b>Literal question</b>   | In the past 12 months, have you taken any medicine for asthma such as inhalers, nebulizers, pills, liquids or injections? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4248  | 1820248.7  | 74.5%                 |
| 2     | NO             | 1261  | 623641.6   | 25.5%                 |
| 6     | NOT APPLICABLE | 57340 | 26408275.3 |                       |
| 7     | DON'T KNOW     | 3     | 1353.0     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 57    | 24899.7    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_051: Has arthritis

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=60061 / 27614806.72 ] [Invalid=2848 / 1263611.65 ]  |
| <b>Universe</b>           | Respondents aged 14 and over.                              |
| <b>Literal question</b>   | Do you have arthritis, excluding fibromyalgia?             |
| <b>Notes</b>              | The word "rhumatism" was removed from the question.        |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 13367 | 4445123.2  | 16.1%                 |
| 2     | NO             | 46694 | 23169683.5 | 83.9%                 |
| 6     | NOT APPLICABLE | 1745  | 759799.9   |                       |
| 7     | DON'T KNOW     | 139   | 47470.1    |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 964   | 456341.7   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_061: Has back problems/excl. fibro/arthritis

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62836 / 28854139.49 ] [Invalid=73 / 24278.88 ]      |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCC\_061: Has back problems/excl. fibro/arthritis

|                         |  |
|-------------------------|--|
| <b>Universe</b>         | All respondents  |
| <b>Literal question</b> | Do you have back problems, excluding fibromyalgia and arthritis? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 13126 | 5467468.5  | 18.9%                 |
| 2     | NO             | 49710 | 23386671.0 | 81.1%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 57    | 17076.1    |                       |
| 8     | REFUSAL        | 3     | 1324.4     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_071: Has high blood pressure

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62734 / 28803874.91 ] [Invalid=175 / 74543.46 ]     |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you have high blood pressure?                           |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 14119 | 4929610.8  | 17.1%                 |
| 2     | NO             | 48615 | 23874264.1 | 82.9%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 160   | 67846.1    |                       |
| 8     | REFUSAL        | 2     | 818.9      |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_072: Ever diagnosed with high blood pressure

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=48691 / 23915337.36 ] [Invalid=14218 / 4963081.01 ]  |
| <b>Universe</b>           | Respondents who answered CCC_071 = (2, 7, 8) or CCC_031 = 8 |
| <b>Literal question</b>   | Have you ever been diagnosed with high blood pressure?      |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3244  | 1234682.8  | 5.2%                  |
| 2     | NO             | 45447 | 22680654.6 | 94.8%                 |
| 6     | NOT APPLICABLE | 14119 | 4929610.8  |                       |
| 7     | DON'T KNOW     | 84    | 26772.8    |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 15    | 6697.4     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_073: Medication - high blood pressure

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                      |
| <b>Statistics [NW/ W]</b> | [Valid=17336 / 6154934.77 ] [Invalid=45573 / 22723483.6 ]                       |
| <b>Universe</b>           | Respondents who answered CCC_072 = (1, 7, 8) or CCC_071 = (1, 8) or CCC_031 = 8 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCC\_073: Medication - high blood pressure

**Literal question** In the past month, have you taken any medicine for high blood pressure?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 13740 | 4657807.4  | 75.7%                 |
| 2     | NO             | 3596  | 1497127.4  | 24.3%                 |
| 6     | NOT APPLICABLE | 45447 | 22680654.6 |                       |
| 7     | DON'T KNOW     | 24    | 5545.4     |                       |
| 8     | REFUSAL        | 3     | 3813.4     |                       |
| 9     | NOT STATED     | 99    | 33470.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_073A: Preg. - diag. high blood press. 1st time

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=8422 / 2598764.7 ] [Invalid=54487 / 26279653.67 ]

**Universe** Females aged 16 and over who answered (CCC\_071 = (1 or 8) or (CCC\_072 = (1, 7 or 8) and CCC\_073 = (1, 7 or 8)) or CCC\_031 = 8)

**Literal question** Were you pregnant when you were first diagnosed with high blood pressure?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 479   | 137575.3   | 5.3%                  |
| 2     | NO             | 7943  | 2461189.4  | 94.7%                 |
| 6     | NOT APPLICABLE | 54325 | 26220407.5 |                       |
| 7     | DON'T KNOW     | 102   | 34478.7    |                       |
| 8     | REFUSAL        | 5     | 5547.8     |                       |
| 9     | NOT STATED     | 55    | 19219.7    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_073B: Not pregnant - diagn. high blood press.

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=480 / 137737.02 ] [Invalid=62429 / 28740681.35 ]

**Universe** Respondents who answered CCC\_073A = (1, 7 or 8)

**Literal question** Other than during pregnancy, has a health professional ever told you that you have high blood pressure?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 418   | 116948.8   | 84.9%                 |
| 2     | NO             | 62    | 20788.2    | 15.1%                 |
| 6     | NOT APPLICABLE | 62267 | 28681435.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 162   | 59246.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_081: Has migraine headaches

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=62850 / 28853433.81 ] [Invalid=59 / 24984.56 ]

**Universe** All respondents

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CCC\_081: Has migraine headaches

**Literal question** Remember, we are interested in conditions diagnosed by a health professional. Do you have migraine headaches?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 6122  | 2880985.8  | 10.0%                 |
| 2     | NO             | 56728 | 25972448.0 | 90.0%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 44    | 16424.9    |                       |
| 8     | REFUSAL        | 2     | 2681.2     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_091: Has a COPD

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=43791 / 18785285.51 ] [Invalid=19118 / 10093132.86 ]

**Universe** Respondents aged 35 and over

**Literal question** (Do you have) chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?

**Notes** Introduced in 2009. Comparable to the former CCCDCPD variable.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2510  | 805065.3   | 4.3%                  |
| 2     | NO             | 41281 | 17980220.2 | 95.7%                 |
| 6     | NOT APPLICABLE | 19016 | 10054471.1 |                       |
| 7     | DON'T KNOW     | 86    | 29259.3    |                       |
| 8     | REFUSAL        | 3     | 3524.0     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_101: Has diabetes

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=62860 / 28864133.49 ] [Invalid=49 / 14284.88 ]

**Universe** All respondents

**Literal question** (Remember, we are interested in conditions diagnosed by a health professional.) Do you have diabetes?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 5103  | 1840863.6  | 6.4%                  |
| 2     | NO             | 57757 | 27023269.9 | 93.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 33    | 7022.2     |                       |
| 8     | REFUSAL        | 3     | 1384.2     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCCG102: Diabetes - age first diagnosed - (G)

**Information** [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=\*]

**Statistics [NW/ W]** [Valid=5029 / 1822605.67 ] [Invalid=57880 / 27055812.7 ]

**Universe** Respondents who answered CCC\_101 = (1, 7 or 8)

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCCG102: Diabetes - age first diagnosed - (G)

| Literal question |                  | How old were you when this was first diagnosed? |            |                       |
|------------------|------------------|---|------------|-----------------------|
| Value            | Label            | Cases   | Weighted   | Percentage (Weighted) |
| 1                | 0 TO 11 YEARS    | 98  | 35734.9    | 2.0%                  |
| 2                | 12 TO 17 YEARS   | 67  | 27805.6    | 1.5%                  |
| 3                | 18 TO 24 YEARS   | 112   | 42363.2    | 2.3%                  |
| 4                | 25 TO 29 YEARS   | 105   | 51471.2    | 2.8%                  |
| 5                | 30 TO 34 YEARS   | 186   | 102583.4   | 5.6%                  |
| 6                | 35 TO 39 YEARS   | 212   | 92638.9    | 5.1%                  |
| 7                | 40 TO 44 YEARS   | 393   | 175078.0   | 9.6%                  |
| 8                | 45 TO 49 YEARS   | 470   | 221849.7   | 12.2%                 |
| 9                | 50 TO 54 YEARS   | 730   | 277045.8   | 15.2%                 |
| 10               | 55 TO 59 YEARS   | 708   | 239278.6   | 13.1%                 |
| 11               | 60 TO 64 YEARS   | 669   | 209750.1   | 11.5%                 |
| 12               | 65 TO 69 YEARS   | 509   | 141374.7   | 7.8%                  |
| 13               | 70 TO 74 YEARS   | 390   | 102198.1   | 5.6%                  |
| 14               | 75 TO 79 YEARS   | 250   | 67640.1    | 3.7%                  |
| 15               | 80 YEARS OR MORE | 130   | 35793.2    | 2.0%                  |
| 96               | NOT APPLICABLE   | 57757   | 27023269.9 |                       |
| 97               | DON'T KNOW       | 0   | 0.0        |                       |
| 98               | REFUSAL          | 0   | 0.0        |                       |
| 99               | NOT STATED       | 123   | 32542.8    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_10A: Diabetes diagnosed when pregnant

| Information        |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |            |                       |
|--------------------|----------------|---|------------|-----------------------|
| Statistics [NW/ W] |                | [Valid=767 / 272263.94 ] [Invalid=62142 / 28606154.43 ]   |            |                       |
| Universe           |                | Females aged 15 and over who answered (15 <= CCC_102 <= 49) or CCC_102 = (997, 998) or CCC_101 = (7, 8) |            |                       |
| Literal question   |                | Were you pregnant when you were first diagnosed with diabetes?  |            |                       |
| Value              | Label          | Cases   | Weighted   | Percentage (Weighted) |
| 1                  | YES            | 122   | 70157.8    | 25.8%                 |
| 2                  | NO             | 645   | 202106.1   | 74.2%                 |
| 6                  | NOT APPLICABLE | 62102   | 28597021.4 |                       |
| 7                  | DON'T KNOW     | 10  | 3287.4     |                       |
| 8                  | REFUSAL        | 0   | 0.0        |                       |
| 9                  | NOT STATED     | 30  | 5845.7     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CCC\_10B: Diabetes diagnosed - other than pregnant

| Information        |  | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |  |  |
|--------------------|--|---|--|--|
| Statistics [NW/ W] |  | [Valid=121 / 69827.07 ] [Invalid=62788 / 28808591.3 ]   |  |  |
| Universe           |  | Females aged 15 and over who answered CCC_10A = (1, 7, 8) or CCC_102 = (997, 998) or CCC_101 = (7, 8) |  |  |
| Literal question   |  | Other than during pregnancy, has a health professional ever told you that you have diabetes?          |  |  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CCC\_10B: Diabetes diagnosed - other than pregnant

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 97    | 51747.6    | 74.1%                 |
| 2     | NO             | 24    | 18079.5    | 25.9%                 |
| 6     | NOT APPLICABLE | 62747 | 28799127.5 |                       |
| 7     | DON'T KNOW     | 1     | 330.8      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 40    | 9133.1     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_10C: Diabetes diag. - when started w/insulin

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=5042 / 1806320.12 ] [Invalid=57867 / 27072098.25 ]  |
| <b>Universe</b>           | Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2 |
| <b>Literal question</b>   | When you were first diagnosed with diabetes, how long was it before you were started on insulin?         |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | < 1 MONTH        | 387   | 153080.2   | 8.5%                  |
| 2     | 1 TO < 2 MONTHS  | 25    | 9594.9     | 0.5%                  |
| 3     | 2 TO < 6 MONTHS  | 49    | 24610.4    | 1.4%                  |
| 4     | 6 MONTH - < 1 YR | 49    | 19552.4    | 1.1%                  |
| 5     | >= 1 YR          | 735   | 251246.0   | 13.9%                 |
| 6     | NEVER            | 3797  | 1348236.2  | 74.6%                 |
| 96    | NOT APPLICABLE   | 57781 | 27041349.4 |                       |
| 97    | DON'T KNOW       | 36    | 16133.2    |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 50    | 14615.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_105: Diabetes - currently takes insulin

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=5074 / 1819262.06 ] [Invalid=57835 / 27059156.31 ]   |
| <b>Universe</b>           | Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2        |
| <b>Literal question</b>   | Do you currently take insulin for your diabetes?  |
| <b>Notes</b>              | In processing, if a respondent answered CCC_10C = 6 (never), the variable CCC_105 is given the value of 2 (no). |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1146  | 410949.3   | 22.6%                 |
| 2     | NO             | 3928  | 1408312.7  | 77.4%                 |
| 6     | NOT APPLICABLE | 57781 | 27041349.4 |                       |
| 7     | DON'T KNOW     | 4     | 3191.3     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 50    | 14615.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCC\_106: Diabetes - pills to control blood sugar

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=5071 / 1821675.14 ] [Invalid=57838 / 27056743.23 ]  |
| <b>Universe</b>           | Respondents who answered CCC_101 = (1, 7, 8) excluding females aged 15 and over who answered CCC_10B = 2 |
| <b>Literal question</b>   | In the past month, did you take pills to control your blood sugar?                                       |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3751  | 1349522.5  | 74.1%                 |
| 2     | NO             | 1320  | 472152.7   | 25.9%                 |
| 6     | NOT APPLICABLE | 57781 | 27041349.4 |                       |
| 7     | DON'T KNOW     | 7     | 778.2      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 50    | 14615.6    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_121: Has heart disease

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62755 / 28835523.14 ] [Invalid=154 / 42895.23 ]     |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you have heart disease?                                 |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4408  | 1431490.9  | 5.0%                  |
| 2     | NO             | 58347 | 27404032.2 | 95.0%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 140   | 36808.2    |                       |
| 8     | REFUSAL        | 1     | 208.6      |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_131: Has cancer

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62820 / 28856719.7 ] [Invalid=89 / 21698.67 ]       |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | (Do you have) cancer?                                      |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1587  | 553272.9   | 1.9%                  |
| 2     | NO             | 61233 | 28303446.8 | 98.1%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 74    | 15503.6    |                       |
| 8     | REFUSAL        | 2     | 316.6      |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CCC\_31A: Ever had cancer

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CCC\_31A: Ever had cancer

Statistics [NW/ W] [Valid=61265 / 28307728.46 ] [Invalid=1644 / 570689.91 ]

Universe Respondents

Literal question Have you ever been diagnosed with cancer?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3845  | 1249908.2  | 4.4%                  |
| 2     | NO             | 57420 | 27057820.2 | 95.6%                 |
| 6     | NOT APPLICABLE | 1587  | 553272.9   |                       |
| 7     | DON'T KNOW     | 41    | 10942.2    |                       |
| 8     | REFUSAL        | 1     | 279.7      |                       |
| 9     | NOT STATED     | 15    | 6195.1     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_141: Has stomach or intestinal ulcers

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=62768 / 28821520.79 ] [Invalid=141 / 56897.58 ]

Universe All respondents

Literal question Remember, we are interested in conditions diagnosed by a health professional. Do you have intestinal or stomach ulcers?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2003  | 807644.1   | 2.8%                  |
| 2     | NO             | 60765 | 28013876.7 | 97.2%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 124   | 49850.8    |                       |
| 8     | REFUSAL        | 4     | 1168.3     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_151: Suffers from the effects of a stroke

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=62835 / 28850302.1 ] [Invalid=74 / 28116.27 ]

Universe All respondents

Literal question Do you suffer from the effects of a stroke?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 993   | 311245.3   | 1.1%                  |
| 2     | NO             | 61842 | 28539056.8 | 98.9%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 59    | 19456.1    |                       |
| 8     | REFUSAL        | 2     | 2781.7     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_161: Has urinary incontinence

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=52027 / 23188151.58 ] [Invalid=10882 / 5690266.79 ]

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CCC\_161: Has urinary incontinence

|                         |  |
|-------------------------|--|
| <b>Universe</b>         | Respondents aged 25 and over.              |
| <b>Literal question</b> | (Do you suffer) from urinary incontinence? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2976  | 926506.8   | 4.0%                  |
| 2     | NO             | 49051 | 22261644.8 | 96.0%                 |
| 6     | NOT APPLICABLE | 10811 | 5664329.6  |                       |
| 7     | DON'T KNOW     | 54    | 17655.4    |                       |
| 8     | REFUSAL        | 4     | 2403.3     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_171: Has bowel disorder

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62797 / 28842714.31 ] [Invalid=112 / 35704.06 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you suffer from a bowel disorder such as Crohn's Disease, ulcerative colitis, irritable bowel syndrome or bowel incontinence? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3302  | 1238075.8  | 4.3%                  |
| 2     | NO             | 59495 | 27604638.6 | 95.7%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 94    | 27882.4    |                       |
| 8     | REFUSAL        | 5     | 1943.2     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # CCC\_17A: Type of bowel disease

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3243 / 1212754.7 ] [Invalid=59666 / 27665663.67 ]    |
| <b>Universe</b>           | Respondents who answered CCC_171 = (1, 7, 8) or CCC_031 = 8 |
| <b>Literal question</b>   | What kind of bowel disease do you have?                     |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | CROHN'S DISEASE | 262   | 102558.4   | 8.5%                  |
| 2     | ULCER. COLITIS  | 346   | 138192.0   | 11.4%                 |
| 3     | IRRITABLE BOWEL | 1803  | 695845.6   | 57.4%                 |
| 4     | INCONTINENCE    | 145   | 52857.4    | 4.4%                  |
| 5     | OTHER           | 687   | 223301.3   | 18.4%                 |
| 6     | NOT APPLICABLE  | 59495 | 27604638.6 |                       |
| 7     | DON'T KNOW      | 57    | 25255.2    |                       |
| 8     | REFUSAL         | 2     | 65.8       |                       |
| 9     | NOT STATED      | 112   | 35704.1    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # CCC\_251: Has chronic fatigue syndrome

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62778 / 28835741.86 ] [Invalid=131 / 42676.51 ]     |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you suffer from multiple chemical sensitivities?        |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1076  | 411465.5   | 1.4%                  |
| 2     | NO             | 61702 | 28424276.4 | 98.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 114   | 35629.8    |                       |
| 8     | REFUSAL        | 4     | 1168.3     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_261: Suffers multiple chemical sensitivities

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62723 / 28818784.21 ] [Invalid=186 / 59634.16 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2085  | 800332.8   | 2.8%                  |
| 2     | NO             | 60638 | 28018451.4 | 97.2%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 170   | 53086.1    |                       |
| 8     | REFUSAL        | 3     | 669.6      |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # CCC\_280: Has a mood disorder

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62816 / 28840361.15 ] [Invalid=93 / 38057.22 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | Remember, we are interested in conditions diagnosed by a health professional. Do you have a mood disorder such as depression, bipolar disorder, mania or dysthymia? |
| <b>Notes</b>              | Includes manic depression.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4715  | 1882125.5  | 6.5%                  |
| 2     | NO             | 58101 | 26958235.7 | 93.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 71    | 29149.0    |                       |
| 8     | REFUSAL        | 9     | 3029.8     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CCC\_290: Has an anxiety disorder

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62801 / 28838807.69 ] [Invalid=108 / 39610.68 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you have an anxiety disorder such as a phobia, obsessive-compulsive disorder or a panic disorder? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3639  | 1487644.0  | 5.2%                  |
| 2     | NO             | 59162 | 27351163.7 | 94.8%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 83    | 30154.3    |                       |
| 8     | REFUSAL        | 12    | 3577.9     |                       |
| 9     | NOT STATED     | 13    | 5878.5     |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOHUI: Module: HUI - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]              |
| <b>Universe</b>           | All respondents  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 62909 | 28878418.4 | 100.0%                |
| 2     | NO             | 0     | 0.0        |                       |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HUIGVIS: Vision trouble - function code - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62437 / 28738663.57 ] [Invalid=472 / 139754.8 ]  |
| <b>Universe</b>           | Respondents with DOHUI = 1  |
| <b>Notes</b>              | Based on HUI_01, HUI_02, HUI_03, HUI_04, HUI_05. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables. |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | NO VISUAL PROBL. | 25972 | 13314196.9 | 46.3%                 |
| 2     | CORR. BY LENSES  | 35498 | 15081273.9 | 52.5%                 |
| 3     | HYPERMET/N CORR  | 307   | 115743.6   | 0.4%                  |
| 4     | MYOPIA/N CORR    | 324   | 129305.1   | 0.4%                  |
| 5     | MYOPIA&HYPERMET  | 336   | 98144.0    | 0.3%                  |
| 6     | NOT APPLICABLE   | 0     | 0.0        |                       |
| 9     | NOT STATED       | 472   | 139754.8   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # HUIGHER: Hearing problems - function code - (D,G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62144 / 28638167.61 ] [Invalid=765 / 240250.76 ]  |
| <b>Universe</b>           | Respondents with DOHUI = 1   |
| <b>Notes</b>              | Based on HUI_06, HUI_07, HUI_07A, HUI_08, HUI_09. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | NO PROBLEMS    | 58972 | 27636026.9 | 96.5%                 |
| 2     | CORRECTED      | 2205  | 706856.5   | 2.5%                  |
| 3     | NOT CORRECTED  | 967   | 295284.2   | 1.0%                  |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 9     | NOT STATED     | 765   | 240250.8   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HUIGSPE: Speech trouble - function code - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62820 / 28848676.89 ] [Invalid=89 / 29741.48 ]   |
| <b>Universe</b>           | Respondents with DOHUI = 1  |
| <b>Notes</b>              | Based on HUI_10, HUI_11, HUI_12, HUI_13. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables. |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | NO PROBLEMS      | 62331 | 28662637.6 | 99.4%                 |
| 2     | PART/NOT UNDERST | 489   | 186039.3   | 0.6%                  |
| 6     | NOT APPLICABLE   | 0     | 0.0        |                       |
| 9     | NOT STATED       | 89    | 29741.5    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HUIGMOB: Mobility trouble - function code - (D,G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62787 / 28842434.66 ] [Invalid=122 / 35983.71 ]  |
| <b>Universe</b>           | Respondents with DOHUI = 1  |
| <b>Notes</b>              | Based on HUI_14, HUI_15, HUI_16, HUI_17, HUI_18. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables. |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | NO PROBLEMS     | 58818 | 27632669.9 | 95.8%                 |
| 2     | NO AID REQUIRED | 657   | 206833.2   | 0.7%                  |
| 3     | NEED MECH. SUPP | 2469  | 711569.8   | 2.5%                  |
| 4     | HELP/CAN'T WALK | 843   | 291361.8   | 1.0%                  |
| 6     | NOT APPLICABLE  | 0     | 0.0        |                       |
| 9     | NOT STATED      | 122   | 35983.7    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HUIGDEX: Dexterity trouble - function code -(D,G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62833 / 28849733.47 ] [Invalid=76 / 28684.9 ]       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # HUIGDEX: Dexterity trouble - function code -(D,G)

|                 |   |
|-----------------|---|
| <b>Universe</b> | All respondents   |
| <b>Notes</b>    | Based on HUI_21, HUI_22, HUI_23, HUI_24. Comprehensive Health Status Measurement System (CHSMS-HUI3). See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | NO PROBLEMS    | 62329 | 28640670.1 | 99.3%                 |
| 2     | NO HELP REQ'D  | 243   | 117523.0   | 0.4%                  |
| 3     | NEEDS HELP     | 261   | 91540.4    | 0.3%                  |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 9     | NOT STATED     | 76    | 28684.9    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HUIDEMO: Emotion (function code)

|                                   |   |
|-----------------------------------|---|
| <b>Information</b>                | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b>         | [Valid=62656 / 28783919.15 ] [Invalid=253 / 94499.22 ]  |
| <b>Universe</b>                   | Respondents with DOHUI = 1  |
| <b>Interviewer's instructions</b> | Emotion (function code)   |
| <b>Notes</b>                      | This variable classifies respondents based on emotional health status. Based on HUI_25. See documentation on derived variables for complete description of emotion attribute levels |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | EMOT. ATT. LEV.1 | 48460 | 22394103.9 | 77.8%                 |
| 2     | EMOT. ATT. LEV.2 | 11926 | 5429833.4  | 18.9%                 |
| 3     | EMOT. ATT. LEV.3 | 1682  | 727992.1   | 2.5%                  |
| 4     | EMOT. ATT. LEV.4 | 442   | 165161.2   | 0.6%                  |
| 5     | EMOT. ATT. LEV.5 | 146   | 66828.5    | 0.2%                  |
| 6     | NOT APPLICABLE   | 0     | 0.0        |                       |
| 7     | DON'T KNOW       | 0     | 0.0        |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 253   | 94499.2    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HUIDCOG: Cognition prob. - function code - (D)

|                                   |  |
|-----------------------------------|--|
| <b>Information</b>                | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]   |
| <b>Statistics [NW/ W]</b>         | [Valid=62686 / 28792910.65 ] [Invalid=223 / 85507.72 ]   |
| <b>Interviewer's instructions</b> | Cognition prob. - function code - (D)  |
| <b>Notes</b>                      | This variable classifies respondents based on cognitive health status. Based on HUI_26, HUI_27. See documentation on derived variables for complete description of cognition attribute levels. |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | COG. ATT. LEVE 1 | 44066 | 21115154.2 | 73.3%                 |
| 2     | COG. ATT. LEVE 2 | 2496  | 1096861.0  | 3.8%                  |
| 3     | COG. ATT. LEVE 3 | 10815 | 4407659.0  | 15.3%                 |
| 4     | COG. ATT. LEVE 4 | 3781  | 1547989.2  | 5.4%                  |
| 5     | COG. ATT. LEVE 5 | 1450  | 587012.8   | 2.0%                  |
| 6     | COG. ATT. LEVE 6 | 78    | 38234.4    | 0.1%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # HUIDCOG: Cognition prob. - function code - (D)

| Value | Label          | Cases | Weighted | Percentage (Weighted) |
|-------|----------------|-------|----------|-----------------------|
| 96    | NOT APPLICABLE | 0     | 0.0      |                       |
| 97    | DON'T KNOW     | 0     | 0.0      |                       |
| 98    | REFUSAL        | 0     | 0.0      |                       |
| 99    | NOT STATED     | 223   | 85507.7  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUIDHSI: Health utilities index

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= -0.335-1] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=61254 / 28354928.82 ] [Invalid=1655 / 523489.55 ] [Mean=0.858 / 0.877 ] [StdDev=0.211 / 0.194 ]                   |
| <b>Universe</b>           | Respondents with DOHUI = 1   |
| <b>Literal question</b>   | Health utilities index   |
| <b>Notes</b>              | Based on HUIDVIS, HUIDHER, HUIDSPE, HUIDMOB, HUIDDEX, HUIDEMO, HUIDCOG, HUPDPAD. See documentation on derived variables. |

| Value  | Label          | Cases | Weighted | Percentage (Weighted) |
|--------|----------------|-------|----------|-----------------------|
| 99.996 | NOT APPLICABLE | 0     | 0.0      |                       |
| 99.997 | DON'T KNOW     | 0     | 0.0      |                       |
| 99.998 | REFUSAL        | 0     | 0.0      |                       |
| 99.999 | NOT STATED     | 1655  | 523489.6 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HUPDPAD: Pain (function code)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62752 / 28831547.97 ] [Invalid=157 / 46870.4 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | This variable classifies respondents based on activity limitation due to pain or discomfort. Based on HUP_01, HUP_03. See documentation on derived variables. |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | NO PAIN         | 50290 | 23804494.0 | 82.6%                 |
| 2     | DOESN'T PREVENT | 3219  | 1352653.8  | 4.7%                  |
| 3     | PREVENTS A FEW  | 3794  | 1552606.9  | 5.4%                  |
| 4     | PREVENTS SOME   | 3052  | 1226322.0  | 4.3%                  |
| 5     | PREVENTS MOST   | 2397  | 895471.2   | 3.1%                  |
| 6     | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7     | DON'T KNOW      | 0     | 0.0        |                       |
| 8     | REFUSAL         | 0     | 0.0        |                       |
| 9     | NOT STATED      | 157   | 46870.4    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # HCU\_1AA: Has regular medical doctor

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62824 / 28847323.73 ] [Invalid=85 / 31094.64 ]      |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Do you have a regular medical doctor?                      |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # HCU\_1AA: Has regular medical doctor

**Notes** In French, the concept "médecin de famille" was replaced with "médecin régulier".

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 54205 | 24455288.4 | 84.8%                 |
| 2     | NO             | 8619  | 4392035.3  | 15.2%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 82    | 30145.4    |                       |
| 8     | REFUSAL        | 3     | 949.3      |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HCU\_1BA: Reason no dr - no one available in area

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]

**Universe** Respondents who answered HCU\_1AA = (2, 7 or 8)

**Literal question** Why do you not have a regular medical doctor? - No medical doctors available in the area

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1768  | 655864.5   | 15.1%                 |
| 2     | NO             | 6694  | 3673647.7  | 84.9%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 151   | 60409.4    |                       |
| 8     | REFUSAL        | 6     | 2113.6     |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HCU\_1BB: Reason no dr - none taking new patients

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]

**Universe** Respondents who answered HCU\_1AA = (2, 7 or 8)

**Literal question** Why do you not have a regular medical doctor? - Medical doctors in the area are not taking new patients

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1728  | 978874.0   | 22.6%                 |
| 2     | NO             | 6734  | 3350638.2  | 77.4%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 151   | 60409.4    |                       |
| 8     | REFUSAL        | 6     | 2113.6     |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # HCU\_1BC: Reason no dr - not tried to contact one

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]

**Universe** Respondents who answered HCU\_1AA = (2, 7 or 8)

**Literal question** Why do you not have a regular medical doctor? - Have not tried to contact one

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # HCU\_1BC: Reason no dr - not tried to contact one

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3447  | 2042563.0  | 47.2%                 |
| 2     | NO             | 5015  | 2286949.2  | 52.8%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 151   | 60409.4    |                       |
| 8     | REFUSAL        | 6     | 2113.6     |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HCU\_1BD: Reason no dr - has left/retired

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                               |
| <b>Statistics [NW/ W]</b> | [Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]                                |
| <b>Universe</b>           | Respondents who answered HCU_1AA = (2, 7 or 8)   |
| <b>Literal question</b>   | Why do you not have a regular medical doctor? - Had a medical doctor who left or retired |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1856  | 763900.7   | 17.6%                 |
| 2     | NO             | 6606  | 3565611.5  | 82.4%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 151   | 60409.4    |                       |
| 8     | REFUSAL        | 6     | 2113.6     |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HCU\_1BE: Reason no dr - other

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=8462 / 4329512.22 ] [Invalid=54447 / 24548906.15 ]  |
| <b>Universe</b>           | Respondents who answered HCU_1AA = (2, 7 or 8)             |
| <b>Literal question</b>   | Why do you not have a regular medical doctor? - Other      |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 826   | 462564.1   | 10.7%                 |
| 2     | NO             | 7636  | 3866948.1  | 89.3%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 151   | 60409.4    |                       |
| 8     | REFUSAL        | 6     | 2113.6     |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # HCU\_1A1: Has place to go when sick/health advice

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                  |
| <b>Statistics [NW/ W]</b> | [Valid=8564 / 4368339.79 ] [Invalid=54345 / 24510078.58 ]                                   |
| <b>Universe</b>           | Respondents who answered HCU_1AA = (2, 7, 8)  |
| <b>Literal question</b>   | Is there a place that you usually go to when you are sick or need advice about your health? |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # HCU\_1A1: Has place to go when sick/health advice

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 7235  | 3590721.4  | 82.2%                 |
| 2     | NO             | 1329  | 777618.4   | 17.8%                 |
| 6     | NOT APPLICABLE | 54205 | 24455288.4 |                       |
| 7     | DON'T KNOW     | 55    | 23695.5    |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 85    | 31094.6    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # HCU\_1A2: Kind of place

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=7226 / 3589530.06 ] [Invalid=55683 / 25288888.31 ]          |
| <b>Universe</b>           | Respondents who answered HCU_1A1 = (1, 7 or 8) or HCU_1AA = (7, 8) |
| <b>Literal question</b>   | What kind of place is it?  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | DOCTOR'S OFFICE  | 288   | 116409.9   | 3.2%                  |
| 2     | COMM HLTH CENTRE | 980   | 315389.5   | 8.8%                  |
| 3     | WALK-IN CLINIC   | 3435  | 2217941.6  | 61.8%                 |
| 4     | APPOINT CLINIC   | 523   | 154090.4   | 4.3%                  |
| 5     | TELEPHO H. LINE  | 65    | 24894.6    | 0.7%                  |
| 6     | EMERGENCY ROOM   | 1291  | 461557.3   | 12.9%                 |
| 7     | HOSP OUTPAT CLIN | 285   | 96029.9    | 2.7%                  |
| 8     | OTHER            | 359   | 203216.9   | 5.7%                  |
| 96    | NOT APPLICABLE   | 55534 | 25232906.8 |                       |
| 97    | DON'T KNOW       | 9     | 1191.3     |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 140   | 54790.1    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DOPAS: Module: PAS - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]    |
| <b>Universe</b>           | All respondents  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 21526 | 11260192.6 | 39.1%                 |
| 2     | NO             | 39750 | 17536124.8 | 60.9%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAS\_11: Rec'd health care services

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # PAS\_11: Rec'd health care services

**Statistics [NW/ W]** [Valid=20189 / 10602416 ] [Invalid=42720 / 18276002.37 ]

**Universe** Respondents from Ontario were accidentally excluded from this module in January and February 2009, which explains the high number of "Not stated" in this question.

**Literal question** In the past 12 months, have you received any health care services?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 19378 | 10075864.7 | 95.0%                 |
| 2     | NO             | 811   | 526551.3   | 5.0%                  |
| 6     | NOT APPLICABLE | 42318 | 18082978.3 |                       |
| 7     | DON'T KNOW     | 2     | 810.3      |                       |
| 8     | REFUSAL        | 2     | 666.4      |                       |
| 9     | NOT STATED     | 398   | 191547.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAS\_12: Rating of quality of care rec'd

**Information** [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

**Statistics [NW/ W]** [Valid=19301 / 10039425.33 ] [Invalid=43608 / 18838993.04 ]

**Universe** Respondents with DOPAS = 1 who answered PAS\_11 = (1, 7, 8) or HCU\_01 = (1, 7, 8) or at least one of HCU\_02AA to HCU\_02JJ = (1, 7,8)

**Literal question** Overall, how would you rate the quality of health care you received? Would you say it was: (excellent, good, fair, poor)?

**Notes** Formerly SATA\_12 in cycle 1.1.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EXCELLENT      | 8505  | 4068923.1  | 40.5%                 |
| 2     | GOOD           | 8791  | 4773127.2  | 47.5%                 |
| 3     | FAIR           | 1639  | 980288.9   | 9.8%                  |
| 4     | POOR           | 366   | 217086.2   | 2.2%                  |
| 6     | NOT APPLICABLE | 43129 | 18609529.6 |                       |
| 7     | DON'T KNOW     | 69    | 33690.4    |                       |
| 8     | REFUSAL        | 8     | 2748.9     |                       |
| 9     | NOT STATED     | 402   | 193024.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAS\_13: Satisfaction with way care provided

**Information** [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=\*]

**Statistics [NW/ W]** [Valid=19288 / 10035675.48 ] [Invalid=43621 / 18842742.89 ]

**Universe** Respondents with DOPAS = 1 who answered PAS\_11 = (1, 7, 8) or HCU\_01 = (1, 7, 8) or at least one of HCU\_02AA to HCU\_02JJ = (1, 7,8)

**Literal question** Overall, how satisfied were you with the way health care services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)?

**Notes** Formerly SATA\_13 in cycle 1.1.

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | VERY SATISFIED | 10388 | 5059184.5 | 50.4%                 |
| 2     | SOMEWHAT SAT.  | 6844  | 3747870.3 | 37.3%                 |
| 3     | NEITHER        | 824   | 555837.5  | 5.5%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # PAS\_13: Satisfaction with way care provided

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 4     | SOMEWHAT DISSAT. | 892   | 463316.3   | 4.6%                  |
| 5     | VERY DISSAT.     | 340   | 209466.9   | 2.1%                  |
| 6     | NOT APPLICABLE   | 43129 | 18609529.6 |                       |
| 7     | DON'T KNOW       | 83    | 38211.4    |                       |
| 8     | REFUSAL          | 7     | 1977.8     |                       |
| 9     | NOT STATED       | 402   | 193024.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAS\_21A: Rec'd health care services at hospital

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=19357 / 10066156.05 ] [Invalid=43552 / 18812262.32 ]  |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)                                  |
| <b>Literal question</b>   | In the past 12 months, have you received any health care services at a hospital, for any diagnostic or day surgery, overnight stay, or as an emergency room patient? |
| <b>Notes</b>              | Formerly SATA_21A in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 6376  | 2840531.0  | 28.2%                 |
| 2     | NO             | 12981 | 7225625.0  | 71.8%                 |
| 6     | NOT APPLICABLE | 43129 | 18609529.6 |                       |
| 7     | DON'T KNOW     | 20    | 9183.9     |                       |
| 8     | REFUSAL        | 1     | 524.7      |                       |
| 9     | NOT STATED     | 402   | 193024.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PAS\_21B: Type of patient - most recent visit

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=6371 / 2837393.14 ] [Invalid=56538 / 26041025.23 ]  |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)                    |
| <b>Literal question</b>   | Thinking of your most recent hospital visit, were you: (admitted overnight or longer, a patient at a diagnostic or day surgery clinic, an emergency room patient)? |
| <b>Notes</b>              | Formerly SATA_21B in cycle 1.1.  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ADMTED OVERNIGHT | 1071  | 463214.3   | 16.3%                 |
| 2     | OUTPATIENT       | 3000  | 1319982.0  | 46.5%                 |
| 3     | ER PATIENT       | 2300  | 1054196.9  | 37.2%                 |
| 6     | NOT APPLICABLE   | 56110 | 25835154.6 |                       |
| 7     | DON'T KNOW       | 4     | 1232.4     |                       |
| 8     | REFUSAL          | 1     | 1905.5     |                       |
| 9     | NOT STATED       | 423   | 202732.7   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # PAS\_22: Rating quality care rec'd - hospital

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=6358 / 2834388.43 ] [Invalid=56551 / 26044029.94 ]   |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8) |
| <b>Literal question</b>   | How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?                                   |
| <b>Notes</b>              | Formerly SATA_22 in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EXCELLENT      | 3375  | 1397853.3  | 49.3%                 |
| 2     | GOOD           | 2094  | 976525.0   | 34.5%                 |
| 3     | FAIR           | 548   | 265292.4   | 9.4%                  |
| 4     | POOR           | 341   | 194717.8   | 6.9%                  |
| 6     | NOT APPLICABLE | 56110 | 25835154.6 |                       |
| 7     | DON'T KNOW     | 12    | 2960.9     |                       |
| 8     | REFUSAL        | 1     | 43.8       |                       |
| 9     | NOT STATED     | 428   | 205870.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAS\_23: Satisfaction w/way care provided - hosp.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=6354 / 2834080.62 ] [Invalid=56555 / 26044337.75 ]  |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_21A = (1, 7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)  |
| <b>Literal question</b>   | How satisfied were you with the way hospital services were provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)? |
| <b>Notes</b>              | Formerly SATA_23 in cycle 1.1.   |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED   | 3645  | 1530818.3  | 54.0%                 |
| 2     | SOMEWAT SAT.     | 1772  | 824944.2   | 29.1%                 |
| 3     | NEITHER          | 255   | 114264.0   | 4.0%                  |
| 4     | SOMEWHAT DISSAT. | 374   | 202960.8   | 7.2%                  |
| 5     | VERY DISSAT.     | 308   | 161093.4   | 5.7%                  |
| 6     | NOT APPLICABLE   | 56110 | 25835154.6 |                       |
| 7     | DON'T KNOW       | 15    | 3185.8     |                       |
| 8     | REFUSAL          | 2     | 126.7      |                       |
| 9     | NOT STATED       | 428   | 205870.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAS\_31A: Rec'd physician care

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=19360 / 10066876.08 ] [Invalid=43549 / 18811542.29 ]  |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)      |
| <b>Literal question</b>   | In the past 12 months, not counting hospital visits, have you received any health care services from a family doctor or other physician? |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # PAS\_31A: Rec'd physician care

Notes Formerly SATA\_31A in cycle 1.1.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 12821 | 6680571.5  | 66.4%                 |
| 2     | NO             | 6539  | 3386304.6  | 33.6%                 |
| 6     | NOT APPLICABLE | 43129 | 18609529.6 |                       |
| 7     | DON'T KNOW     | 18    | 8988.6     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 402   | 193024.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAS\_31B: Type of physician - most recent care

Information [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

Statistics [NW/ W] [Valid=12797 / 6670960.3 ] [Invalid=50112 / 22207458.07 ]

Universe Respondents with DOPAS = 1 who answered PAS\_31A = (1, 7, 8) or PAS\_11 = (7, 8) or HCU\_01 = 8 or at least one of HCU\_02AA to HCU\_02JJ = (1, 7,8)

Literal question Thinking of the most recent time, was care provided by: (a family doctor, a medical specialist)?

Notes Formerly SATA\_31B in cycle 1.1.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | FAMILY DOCTOR  | 10666 | 5609006.9  | 84.1%                 |
| 2     | SPECIALIST     | 2131  | 1061953.4  | 15.9%                 |
| 6     | NOT APPLICABLE | 49668 | 21995834.2 |                       |
| 7     | DON'T KNOW     | 22    | 8948.1     |                       |
| 8     | REFUSAL        | 2     | 663.1      |                       |
| 9     | NOT STATED     | 420   | 202012.7   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAS\_32: Rating of quality of care rec'd - phy.

Information [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=\*]

Statistics [NW/ W] [Valid=12784 / 6664235.88 ] [Invalid=50125 / 22214182.49 ]

Universe Respondents with DOPAS = 1 who answered PAS\_31A = (1, 7, 8) or PAS\_11 = (7, 8) or HCU\_01 = 8 or at least one of HCU\_02AA to HCU\_02JJ = (1, 7,8)

Literal question How would you rate the quality of the care you received? Would you say it was: (excellent, good, fair, poor)?

Notes Formerly SATA\_32 in cycle 1.1.

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EXCELLENT      | 7493  | 3717047.6  | 55.8%                 |
| 2     | GOOD           | 4244  | 2359561.3  | 35.4%                 |
| 3     | FAIR           | 800   | 439055.4   | 6.6%                  |
| 4     | POOR           | 247   | 148571.5   | 2.2%                  |
| 6     | NOT APPLICABLE | 49668 | 21995834.2 |                       |
| 7     | DON'T KNOW     | 13    | 6724.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 444   | 211623.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # PAS\_33: Satisfaction w/way care provided - phy.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=12779 / 6665877.2 ] [Invalid=50130 / 22212541.17 ]  |
| <b>Universe</b>           | Respondents with DOPAS = 1 who answered PAS_31A = (1, 7, 8) or PAS_31B (7, 8) or PAS_11 = (7, 8) or HCU_01 = 8 or at least one of HCU_02AA to HCU_02JJ = (1, 7,8)                              |
| <b>Literal question</b>   | How satisfied were you with the way physician care was provided? Were you: (very satisfied, somewhat satisfied, neither satisfied nor dissatisfied, somewhat dissatisfied, very dissatisfied)? |
| <b>Notes</b>              | Formerly SATA_33 in cycle 1.1.   |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED   | 8511  | 4230415.7  | 63.5%                 |
| 2     | SOMEWHAT SAT.    | 3286  | 1842281.7  | 27.6%                 |
| 3     | NEITHER          | 366   | 244723.7   | 3.7%                  |
| 4     | SOMEWHAT DISSAT. | 432   | 243561.0   | 3.7%                  |
| 5     | VERY DISSAT.     | 184   | 104895.0   | 1.6%                  |
| 6     | NOT APPLICABLE   | 49668 | 21995834.2 |                       |
| 7     | DON'T KNOW       | 17    | 4496.8     |                       |
| 8     | REFUSAL          | 1     | 586.3      |                       |
| 9     | NOT STATED       | 444   | 211623.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DOPSC: Module: PSC - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]    |
| <b>Universe</b>           | All respondents  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 12000 | 4725494.8  | 16.4%                 |
| 2     | NO             | 49276 | 24070822.6 | 83.6%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PSC\_1: Received any community-based care

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=11250 / 4445469.15 ] [Invalid=51659 / 24432949.22 ]  |
| <b>Universe</b>           | Respondents aged 15 and over with DOPSC = 1 who answered PAS_11 = (1, 7, 8) or HCU_01 = (1, 7, 8) or at least one of HCU_02AA to HCU_02JJ = (1, 7, 8)               |
| <b>Literal question</b>   | In the past 12 months, have you received any community-based care?  |
| <b>Notes</b>              | Respondents from Ontario were accidentally excluded from this module in January and February 2009, which explains the high number of "Not stated" in this question. |

| Value | Label | Cases | Weighted  | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 1     | YES   | 2179  | 936900.8  | 21.1%                 |
| 2     | NO    | 9071  | 3508568.3 | 78.9%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # PSC\_1: Received any community-based care

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 6     | NOT APPLICABLE | 51457 | 24352465.7 |                       |
| 7     | DON'T KNOW     | 10    | 2905.5     |                       |
| 8     | REFUSAL        | 1     | 219.3      |                       |
| 9     | NOT STATED     | 191   | 77358.7    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC\_2: How rate quality of com.-based received

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=2174 / 935992.32 ] [Invalid=60735 / 27942426.05 ]  |
| <b>Universe</b>           | Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or HCU_01 = 8) |
| <b>Literal question</b>   | Overall, how would you rate the quality of the community-based care you received? Would you say it was:           |
| <b>Notes</b>              | Formerly PAS_Q42 in cycle 3.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EXCELLENT      | 887   | 327022.5   | 34.9%                 |
| 2     | GOOD           | 902   | 419845.7   | 44.9%                 |
| 3     | FAIR           | 269   | 126970.9   | 13.6%                 |
| 4     | POOR           | 116   | 62153.2    | 6.6%                  |
| 6     | NOT APPLICABLE | 60528 | 27861034.1 |                       |
| 7     | DON'T KNOW     | 5     | 908.5      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 202   | 80483.5    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PSC\_3: Satisf.the way com.-based care provided

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=2166 / 934934.77 ] [Invalid=60743 / 27943483.6 ]   |
| <b>Universe</b>           | Respondents aged 15 and over with DOPSC = 1 who answered (PSC_1 = (1, 7 or 8) or PAS_11 = (7 or 8) or HCU_01 = 8) |
| <b>Literal question</b>   | Overall, how satisfied were you with the way community-based care was provided? Were you:                         |
| <b>Notes</b>              | Formerly PAS_Q43 in cycle 3.1.  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED   | 1087  | 414550.8   | 44.3%                 |
| 2     | SOMEWHAT SAT.    | 719   | 343208.9   | 36.7%                 |
| 3     | NEITHER          | 137   | 64046.2    | 6.9%                  |
| 4     | SOMEWHAT DISSAT. | 137   | 70336.1    | 7.5%                  |
| 5     | VERY DISSAT.     | 86    | 42792.8    | 4.6%                  |
| 6     | NOT APPLICABLE   | 60528 | 27861034.1 |                       |
| 7     | DON'T KNOW       | 13    | 1966.0     |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 202   | 80483.5    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RAC\_1: Has difficulty with activities

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|--------------------|--|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # RAC\_1: Has difficulty with activities

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=62847 / 28862062.76 ] [Invalid=62 / 16355.61 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | Do you have any difficulty hearing, seeing, communicating, walking, climbing stairs, bending, learning or doing any similar activities: (sometimes, often, or never)?                             |
| <b>Notes</b>              | Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 9981  | 3886977.6  | 13.5%                 |
| 2     | OFTEN          | 7651  | 2691830.8  | 9.3%                  |
| 3     | NEVER          | 45215 | 22283254.3 | 77.2%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 53    | 13520.7    |                       |
| 8     | REFUSAL        | 9     | 2834.9     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RAC\_2A: Reduction kind/amount activities - home

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62833 / 28856387.25 ] [Invalid=76 / 22031.12 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do at home: (sometimes, often, or never)?                            |
| <b>Notes</b>              | Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 8420  | 3252177.4  | 11.3%                 |
| 2     | OFTEN          | 5374  | 1949379.6  | 6.8%                  |
| 3     | NEVER          | 49039 | 23654830.2 | 82.0%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 60    | 16629.8    |                       |
| 8     | REFUSAL        | 7     | 2566.4     |                       |
| 9     | NOT STATED     | 9     | 2834.9     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RAC\_2B1: Reduction kind/amount activities- school

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62879 / 28868218.99 ] [Invalid=30 / 10199.38 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at school?  |
| <b>Notes</b>              | Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more. |

| Value | Label     | Cases | Weighted | Percentage (Weighted) |
|-------|-----------|-------|----------|-----------------------|
| 1     | SOMETIMES | 720   | 343066.2 | 1.2%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # RAC\_2B1: Reduction kind/amount activities- school

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 2     | OFTEN          | 347   | 152017.6   | 0.5%                  |
| 3     | NEVER          | 13732 | 7053455.8  | 24.4%                 |
| 4     | NOT AT SCHOOL  | 48080 | 21319679.4 | 73.9%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 13    | 4690.0     |                       |
| 8     | REFUSAL        | 1     | 108.0      |                       |
| 9     | NOT STATED     | 16    | 5401.3     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RAC\_2B2: Reduction kind/amount act. - at work

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62865 / 28860845.76 ] [Invalid=44 / 17572.61 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) at work?   |
| <b>Notes</b>              | Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 3497  | 1752860.3  | 6.1%                  |
| 2     | OFTEN          | 1385  | 618452.6   | 2.1%                  |
| 3     | NEVER          | 32545 | 17143281.2 | 59.4%                 |
| 4     | HAS NO JOB     | 25438 | 9346251.7  | 32.4%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 24    | 5848.5     |                       |
| 8     | REFUSAL        | 3     | 6214.8     |                       |
| 9     | NOT STATED     | 17    | 5509.4     |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RAC\_2C: Reduction kind/amount act. - other

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62777 / 28838302.24 ] [Invalid=132 / 40116.13 ]  |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | (Does a long-term physical condition or mental condition or health problem, reduce the amount or the kind of activity you can do) in other activities, for example, transportation or leisure?    |
| <b>Notes</b>              | Current limitations in activities caused by a long-term health condition or problem. A long-term condition refers to a condition that is expected to last or has already lasted 6 months or more. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 7247  | 3064584.6  | 10.6%                 |
| 2     | OFTEN          | 5352  | 2019028.6  | 7.0%                  |
| 3     | NEVER          | 50178 | 23754689.0 | 82.4%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 107   | 27201.9    |                       |
| 8     | REFUSAL        | 5     | 1190.1     |                       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # RAC\_2C: Reduction kind/amount act. - other

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 9     | NOT STATED | 20    | 11724.2  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RACG5: Cause of health problem - (G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=21010 / 8122957.07 ] [Invalid=41899 / 20755461.3 ]  |
| <b>Universe</b>           | Respondents who answered RAC_1 = (1, 2, 7 or 8) or RAC_2A = (1, 2, 7 or 8) or RAC_2B1 = (1, 2, 7 or 8 ) or RAC_2B2 = (1, 2, 7 or 8) or RAC_2C = (1, 2, 7 or 8)   |
| <b>Literal question</b>   | Which one of the following is the best description of the cause of this condition: (accident at home, motor vehicle accident, accident at work, other type of accident, existed from birth or genetic, ..., or use of alcohol or drugs)? |
| <b>Notes</b>              | Based on RAC_5. See documentation on derived variables.  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | INJURY           | 4124  | 1803322.7  | 22.2%                 |
| 2     | DISEASE OR ILLNE | 6768  | 2516883.7  | 31.0%                 |
| 3     | AGEING           | 4692  | 1561697.4  | 19.2%                 |
| 4     | EXISTED AT BIRTH | 1956  | 820780.1   | 10.1%                 |
| 5     | WORK CONDITIONS  | 1696  | 698029.1   | 8.6%                  |
| 6     | OTHER            | 1774  | 722243.9   | 8.9%                  |
| 96    | NOT APPLICABLE   | 41362 | 20588549.0 |                       |
| 97    | DON'T KNOW       | 0     | 0.0        |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 537   | 166912.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RACDIMP: Impact of health problems - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]                         |
| <b>Statistics [NW/ W]</b> | [Valid=62804 / 28843616.07 ] [Invalid=105 / 34802.3 ]                              |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 9794  | 3967252.9  | 13.8%                 |
| 2     | OFTEN          | 7337  | 2723776.1  | 9.4%                  |
| 3     | NEVER          | 45673 | 22152587.1 | 76.8%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 105   | 34802.3    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # RACDPAL: Participation and activity limit. - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62675 / 28808010.29 ] [Invalid=234 / 70408.08 ]     |
| <b>Universe</b>           | All respondents  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # RACDPAL: Participation and activity limit. - (D)

|              |   |
|--------------|---|
| <b>Notes</b> | Based on RAC_1, RAC_2A, RAC_2B1, RAC_2B2, RAC_2C. See documentation on derived variables. |
|--------------|---|

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | SOMETIMES      | 11478 | 4686270.1  | 16.3%                 |
| 2     | OFTEN          | 9835  | 3533191.3  | 12.3%                 |
| 3     | NEVER          | 41362 | 20588549.0 | 71.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 234   | 70408.1    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOADL: Content module - ADL (F)

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ] |
|---------------------------|---|

|                 |                 |
|-----------------|-----------------|
| <b>Universe</b> | All respondents |
|-----------------|-----------------|

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 62909 | 28878418.4 | 100.0%                |
| 2     | NO             | 0     | 0.0        |                       |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADL\_01: Needs help - preparing meals

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=62877 / 28870399.73 ] [Invalid=32 / 8018.64 ] |
|---------------------------|--|

|                 |                 |
|-----------------|-----------------|
| <b>Universe</b> | All respondents |
|-----------------|-----------------|

|                         |   |
|-------------------------|---|
| <b>Literal question</b> | Because of any physical condition or mental condition or health problem, do you need the help of another person with preparing meals? |
|-------------------------|---|

|              |                              |
|--------------|------------------------------|
| <b>Notes</b> | Formerly RAC_6A before 2009. |
|--------------|------------------------------|

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2328  | 995221.5   | 3.4%                  |
| 2     | NO             | 60549 | 27875178.2 | 96.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 25    | 5060.7     |                       |
| 8     | REFUSAL        | 7     | 2957.9     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ADL\_02: Needs help - getting to appointments

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=62879 / 28868236.89 ] [Invalid=30 / 10181.48 ] |
|---------------------------|---|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ADL\_02: Needs help - getting to appointments

|                         |  |
|-------------------------|--|
| <b>Universe</b>         | All respondents  |
| <b>Literal question</b> | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with getting to appointments and running errands such as shopping for groceries? |
| <b>Notes</b>            | Formerly RAC_6B1 before 2009.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4685  | 1720314.3  | 6.0%                  |
| 2     | NO             | 58194 | 27147922.6 | 94.0%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 21    | 6452.0     |                       |
| 8     | REFUSAL        | 9     | 3729.5     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ADL\_03: Needs help - doing housework

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62869 / 28864889.69 ] [Invalid=40 / 13528.68 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with doing normal everyday housework? |
| <b>Notes</b>              | Formerly RAC_6C before 2009.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4995  | 1905745.4  | 6.6%                  |
| 2     | NO             | 57874 | 26959144.3 | 93.4%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 29    | 8958.5     |                       |
| 8     | REFUSAL        | 11    | 4570.2     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ADL\_04: Needs help - personal care

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62886 / 28871584.64 ] [Invalid=23 / 6833.73 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with personal care such as washing, dressing, eating or taking medication? |
| <b>Notes</b>              | Formerly RAC_6E before 2009.   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1656  | 642652.6   | 2.2%                  |
| 2     | NO             | 61230 | 28228932.0 | 97.8%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 14    | 3388.6     |                       |
| 8     | REFUSAL        | 9     | 3445.1     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ADL\_04: Needs help - personal care

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL\_05: Needs help - moving about inside house

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62896 / 28873678.24 ] [Invalid=13 / 4740.13 ]  |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with moving about inside the house? |
| <b>Notes</b>              | Formerly RAC_6F before 2009.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1028  | 454531.2   | 1.6%                  |
| 2     | NO             | 61868 | 28419147.1 | 98.4%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 7     | 2116.9     |                       |
| 8     | REFUSAL        | 6     | 2623.2     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADL\_06: Needs help - looking after finances

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=62832 / 28841328 ] [Invalid=77 / 37090.37 ]  |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | (Because of any physical condition or mental condition or health problem, do you need the help of another person) with looking after your personal finances such as making bank transactions or paying bills? |
| <b>Notes</b>              | Formerly RAC_6G before 2009.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2423  | 991110.9   | 3.4%                  |
| 2     | NO             | 60409 | 27850217.1 | 96.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 64    | 33256.6    |                       |
| 8     | REFUSAL        | 13    | 3833.8     |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ADLF6R: Help needed for tasks - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62817 / 28841712.91 ] [Invalid=92 / 36705.46 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | Help needed for tasks - (F)  |
| <b>Notes</b>              | Based on ADL_01, ADL_02, ADL_03, ADL_04, ADL_05, ADL_06. Prior to 2009, ADLF6R was called RACF6R and was a part of the Restriction of Activities (RAC) module. See documentation on derived variables. |

| Value | Label | Cases | Weighted   | Percentage (Weighted) |
|-------|-------|-------|------------|-----------------------|
| 1     | YES   | 7229  | 2635232.7  | 9.1%                  |
| 2     | NO    | 55588 | 26206480.2 | 90.9%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ADLF6R: Help needed for tasks - (F)

| Value | Label          | Cases | Weighted | Percentage (Weighted) |
|-------|----------------|-------|----------|-----------------------|
| 6     | NOT APPLICABLE | 0     | 0.0      |                       |
| 7     | DON'T KNOW     | 0     | 0.0      |                       |
| 8     | REFUSAL        | 0     | 0.0      |                       |
| 9     | NOT STATED     | 92    | 36705.5  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DEN\_130: Visited dentist

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=16932 / 8478022.52 ] [Invalid=45977 / 20400395.85 ]   |
| <b>Universe</b>           | Respondents with DODEN = 1 who answered HCU_02EE = (1, 7, 8)   |
| <b>Literal question</b>   | It was reported earlier that you have "seen" or "talked to" a dentist in the past 12 months. Did you actually visit one? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 16844 | 8429503.4  | 99.4%                 |
| 2     | NO             | 88    | 48519.1    | 0.6%                  |
| 6     | NOT APPLICABLE | 45664 | 20256872.2 |                       |
| 7     | DON'T KNOW     | 1     | 1304.1     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 312   | 142219.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCDTOT: Daily cons. - total fruits and veg. - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-42.3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=58921 / 27365457.54 ] [Invalid=3988 / 1512960.83 ] [Mean=4.87 / 4.94 ] [StdDev=2.612 / 2.658 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | Based on FVCDJUI, FVCDFRU, FVCDLAL, FVCDPOT, FVCDLAL, FVCDLAL, FVCDLAL. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables. |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 999.6 | NOT APPLICABLE | 0     | 0.0       |                       |
| 999.7 | DON'T KNOW     | 0     | 0.0       |                       |
| 999.8 | REFUSAL        | 0     | 0.0       |                       |
| 999.9 | NOT STATED     | 3988  | 1512960.8 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # FVCGTOT: Daily cons. total fruits/veg. - (D, G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=58921 / 27365457.54 ] [Invalid=3988 / 1512960.83 ]   |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | Based on FVCDTOT. The CCHS measures the number of times (frequency), not the amount consumed. See documentation on derived variables. |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | LESS 5 PER DAY   | 34085 | 15526536.7 | 56.7%                 |
| 2     | 5 - 10 TIMES/DAY | 22463 | 10627631.1 | 38.8%                 |
| 3     | MORE 10 TIMES/DA | 2373  | 1211289.7  | 4.4%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # FVCGTOT: Daily cons. total fruits/veg. - (D, G)

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 6     | NOT APPLICABLE | 0     | 0.0       |                       |
| 7     | DON'T KNOW     | 0     | 0.0       |                       |
| 8     | REFUSAL        | 0     | 0.0       |                       |
| 9     | NOT STATED     | 3988  | 1512960.8 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PACDFR: Freq. of all physical activity - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61624 / 28284293.42 ] [Invalid=1285 / 594124.95 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on PACDFM. The variable uses values for the derived variable Monthly Frequency of Physical Activity (PACDFM). The values for PACDFM reflect a one-month average based on data reported for a three-month period. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | REGULAR        | 41170 | 18749985.4 | 66.3%                 |
| 2     | OCCASIONAL     | 8790  | 4273991.7  | 15.1%                 |
| 3     | INFREQUENT     | 11664 | 5260316.3  | 18.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1285  | 594125.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # PACDPAI: Physical activity index - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=61634 / 28292640.23 ] [Invalid=1275 / 585778.14 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Based on PACDEE. See documentation on derived variables.   |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | ACTIVE          | 16777 | 7722832.9  | 27.3%                 |
| 2     | MODERATE ACTIVE | 15321 | 7016330.2  | 24.8%                 |
| 3     | INACTIVE        | 29536 | 13553477.2 | 47.9%                 |
| 6     | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7     | DON'T KNOW      | 0     | 0.0        |                       |
| 8     | REFUSAL         | 0     | 0.0        |                       |
| 9     | NOT STATED      | 1275  | 585778.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DOSWL: Module: SWL - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DOSWL: Module: SWL - (F)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 7751  | 3874823.7  | 13.5%                 |
| 2     | NO             | 53525 | 24921493.7 | 86.5%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_02: Satisfaction - job

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7474 / 3740446.04 ] [Invalid=55435 / 25137972.33 ]  |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | How satisfied are you with your job or main activity?      |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 2525  | 1163494.3  | 31.1%                 |
| 2     | SATISFIED      | 3846  | 2003934.6  | 53.6%                 |
| 3     | NEITHER NOR    | 523   | 272527.8   | 7.3%                  |
| 4     | DISSATISFIED   | 427   | 227854.6   | 6.1%                  |
| 5     | VERY DISSATIS. | 153   | 72634.7    | 1.9%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 42    | 11795.4    |                       |
| 8     | REFUSAL        | 40    | 20415.8    |                       |
| 9     | NOT STATED     | 195   | 102166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_03: Satisfaction - leisure activities

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7476 / 3740165.2 ] [Invalid=55433 / 25138253.17 ]   |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | How satisfied are you with your leisure activities?        |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 2424  | 1117584.8  | 29.9%                 |
| 2     | SATISFIED      | 3868  | 2003336.4  | 53.6%                 |
| 3     | NEITHER NOR    | 552   | 297562.5   | 8.0%                  |
| 4     | DISSATISFIED   | 559   | 289223.4   | 7.7%                  |
| 5     | VERY DISSATIS. | 73    | 32458.0    | 0.9%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 36    | 11121.0    |                       |
| 8     | REFUSAL        | 4     | 955.2      |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SWL\_04: Satisfaction - financial situation

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7446 / 3722187.04 ] [Invalid=55463 / 25156231.33 ]  |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | (How satisfied are you) with your financial situation?     |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 1277  | 564971.0   | 15.2%                 |
| 2     | SATISFIED      | 3865  | 1909055.9  | 51.3%                 |
| 3     | NEITHER NOR    | 857   | 448862.0   | 12.1%                 |
| 4     | DISSATISFIED   | 1126  | 640022.5   | 17.2%                 |
| 5     | VERY DISSATIS. | 321   | 159275.6   | 4.3%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 54    | 20565.9    |                       |
| 8     | REFUSAL        | 16    | 9488.5     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_05: Satisfaction - with self

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7475 / 3739164.22 ] [Invalid=55434 / 25139254.15 ]  |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | How satisfied are you with yourself?                       |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 2185  | 1053031.4  | 28.2%                 |
| 2     | SATISFIED      | 4465  | 2260658.4  | 60.5%                 |
| 3     | NEITHER NOR    | 480   | 257236.5   | 6.9%                  |
| 4     | DISSATISFIED   | 307   | 147894.2   | 4.0%                  |
| 5     | VERY DISSATIS. | 38    | 20343.7    | 0.5%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 31    | 9232.2     |                       |
| 8     | REFUSAL        | 10    | 3845.0     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_06: Satisfaction - way body looks

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7465 / 3738461.31 ] [Invalid=55444 / 25139957.06 ]  |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | How satisfied are you with the way your body looks?        |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | VERY SATISFIED | 1093  | 531897.9  | 14.2%                 |
| 2     | SATISFIED      | 4245  | 2200870.6 | 58.9%                 |
| 3     | NEITHER NOR    | 893   | 429370.9  | 11.5%                 |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # SWL\_06: Satisfaction - way body looks

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 4     | DISSATISFIED   | 1100  | 510766.4   | 13.7%                 |
| 5     | VERY DISSATIS. | 134   | 65555.5    | 1.8%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 37    | 10076.5    |                       |
| 8     | REFUSAL        | 14    | 3703.7     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SWL\_07: Satisfaction - relationship with family

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]               |
| <b>Statistics [NW/ W]</b> | [Valid=7472 / 3741730.31 ] [Invalid=55437 / 25136688.06 ]                |
| <b>Universe</b>           | Respondents with DOSWL = 1   |
| <b>Literal question</b>   | How satisfied are you with your relationships with other family members? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 3300  | 1588960.8  | 42.5%                 |
| 2     | SATISFIED      | 3460  | 1796498.4  | 48.0%                 |
| 3     | NEITHER NOR    | 353   | 199235.3   | 5.3%                  |
| 4     | DISSATISFIED   | 299   | 133062.2   | 3.6%                  |
| 5     | VERY DISSATIS. | 60    | 23973.6    | 0.6%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 32    | 7660.8     |                       |
| 8     | REFUSAL        | 12    | 2850.3     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SWL\_08: Satisfaction - relationship with friends

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]    |
| <b>Statistics [NW/ W]</b> | [Valid=7478 / 3741134.63 ] [Invalid=55431 / 25137283.74 ]     |
| <b>Universe</b>           | Respondents with DOSWL = 1                                    |
| <b>Literal question</b>   | (How satisfied are you) with your relationships with friends? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 3156  | 1484303.9  | 39.7%                 |
| 2     | SATISFIED      | 3830  | 1981234.6  | 53.0%                 |
| 3     | NEITHER NOR    | 313   | 179734.9   | 4.8%                  |
| 4     | DISSATISFIED   | 152   | 82471.8    | 2.2%                  |
| 5     | VERY DISSATIS. | 27    | 13389.5    | 0.4%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 28    | 8543.8     |                       |
| 8     | REFUSAL        | 10    | 2563.0     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SWL\_09: Satisfaction - housing

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7490 / 3745323.07 ] [Invalid=55419 / 25133095.3 ]   |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | (How satisfied are you) with your housing?                 |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 3107  | 1448442.9  | 38.7%                 |
| 2     | SATISFIED      | 3616  | 1897565.4  | 50.7%                 |
| 3     | NEITHER NOR    | 375   | 184738.4   | 4.9%                  |
| 4     | DISSATISFIED   | 325   | 175372.8   | 4.7%                  |
| 5     | VERY DISSATIS. | 67    | 39203.5    | 1.0%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 17    | 4427.5     |                       |
| 8     | REFUSAL        | 9     | 2490.9     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SWL\_10: Satisfaction - neighbourhood

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=7477 / 3737703.57 ] [Invalid=55432 / 25140714.8 ]   |
| <b>Universe</b>           | Respondents with DOSWL = 1                                 |
| <b>Literal question</b>   | (How satisfied are you) with your neighbourhood?           |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | VERY SATISFIED | 2936  | 1351420.9  | 36.2%                 |
| 2     | SATISFIED      | 3740  | 1915552.8  | 51.2%                 |
| 3     | NEITHER NOR    | 446   | 268201.4   | 7.2%                  |
| 4     | DISSATISFIED   | 295   | 168714.9   | 4.5%                  |
| 5     | VERY DISSATIS. | 60    | 33813.7    | 0.9%                  |
| 6     | NOT APPLICABLE | 55158 | 25003594.7 |                       |
| 7     | DON'T KNOW     | 31    | 12786.6    |                       |
| 8     | REFUSAL        | 8     | 1751.3     |                       |
| 9     | NOT STATED     | 235   | 122582.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOMAS: Module: MAS - (F)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]     |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | You have little control over the things that happen to you. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3456  | 985048.2   | 3.4%                  |
| 2     | NO             | 57820 | 27811269.3 | 96.6%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DOMAS: Module: MAS - (F)

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 7     | DON'T KNOW | 0     | 0.0      |                       |
| 8     | REFUSAL    | 0     | 0.0      |                       |
| 9     | NOT STATED | 0     | 0.0      |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_601: Mastery - lack of control

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3297 / 948413.19 ] [Invalid=59612 / 27930005.18 ]    |
| <b>Universe</b>           | Respondents with DOMAS = 1                                  |
| <b>Literal question</b>   | You have little control over the things that happen to you. |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | STRONGLY AGREE  | 113   | 29644.7    | 3.1%                  |
| 2     | AGREE           | 642   | 157468.2   | 16.6%                 |
| 3     | NEITHER NOR     | 239   | 79143.2    | 8.3%                  |
| 4     | DISAGREE        | 1690  | 503650.6   | 53.1%                 |
| 5     | STRONG DISAGREE | 613   | 178506.6   | 18.8%                 |
| 6     | NOT APPLICABLE  | 59453 | 27893370.2 |                       |
| 7     | DON'T KNOW      | 89    | 14639.8    |                       |
| 8     | REFUSAL         | 19    | 3946.2     |                       |
| 9     | NOT STATED      | 51    | 18048.9    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_602: Mastery - cannot solve problems

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]          |
| <b>Statistics [NW/ W]</b> | [Valid=3319 / 949285.66 ] [Invalid=59590 / 27929132.71 ]            |
| <b>Universe</b>           | Respondents with DOMAS = 1  |
| <b>Literal question</b>   | There is really no way you can solve some of the problems you have. |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | STRONGLY AGREE  | 71    | 23417.4    | 2.5%                  |
| 2     | AGREE           | 681   | 172138.4   | 18.1%                 |
| 3     | NEITHER NOR     | 188   | 49561.3    | 5.2%                  |
| 4     | DISAGREE        | 1893  | 550594.9   | 58.0%                 |
| 5     | STRONG DISAGREE | 486   | 153573.6   | 16.2%                 |
| 6     | NOT APPLICABLE  | 59453 | 27893370.2 |                       |
| 7     | DON'T KNOW      | 61    | 11482.9    |                       |
| 8     | REFUSAL         | 6     | 2284.4     |                       |
| 9     | NOT STATED      | 70    | 21995.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_603: Mastery - cannot change things

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=3307 / 946514.78 ] [Invalid=59602 / 27931903.59 ]   |
| <b>Universe</b>           | Respondents with DOMAS = 1                                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # MAS\_603: Mastery - cannot change things

|                         |   |              |                 |                              |
|-------------------------|---|--------------|-----------------|------------------------------|
| <b>Literal question</b> | There is little you can do to change many of the important things in your life. |              |                 |                              |
| <b>Value</b>            | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1                       | STRONGLY AGREE  | 61           | 14555.1         | 1.5%                         |
| 2                       | AGREE   | 567          | 140505.4        | 14.8%                        |
| 3                       | NEITHER NOR   | 186          | 52768.1         | 5.6%                         |
| 4                       | DISAGREE  | 1993         | 575706.5        | 60.8%                        |
| 5                       | STRONG DISAGREE   | 500          | 162979.7        | 17.2%                        |
| 6                       | NOT APPLICABLE  | 59453        | 27893370.2      |                              |
| 7                       | DON'T KNOW  | 73           | 14553.6         |                              |
| 8                       | REFUSAL   | 6            | 1984.6          |                              |
| 9                       | NOT STATED  | 70           | 21995.2         |                              |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MAS\_604: Mastery - helpless

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=3341 / 951075.66 ] [Invalid=59568 / 27927342.71 ]   |
| <b>Universe</b>           | Respondents with DOMAS = 1                                 |
| <b>Literal question</b>   | You often feel helpless in dealing with problems of life.  |

|              |                 |              |                 |                              |
|--------------|-----------------|--------------|-----------------|------------------------------|
| <b>Value</b> | <b>Label</b>    | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1            | STRONGLY AGREE  | 45           | 9812.1          | 1.0%                         |
| 2            | AGREE           | 408          | 105848.2        | 11.1%                        |
| 3            | NEITHER NOR     | 141          | 39694.2         | 4.2%                         |
| 4            | DISAGREE        | 2118         | 604879.0        | 63.6%                        |
| 5            | STRONG DISAGREE | 629          | 190842.1        | 20.1%                        |
| 6            | NOT APPLICABLE  | 59453        | 27893370.2      |                              |
| 7            | DON'T KNOW      | 40           | 10133.3         |                              |
| 8            | REFUSAL         | 5            | 1844.0          |                              |
| 9            | NOT STATED      | 70           | 21995.2         |                              |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # MAS\_605: Mastery - pushed around

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3355 / 951803.65 ] [Invalid=59554 / 27926614.72 ]     |
| <b>Universe</b>           | Respondents with DOMAS = 1                                   |
| <b>Literal question</b>   | Sometimes you feel that you are being pushed around in life. |

|              |                 |              |                 |                              |
|--------------|-----------------|--------------|-----------------|------------------------------|
| <b>Value</b> | <b>Label</b>    | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1            | STRONGLY AGREE  | 61           | 15624.6         | 1.6%                         |
| 2            | AGREE           | 658          | 194498.8        | 20.4%                        |
| 3            | NEITHER NOR     | 149          | 46660.4         | 4.9%                         |
| 4            | DISAGREE        | 1961         | 532057.1        | 55.9%                        |
| 5            | STRONG DISAGREE | 526          | 162962.8        | 17.1%                        |
| 6            | NOT APPLICABLE  | 59453        | 27893370.2      |                              |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # MAS\_605: Mastery - pushed around

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 7     | DON'T KNOW | 25    | 8948.3   |                       |
| 8     | REFUSAL    | 6     | 2301.0   |                       |
| 9     | NOT STATED | 70    | 21995.2  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_606: Mastery - fate depends upon self

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=3333 / 947656.99 ] [Invalid=59576 / 27930761.38 ]   |
| <b>Universe</b>           | Respondents with DOMAS = 1                                 |
| <b>Literal question</b>   | What happens to you in the future mostly depends on you.   |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | STRONGLY AGREE  | 734   | 234732.4   | 24.8%                 |
| 2     | AGREE           | 2249  | 576805.4   | 60.9%                 |
| 3     | NEITHER NOR     | 151   | 45364.4    | 4.8%                  |
| 4     | DISAGREE        | 182   | 81274.4    | 8.6%                  |
| 5     | STRONG DISAGREE | 17    | 9480.4     | 1.0%                  |
| 6     | NOT APPLICABLE  | 59453 | 27893370.2 |                       |
| 7     | DON'T KNOW      | 47    | 13095.0    |                       |
| 8     | REFUSAL         | 6     | 2301.0     |                       |
| 9     | NOT STATED      | 70    | 21995.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MAS\_607: Mastery - can do anything

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3348 / 954079.07 ] [Invalid=59561 / 27924339.3 ]     |
| <b>Universe</b>           | Respondents with DOMAS = 1                                  |
| <b>Literal question</b>   | You can do just about anything you really set your mind to. |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | STRONGLY AGREE  | 696   | 242294.2   | 25.4%                 |
| 2     | AGREE           | 2320  | 618105.5   | 64.8%                 |
| 3     | NEITHER NOR     | 128   | 37317.4    | 3.9%                  |
| 4     | DISAGREE        | 187   | 46185.3    | 4.8%                  |
| 5     | STRONG DISAGREE | 17    | 10176.6    | 1.1%                  |
| 6     | NOT APPLICABLE  | 59453 | 27893370.2 |                       |
| 7     | DON'T KNOW      | 31    | 6610.9     |                       |
| 8     | REFUSAL         | 7     | 2363.0     |                       |
| 9     | NOT STATED      | 70    | 21995.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MASDM1: Mastery scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-28] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3187 / 922593.35 ] [Invalid=59722 / 27955825.02 ] [Mean=19.647 / 19.828 ] [StdDev=4.116 / 4.145 ] |
| <b>Universe</b>           | Respondents with DOMAS = 1   |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # MASDM1: Mastery scale - (D)

|                         |  |
|-------------------------|--|
| <b>Literal question</b> | Mastery scale - (D)  |
| <b>Notes</b>            | Based on MAS_601 to MAS_607. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 269   | 62454.8    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # SMK\_202: Type of smoker

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]                      |
| <b>Statistics [NW/ W]</b> | [Valid=62722 / 28785319.62 ] [Invalid=187 / 93098.75 ]                          |
| <b>Universe</b>           | All respondents   |
| <b>Literal question</b>   | At the present time, do you smoke cigarettes daily, occasionally or not at all? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | DAILY          | 10394 | 4490484.0  | 15.6%                 |
| 2     | OCCASIONALLY   | 2824  | 1477440.9  | 5.1%                  |
| 3     | NOT AT ALL     | 49504 | 22817394.7 | 79.3%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 11    | 4214.6     |                       |
| 8     | REFUSAL        | 6     | 2038.0     |                       |
| 9     | NOT STATED     | 170   | 86846.2    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ALC\_1: Drank alcohol - past 12 months

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=62228 / 28561496.17 ] [Invalid=681 / 316922.2 ]   |
| <b>Universe</b>           | All respondents  |
| <b>Literal question</b>   | During the past 12 months, have you had a drink of beer, wine, liquor or any other alcoholic beverage?   |
| <b>Notes</b>              | The word drink means: one bottle or can of beer or a glass of draft, one glass of wine or a wine cooler, or one drink or cocktail with 1 and a 1/2 ounces of liquor. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 46808 | 21788473.9 | 76.3%                 |
| 2     | NO             | 15420 | 6773022.3  | 23.7%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 36    | 9827.5     |                       |
| 8     | REFUSAL        | 23    | 6607.2     |                       |
| 9     | NOT STATED     | 622   | 300487.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ALC\_2: Frequency of drinking alcohol

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-7] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=46606 / 21712976.23 ] [Invalid=16303 / 7165442.14 ] |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ALC\_2: Frequency of drinking alcohol

|                 |  |
|-----------------|--|
| <b>Universe</b> | Respondents who answered ALC_1 = (1, 7 or 8) |
|-----------------|--|

|                         |   |
|-------------------------|---|
| <b>Literal question</b> | During the past 12 months, how often did you drink alcoholic beverages? |
|-------------------------|---|

| Value | Label           | Cases | Weighted  | Percentage (Weighted) |
|-------|-----------------|-------|-----------|-----------------------|
| 1     | < ONCE A MONTH  | 10774 | 4477577.3 | 20.6%                 |
| 2     | ONCE A MONTH    | 5135  | 2353434.3 | 10.8%                 |
| 3     | 2 TO 3 TIMES/MO | 6280  | 2963718.5 | 13.6%                 |
| 4     | ONCE/WEEK       | 7688  | 3800605.2 | 17.5%                 |
| 5     | 2 TO 3 TIMES/WK | 9241  | 4757382.9 | 21.9%                 |
| 6     | 4 TO 6 TIMES/WK | 2894  | 1409442.7 | 6.5%                  |
| 7     | EVERY DAY       | 4594  | 1950815.4 | 9.0%                  |
| 96    | NOT APPLICABLE  | 15420 | 6773022.3 |                       |
| 97    | DON'T KNOW      | 161   | 58275.3   |                       |
| 98    | REFUSAL         | 32    | 13035.3   |                       |
| 99    | NOT STATED      | 690   | 321109.2  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALC\_3: Frequency of having 5 or more drinks

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*] |
|--------------------|--|

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=46494 / 21668043.49 ] [Invalid=16415 / 7210374.88 ] |
|---------------------------|--|

|                 |  |
|-----------------|--|
| <b>Universe</b> | Respondents who answered ALC_1 = (1, 7 or 8) |
|-----------------|--|

|                         |  |
|-------------------------|--|
| <b>Literal question</b> | How often in the past 12 months have you had 5 or more drinks on one occasion? |
|-------------------------|--|

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | NEVER           | 24914 | 11111905.7 | 51.3%                 |
| 2     | LESS ONCE/MONTH | 11644 | 5624396.3  | 26.0%                 |
| 3     | ONCE/MONTH      | 3340  | 1619870.6  | 7.5%                  |
| 4     | 2-3 TIMES/MONTH | 2857  | 1460254.9  | 6.7%                  |
| 5     | ONCE/WEEK       | 2260  | 1124179.0  | 5.2%                  |
| 6     | MORE ONCE/WEEK  | 1479  | 727437.0   | 3.4%                  |
| 96    | NOT APPLICABLE  | 15420 | 6773022.3  |                       |
| 97    | DON'T KNOW      | 262   | 101642.7   |                       |
| 98    | REFUSAL         | 39    | 12672.2    |                       |
| 99    | NOT STATED      | 694   | 323037.7   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ALCDTTM: Type of drinker (12 months)

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|--------------------|--|

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=62026 / 28485998.5 ] [Invalid=883 / 392419.87 ] |
|---------------------------|--|

|                 |                 |
|-----------------|-----------------|
| <b>Universe</b> | All respondents |
|-----------------|-----------------|

|              |  |
|--------------|--|
| <b>Notes</b> | Based on ALC_1, ALC_2. See documentation on derived variables. |
|--------------|--|

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | REGULAR DRINKER  | 35832 | 17235398.9 | 60.5%                 |
| 2     | OCCASIO. DRINKER | 10774 | 4477577.3  | 15.7%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ALCDTTM: Type of drinker (12 months)

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 3     | NO DRINK LAST12M | 15420 | 6773022.3 | 23.8%                 |
| 6     | NOT APPLICABLE   | 0     | 0.0       |                       |
| 7     | DON'T KNOW       | 0     | 0.0       |                       |
| 8     | REFUSAL          | 0     | 0.0       |                       |
| 9     | NOT STATED       | 883   | 392419.9  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX\_01: Has given birth in the past 5 years

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=16011 / 8597433.84 ] [Invalid=46898 / 20280984.53 ]  |
| <b>Universe</b>           | Females aged 15 to 55   |
| <b>Literal question</b>   | Have you given birth in the past 5 years?   |
| <b>Notes</b>              | Does not include stillbirths. Formerly BRFA_01 in cycle 1.1. Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3443  | 1564984.9  | 18.2%                 |
| 2     | NO             | 12568 | 7032449.0  | 81.8%                 |
| 6     | NOT APPLICABLE | 42647 | 18224421.1 |                       |
| 7     | DON'T KNOW     | 3938  | 1856197.5  |                       |
| 8     | REFUSAL        | 15    | 7085.7     |                       |
| 9     | NOT STATED     | 298   | 193280.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX\_02: Took folic acid - before last pregnancy

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3420 / 1554114.97 ] [Invalid=59489 / 27324303.4 ]  |
| <b>Universe</b>           | Respondents who answered MEX_01 = (1, 7 or 8)   |
| <b>Literal question</b>   | Did you take a vitamin supplement containing folic acid before your (last) pregnancy, that is, before you found out that you were pregnant? |
| <b>Notes</b>              | Formerly BRFA_01B in cycle 1.1.   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2060  | 933067.7   | 60.0%                 |
| 2     | NO             | 1360  | 621047.3   | 40.0%                 |
| 6     | NOT APPLICABLE | 59149 | 27110935.8 |                       |
| 7     | DON'T KNOW     | 20    | 7719.9     |                       |
| 8     | REFUSAL        | 2     | 2632.3     |                       |
| 9     | NOT STATED     | 318   | 203015.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEX\_03: Breastfed/tried breastfeed/last child

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=3440 / 1561834.86 ] [Invalid=59469 / 27316583.51 ]  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # MEX\_03: Breastfed/tried breastfeed/last child

|                         |   |
|-------------------------|---|
| <b>Universe</b>         | Respondents who answered MEX_01 = (1, 7 or 8)   |
| <b>Literal question</b> | (For your last baby,) did you breastfeed or try to breastfeed your baby, even if only for a short time? |
| <b>Notes</b>            | Formerly BRFA_02 in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3016  | 1362917.0  | 87.3%                 |
| 2     | NO             | 424   | 198917.8   | 12.7%                 |
| 6     | NOT APPLICABLE | 59149 | 27110935.8 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 2     | 2632.3     |                       |
| 9     | NOT STATED     | 318   | 203015.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MEXG04: Reason did not breastfeed - (G)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=421 / 196958.41 ] [Invalid=62488 / 28681459.96 ]            |
| <b>Universe</b>           | Respondents who answered MEX_03 = (2, 7 or 8) or MEX_01 = (7 or 8) |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | BOTTLE FEED.EASY | 102   | 38505.6    | 19.6%                 |
| 2     | FORMULA AS GOOD  | 34    | 18844.4    | 9.6%                  |
| 3     | UNAPPEALING      | 82    | 28496.2    | 14.5%                 |
| 4     | FATHER DN'T WANT | 1     | 191.0      | 0.1%                  |
| 5     | RETURNED TO WORK | 6     | 1146.6     | 0.6%                  |
| 6     | C-SECTION        | 135   | 77369.9    | 39.3%                 |
| 7     | ALCOHOL/SMOKE    | 8     | 5265.9     | 2.7%                  |
| 8     | OTHER            | 53    | 27138.8    | 13.8%                 |
| 96    | NOT APPLICABLE   | 62165 | 28473852.8 |                       |
| 97    | DON'T KNOW       | 0     | 0.0        |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 323   | 207607.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MEX\_05: Still breastfeeding last child

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=3015 / 1358008.4 ] [Invalid=59894 / 27520409.97 ]           |
| <b>Universe</b>           | Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8) |
| <b>Literal question</b>   | Are you still breastfeeding?                                       |
| <b>Notes</b>              | Formerly BRFA_03 in cycle 1.1.                                     |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 557   | 267507.6   | 19.7%                 |
| 2     | NO             | 2458  | 1090500.8  | 80.3%                 |
| 6     | NOT APPLICABLE | 59573 | 27309853.7 |                       |
| 7     | DON'T KNOW     | 1     | 4908.6     |                       |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # MEX\_05: Still breastfeeding last child

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 8     | REFUSAL    | 0     | 0.0      |                       |
| 9     | NOT STATED | 320   | 205647.7 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MEX\_06: Duration of breastfeeding last child

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]                             |
| <b>Statistics [NW/ W]</b> | [Valid=2453 / 1089279.13 ] [Invalid=60456 / 27789139.24 ]                               |
| <b>Universe</b>           | Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8) |
| <b>Literal question</b>   | How long did you breastfeed (your last baby)?   |
| <b>Notes</b>              | Formerly BRFA_04 in cycle 1.1.  |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | < 1 WEEK        | 159   | 60356.3    | 5.5%                  |
| 2     | 1 TO 2 WEEKS    | 155   | 64376.9    | 5.9%                  |
| 3     | 3 TO 4 WEEKS    | 195   | 80283.0    | 7.4%                  |
| 4     | 5 TO 8 WEEKS    | 154   | 61877.6    | 5.7%                  |
| 5     | 9 TO < 12 WEEKS | 89    | 34661.7    | 3.2%                  |
| 6     | 3 MONTHS        | 203   | 83366.2    | 7.7%                  |
| 7     | 4 MONTHS        | 132   | 61530.3    | 5.6%                  |
| 8     | 5 MONTHS        | 100   | 48719.6    | 4.5%                  |
| 9     | 6 MONTHS        | 239   | 114983.2   | 10.6%                 |
| 10    | 7 TO 9 MONTHS   | 343   | 148939.0   | 13.7%                 |
| 11    | 10 TO 12 MONTHS | 345   | 148856.4   | 13.7%                 |
| 12    | > 1 YEAR        | 339   | 181328.8   | 16.6%                 |
| 96    | NOT APPLICABLE  | 60130 | 27577361.2 |                       |
| 97    | DON'T KNOW      | 4     | 1145.2     |                       |
| 98    | REFUSAL         | 1     | 76.5       |                       |
| 99    | NOT STATED      | 321   | 210556.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MEX\_07: Age of last baby - other foods added

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=2981 / 1344028 ] [Invalid=59928 / 27534390.37 ]  |
| <b>Universe</b>           | Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8)   |
| <b>Literal question</b>   | How old was your (last) baby when you first added any other liquids (e.g., milk, formula, water, teas, herbal mixtures) or solid foods to the baby's feeds? |
| <b>Notes</b>              | Respondents who answered MEX_03 = (1, 7 or 8) or MEX_01 = (7 or 8)  |

| Value | Label           | Cases | Weighted | Percentage (Weighted) |
|-------|-----------------|-------|----------|-----------------------|
| 1     | < 1 WEEK        | 366   | 158332.8 | 11.8%                 |
| 2     | 1 TO 2 WEEKS    | 184   | 89333.3  | 6.6%                  |
| 3     | 3 TO 4 WEEKS    | 202   | 91548.8  | 6.8%                  |
| 4     | 5 TO 8 WEEKS    | 179   | 71297.8  | 5.3%                  |
| 5     | 9 TO < 12 WEEKS | 121   | 51149.2  | 3.8%                  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # MEX\_07: Age of last baby - other foods added

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 6     | 3 MONTHS        | 276   | 129569.7   | 9.6%                  |
| 7     | 4 MONTHS        | 289   | 129237.5   | 9.6%                  |
| 8     | 5 MONTHS        | 248   | 115311.2   | 8.6%                  |
| 9     | 6 MONTHS        | 659   | 292530.7   | 21.8%                 |
| 10    | 7 TO 9 MONTHS   | 190   | 99170.2    | 7.4%                  |
| 11    | 10 TO 12 MONTHS | 72    | 34749.3    | 2.6%                  |
| 12    | > 1 YEAR        | 26    | 12750.5    | 0.9%                  |
| 13    | NOT ADD/LIQUIDS | 169   | 69046.8    | 5.1%                  |
| 96    | NOT APPLICABLE  | 59573 | 27309853.7 |                       |
| 97    | DON'T KNOW      | 28    | 11806.8    |                       |
| 98    | REFUSAL         | 1     | 951.9      |                       |
| 99    | NOT STATED      | 326   | 211778.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MEX\_08: Main reason other foods added

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-13] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=2797 / 1268424.56 ] [Invalid=60112 / 27609993.81 ]   |
| <b>Universe</b>           | Respondents who answered MEX_07 < 13 or MEX_07 = (97 or 98) or MEX_06 = (97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8) |
| <b>Literal question</b>   | What is the main reason that you first added other liquids or solid foods?  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | NOT ENOUGH BREAS | 706   | 315047.1   | 24.8%                 |
| 2     | READY FOR SOLIDS | 1185  | 563035.2   | 44.4%                 |
| 3     | INCONVENIENCE    | 164   | 62322.0    | 4.9%                  |
| 4     | DIFFICULTY       | 151   | 66109.8    | 5.2%                  |
| 5     | MED. COND.MOTHER | 60    | 23301.8    | 1.8%                  |
| 6     | MED. COND. BABY  | 97    | 41113.2    | 3.2%                  |
| 7     | ADVICE OF DOCTOR | 217   | 93616.1    | 7.4%                  |
| 8     | RETURNED TO WORK | 74    | 42640.3    | 3.4%                  |
| 9     | ADVICE OF OTHERS | 23    | 8130.7     | 0.6%                  |
| 10    | FORMULA HEALTHY  | 33    | 19117.4    | 1.5%                  |
| 11    | WANTED TO DRINK  | 2     | 967.6      | 0.1%                  |
| 12    | WANTED TO SMOKE  | 0     | 0.0        |                       |
| 13    | OTHER            | 85    | 33023.3    | 2.6%                  |
| 96    | NOT APPLICABLE   | 59742 | 27378900.5 |                       |
| 97    | DON'T KNOW       | 13    | 4512.2     |                       |
| 98    | REFUSAL          | 1     | 922.3      |                       |
| 99    | NOT STATED       | 356   | 225658.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # MEX\_09: Gave vitamin D - breast milk only

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=2596 / 1179656.94 ] [Invalid=60313 / 27698761.43 ]  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # MEX\_09: Gave vitamin D - breast milk only

|                 |  |
|-----------------|--|
| <b>Universe</b> | Respondents who answered MEX_07 = (2 to 13) or MEX_07 = (97 or 98) or MEX_06 = (97 or 98) or MEX_05 = (7 or 8) or MEX_03 = (7 or 8) or MEX_01 = (7 or 8) |
|-----------------|--|

|                         |  |
|-------------------------|--|
| <b>Literal question</b> | During the time when your (last) baby was only fed breast milk, did you give the baby a vitamin supplement containing Vitamin D? |
|-------------------------|--|

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1936  | 895764.5   | 75.9%                 |
| 2     | NO             | 660   | 283892.5   | 24.1%                 |
| 6     | NOT APPLICABLE | 59939 | 27468186.5 |                       |
| 7     | DON'T KNOW     | 16    | 4284.9     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 358   | 226290.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MEX\_10: Main reason stopped breastfeeding

|                    |   |
|--------------------|---|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-15] [Missing=*] |
|--------------------|---|

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=2423 / 1077291.92 ] [Invalid=60486 / 27801126.45 ] |
|---------------------------|---|

|                 |   |
|-----------------|---|
| <b>Universe</b> | Respondents who answered MEX_05 = (2, 7 or 8) or MEX_03 = (7 or 8) or MEX_01 (7 or 8) |
|-----------------|---|

|                         |   |
|-------------------------|---|
| <b>Literal question</b> | What is the main reason that you stopped breastfeeding? |
|-------------------------|---|

|              |                                |
|--------------|--------------------------------|
| <b>Notes</b> | Formerly BRFA_05 in cycle 1.1. |
|--------------|--------------------------------|

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | NOT ENOUGH MILK  | 612   | 264774.2   | 24.6%                 |
| 2     | READY FOR SOLIDS | 453   | 227615.8   | 21.1%                 |
| 3     | INCONVENIENCE    | 190   | 79783.1    | 7.4%                  |
| 4     | DIFFICULTY       | 207   | 83738.4    | 7.8%                  |
| 5     | MED.COND.MOTHER  | 95    | 38833.4    | 3.6%                  |
| 6     | MED. COND. BABY  | 65    | 21176.2    | 2.0%                  |
| 7     | PLANNED TO STOP  | 182   | 70464.4    | 6.5%                  |
| 8     | WEANED SELF      | 301   | 141566.0   | 13.1%                 |
| 9     | ADVICE OF DOCTOR | 29    | 20791.3    | 1.9%                  |
| 10    | RETURNED TO WORK | 215   | 100279.0   | 9.3%                  |
| 11    | ADVICE OF OTHERS | 7     | 3922.0     | 0.4%                  |
| 12    | FORMULA HEALTHY  | 25    | 10674.0    | 1.0%                  |
| 13    | WANTED TO DRINK  | 2     | 967.6      | 0.1%                  |
| 14    | WANTED TO SMOKE  | 1     | 188.1      | 0.0%                  |
| 15    | OTHER            | 39    | 12518.3    | 1.2%                  |
| 96    | NOT APPLICABLE   | 60130 | 27577361.2 |                       |
| 97    | DON'T KNOW       | 4     | 1022.2     |                       |
| 98    | REFUSAL          | 1     | 922.3      |                       |
| 99    | NOT STATED       | 351   | 221820.8   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # MEXDEBF2: Duration of exclusive breastfeeding- (D)

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*] |
|--------------------|--|

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=3244 / 1477427.92 ] [Invalid=59665 / 27400990.45 ] |
|---------------------------|---|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # MEXDEBF2: Duration of exclusive breastfeeding- (D)

**Universe** Respondents who answered MEX\_03 = (2, 7 or 8) or MEX\_05 = (2, 7 or 8) or MEX\_07 < 13 or MEX\_07 = (97 or 98) or MEX\_01 = (7 or 8)

**Notes** Based on MEX\_03, MEX\_06, MEX\_07. This variable is an update of MEXDEBF. It includes more categories, covers the 6 month period in a single category, and takes into account conflicting information provided in MEX\_06 and MEX\_07. Respondents who had not given birth in the past 5 years or who were less than 15 years old or more than 55 years old are excluded from the population. Since the variable is used to measure only the final duration of exclusive breastfeeding, mothers who will breastfed and who had not yet added any other liquid or solid foods to the baby's feeds are also excluded.

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 0     | DID NOT BF/LAST  | 424   | 198917.8   | 13.5%                 |
| 1     | < 1 WEEK         | 396   | 170289.3   | 11.5%                 |
| 2     | 1 TO < 5 WEEKS   | 423   | 197808.4   | 13.4%                 |
| 3     | 5 TO < 12 WEEKS  | 295   | 117617.1   | 8.0%                  |
| 4     | 12 TO < 16 WEEKS | 289   | 135052.0   | 9.1%                  |
| 5     | 16 TO < 20 WEEKS | 279   | 131459.8   | 8.9%                  |
| 6     | 20 TO < 24 WEEKS | 245   | 116126.2   | 7.9%                  |
| 7     | 24 TO < 28 WEEKS | 626   | 274436.6   | 18.6%                 |
| 8     | 7 MONTHS OR MORE | 267   | 135720.6   | 9.2%                  |
| 96    | NOT APPLICABLE   | 59310 | 27176453.7 |                       |
| 97    | DON'T KNOW       | 0     | 0.0        |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 355   | 224536.7   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # MEXFEB6: Exclus. breastfeed for at least 6 months

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=3244 / 1477427.92 ] [Invalid=59665 / 27400990.45 ]

**Universe** Respondents who answered MEX\_03 = (2, 7 or 8) or MEX\_05 = (2, 7 or 8) or MEX\_07 < 13 or MEX\_07 = (97 or 98) or MEX\_01 = (7 or 8)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 893   | 410157.2   | 27.8%                 |
| 2     | NO             | 2351  | 1067270.7  | 72.2%                 |
| 6     | NOT APPLICABLE | 59310 | 27176453.7 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 355   | 224536.7   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSADTNG: Tangible social support - MOS - (D)

**Information** [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=\*]

**Statistics [NW/ W]** [Valid=22222 / 10892676.1 ] [Invalid=40687 / 17985742.27 ]

**Universe** Respondents with DOSSA = 1

**Literal question** Tangible social support - MOS - (D)

**Notes** Based on SSA\_02, SSA\_05, SSA\_12, SSA\_15. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSADTNG: Tangible social support - MOS - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     |                | 225   | 77925.3    | 0.7%                  |
| 1     |                | 64    | 35648.8    | 0.3%                  |
| 2     |                | 124   | 46274.5    | 0.4%                  |
| 3     |                | 153   | 55223.6    | 0.5%                  |
| 4     |                | 277   | 109135.9   | 1.0%                  |
| 5     |                | 211   | 81139.8    | 0.7%                  |
| 6     |                | 311   | 144373.6   | 1.3%                  |
| 7     |                | 365   | 147992.5   | 1.4%                  |
| 8     |                | 678   | 292660.4   | 2.7%                  |
| 9     |                | 585   | 234987.6   | 2.2%                  |
| 10    |                | 909   | 386281.9   | 3.5%                  |
| 11    |                | 914   | 458524.1   | 4.2%                  |
| 12    |                | 2351  | 1187132.1  | 10.9%                 |
| 13    |                | 1532  | 716354.4   | 6.6%                  |
| 14    |                | 2010  | 935969.9   | 8.6%                  |
| 15    |                | 2314  | 1166924.0  | 10.7%                 |
| 16    |                | 9199  | 4816127.6  | 44.2%                 |
| 96    | NOT APPLICABLE | 37809 | 16792257.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 2878  | 1193485.1  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSADSOC: Positive social interaction - MOS - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-16] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=22318 / 10917600.23 ] [Invalid=40591 / 17960818.14 ]   |
| <b>Universe</b>           | Respondents with DOSSA = 1  |
| <b>Literal question</b>   | Positive social interaction - MOS - (D)   |
| <b>Notes</b>              | Based on SSA_07, SSA_11, SSA_14, SSA_18. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 0     |       | 173   | 57534.1  | 0.5%                  |
| 1     |       | 48    | 12675.8  | 0.1%                  |
| 2     |       | 63    | 27030.3  | 0.2%                  |
| 3     |       | 86    | 34271.4  | 0.3%                  |
| 4     |       | 175   | 67033.6  | 0.6%                  |
| 5     |       | 129   | 49602.7  | 0.5%                  |
| 6     |       | 228   | 83734.5  | 0.8%                  |
| 7     |       | 279   | 125687.5 | 1.2%                  |
| 8     |       | 817   | 346363.7 | 3.2%                  |
| 9     |       | 503   | 213132.9 | 2.0%                  |
| 10    |       | 736   | 300913.4 | 2.8%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSADSOC: Positive social interaction - MOS - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 11    |                | 812   | 365601.4   | 3.3%                  |
| 12    |                | 2766  | 1392740.4  | 12.8%                 |
| 13    |                | 1248  | 579795.6   | 5.3%                  |
| 14    |                | 1528  | 728228.0   | 6.7%                  |
| 15    |                | 1553  | 780775.6   | 7.2%                  |
| 16    |                | 11174 | 5752479.4  | 52.7%                 |
| 96    | NOT APPLICABLE | 37809 | 16792257.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 2782  | 1168560.9  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSADEMO: Emot./info. support - MOS subscale - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-32] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=21981 / 10805614.75 ] [Invalid=40928 / 18072803.62 ] [Mean=27.237 / 27.47 ] [StdDev=6.309 / 6.126 ]  |
| <b>Universe</b>           | Respondents with DOSSA = 1  |
| <b>Literal question</b>   | Emot./info. support - MOS subscale - (D)  |
| <b>Notes</b>              | Based on SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19. Medical Outcome Study (MOS) - Social Support Survey. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 37809 | 16792257.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 3119  | 1280546.4  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOSSU: Module: SSU - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 13829 | 5343761.3  | 18.6%                 |
| 2     | NO             | 47447 | 23452556.1 | 81.4%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSU\_21A: Received tangible social support

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSU\_21A: Received tangible social support

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=12019 / 4711613.44 ] [Invalid=50890 / 24166804.93 ]  |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSA_02 = (2, 3, 4, 5, 7 or 8) or SSA_05 = (2, 3, 4, 5, 7 or 8) or SSA_12 = (2, 3, 4, 5, 7 or 8) or SSA_15 = (2, 3, 4, 5, 7 or 8) or SSA_01 = (997 or 998) |
| <b>Literal question</b>   | In the past 12 months, did you receive the following support? - Someone [list of tangible support reported]   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4378  | 1646572.5  | 34.9%                 |
| 2     | NO             | 7641  | 3065040.9  | 65.1%                 |
| 6     | NOT APPLICABLE | 49202 | 23573659.6 |                       |
| 7     | DON'T KNOW     | 31    | 11051.9    |                       |
| 8     | REFUSAL        | 23    | 7281.3     |                       |
| 9     | NOT STATED     | 1634  | 574812.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSU\_21B: Freq. of tangible social support

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=4369 / 1645307.32 ] [Invalid=58540 / 27233111.05 ]  |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSU_21A = (1, 7 or 8) or [SSA_02 = 1 and SSA_05 = (1, 7 or 8) and SSA_12 = (1, 7 or 8) and SSA_15 = (1, 7 or 8) and at least one of SSA_05, SSA_12, SSA_15 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998) |
| <b>Literal question</b>   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | ALMOST ALWAYS  | 3698  | 1421844.3  | 86.4%                 |
| 2     | FREQUENTLY     | 376   | 128112.1   | 7.8%                  |
| 3     | HALF THE TIME  | 128   | 40018.2    | 2.4%                  |
| 4     | RARELY         | 128   | 40729.0    | 2.5%                  |
| 5     | NEVER          | 39    | 14603.8    | 0.9%                  |
| 6     | NOT APPLICABLE | 56843 | 26638700.5 |                       |
| 7     | DON'T KNOW     | 9     | 1265.2     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1688  | 593145.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSU\_22A: Received affective support

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=12022 / 4721045.04 ] [Invalid=50887 / 24157373.33 ]   |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSA_06 = (2, 3, 4, 5, 7 or 8) or SSA_10 = (2, 3, 4, 5, 7 or 8) or SSA_20 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998)                                |
| <b>Literal question</b>   | In the past 12 months, did you receive the following support? - Someone [list of affection support reported]   |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label | Cases | Weighted  | Percentage (Weighted) |
|-------|-------|-------|-----------|-----------------------|
| 1     | YES   | 11285 | 4505132.8 | 95.4%                 |
| 2     | NO    | 737   | 215912.3  | 4.6%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSU\_22A: Received affective support

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 6     | NOT APPLICABLE | 49187 | 23562142.8 |                       |
| 7     | DON'T KNOW     | 29    | 8708.4     |                       |
| 8     | REFUSAL        | 23    | 7930.6     |                       |
| 9     | NOT STATED     | 1648  | 578591.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSU\_22B: Freq. of affective support

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=11250 / 4496177.7 ] [Invalid=51659 / 24382240.67 ]   |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSU_22A = (1, 7 or 8) or [SSA_06 = (1, 7 or 8) and SSA_10 = (1, 7 or 8) and SSA_20 = (1, 7 or 8) and at least one of SSA_06, SSA_10, SSA_20 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998) |
| <b>Literal question</b>   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | ALMOST ALWAYS  | 9035  | 3645044.0  | 81.1%                 |
| 2     | FREQUENTLY     | 1398  | 571517.4   | 12.7%                 |
| 3     | HALF THE TIME  | 556   | 196841.9   | 4.4%                  |
| 4     | RARELY         | 226   | 73132.8    | 1.6%                  |
| 5     | NEVER          | 35    | 9641.6     | 0.2%                  |
| 6     | NOT APPLICABLE | 49924 | 23778055.1 |                       |
| 7     | DON'T KNOW     | 28    | 4904.3     |                       |
| 8     | REFUSAL        | 7     | 4050.8     |                       |
| 9     | NOT STATED     | 1700  | 595230.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSU\_23A: Rec'd pos. social interac. supp.

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=12040 / 4720882.73 ] [Invalid=50869 / 24157535.64 ]  |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSA_07 = (2, 3, 4, 5, 7 or 8) or SSA_11 = (2, 3, 4, 5, 6, 7 or 8) or SSA_14 = (2, 3, 4, 5, 7 or 8) or SSA_18 = (2, 3, 4, 5, 7 or 8) |
| <b>Literal question</b>   | (In the past 12 months, did you receive the following support?) - Someone [list of positive social interaction reported]  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 11538 | 4575055.0  | 96.9%                 |
| 2     | NO             | 502   | 145827.7   | 3.1%                  |
| 6     | NOT APPLICABLE | 49161 | 23557724.2 |                       |
| 7     | DON'T KNOW     | 30    | 9826.5     |                       |
| 8     | REFUSAL        | 30    | 9233.9     |                       |
| 9     | NOT STATED     | 1648  | 580751.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SSU\_23B: Freq. of pos. social interac. supp.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=11519 / 4570852.25 ] [Invalid=51390 / 24307566.12 ] |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSU\_23B: Freq. of pos. social interac. supp.

|                         |  |
|-------------------------|--|
| <b>Universe</b>         | Respondents with DOSSU = 1 who answered SSU_23A = (1, 7 or 8) or [SSA_07 = (1, 7 or 8) and SSA_11 = (1, 7 or 8) and SSA_14 = (1, 7 or 8) and SSA_18 = (1, 7 or 8) and at least one of SSA_07, SSA_11, SSA_14, SSA_18 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (7 or 8) |
| <b>Literal question</b> | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | ALMOST ALWAYS  | 8865  | 3568774.7  | 78.1%                 |
| 2     | FREQUENTLY     | 1819  | 695657.4   | 15.2%                 |
| 3     | HALF THE TIME  | 648   | 248744.7   | 5.4%                  |
| 4     | RARELY         | 168   | 49590.1    | 1.1%                  |
| 5     | NEVER          | 19    | 8085.4     | 0.2%                  |
| 6     | NOT APPLICABLE | 49663 | 23703552.0 |                       |
| 7     | DON'T KNOW     | 16    | 3922.9     |                       |
| 8     | REFUSAL        | 2     | 212.3      |                       |
| 9     | NOT STATED     | 1709  | 599879.0   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSU\_24A: Received emotional/informational support

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=12051 / 4722358.14 ] [Invalid=50858 / 24156060.23 ]   |
| <b>Universe</b>           | Respondents with DOSSU = 1 who answered SSA_03 = (2, 3, 4, 5, 7 or 8) or SSA_04 = (2, 3, 4, 5, 7 or 8) or SSA_08 = (2, 3, 4, 5, 7 or 8) or SSA_09 = (2, 3, 4, 5, 7 or 8) or SSA_13 = (2, 3, 4, 5, 7 or 8) or SSA_16 = (2, 3, 4, 5, 7 or 8) or SSA_17 = (2, 3, 4, 5, 7 or 8) or SSA_19 = (2, 3, 4, 5, 7 or 8) or SSA_02 = (7 or 8) or SSA_01 = (997 or 998) |
| <b>Literal question</b>   | (In the past 12 months, did you receive the following support?) - Someone [list of emotional or informational support reported]  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 11229 | 4472388.5  | 94.7%                 |
| 2     | NO             | 822   | 249969.7   | 5.3%                  |
| 6     | NOT APPLICABLE | 49131 | 23551967.3 |                       |
| 7     | DON'T KNOW     | 50    | 14528.2    |                       |
| 8     | REFUSAL        | 34    | 10289.2    |                       |
| 9     | NOT STATED     | 1643  | 579275.5   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SSU\_24B: Freq. of emotional/info. support

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=11213 / 4469614.49 ] [Invalid=51696 / 24408803.88 ]  |
| <b>Universe</b>           | Respondents with DOSSU =1 who answered SSU_24A = (1, 7 or 8) or [SSA_03 = (1, 7 or 8) and SSA_04 = (1, 7 or 8) and SSA_08 = (1, 7 or 8) and SSA_09 = (1, 7 or 8) and SSA_13 = (1, 7 or 8) and SSA_16 = (1, 7 or 8) and SSA_17 = (1, 7 or 8) and SSA_19 = (1, 7 or 8) and at least one of SSA_03, SSA_04, SSA_08, SSA_09, SSA_13, SSA_16, SSA_17, SSA_19 = (7 or 8)] or SSA_02 = (7 or 8) or SSA_01 = (997 or 998) |
| <b>Literal question</b>   | When you needed it, how often did you receive this kind of support in the past 12 months: (almost always, frequently, half the time, rarely, or never)?   |

| Value | Label         | Cases | Weighted  | Percentage (Weighted) |
|-------|---------------|-------|-----------|-----------------------|
| 1     | ALMOST ALWAYS | 8809  | 3534043.5 | 79.1%                 |
| 2     | FREQUENTLY    | 1681  | 679159.3  | 15.2%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SSU\_24B: Freq. of emotional/info. support

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 3     | HALF THE TIME  | 559   | 201885.0   | 4.5%                  |
| 4     | RARELY         | 138   | 46278.1    | 1.0%                  |
| 5     | NEVER          | 26    | 8248.6     | 0.2%                  |
| 6     | NOT APPLICABLE | 49953 | 23801937.0 |                       |
| 7     | DON'T KNOW     | 15    | 2644.3     |                       |
| 8     | REFUSAL        | 1     | 129.7      |                       |
| 9     | NOT STATED     | 1727  | 604092.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DOCMH: Module: CMH - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 45664 | 22841343.2 | 79.3%                 |
| 2     | NO             | 15612 | 5954974.2  | 20.7%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CMH\_01K: Consulted mental health professional

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=43906 / 21928127.09 ] [Invalid=19003 / 6950291.28 ]   |
| <b>Universe</b>           | Respondents with DOCMH = 1   |
| <b>Literal question</b>   | In the past 12 months, that is, from [date one year ago] to yesterday, have you seen or talked to a health professional about your emotional or mental health? |
| <b>Notes</b>              | Include both face to face and telephone contacts.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 4860  | 2353706.7  | 10.7%                 |
| 2     | NO             | 39046 | 19574420.4 | 89.3%                 |
| 6     | NOT APPLICABLE | 17245 | 6037075.2  |                       |
| 7     | DON'T KNOW     | 33    | 14273.5    |                       |
| 8     | REFUSAL        | 24    | 7679.9     |                       |
| 9     | NOT STATED     | 1701  | 891262.7   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # CMHG01L: Cons. mental hlth prof. - no. times -(G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=4802 / 2336543.68 ] [Invalid=58107 / 26541874.69 ]   |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CMHG01L: Cons. mental hlth prof. - no. times -(G)

**Universe** Respondents who answered CMH\_01K = 1

**Literal question** How many times (in the past 12 months)?

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | 1 CONSULTATION   | 1246  | 564268.4   | 24.1%                 |
| 2     | 2 CONSULTATIONS  | 935   | 466209.3   | 20.0%                 |
| 3     | 3 CONSULTATIONS  | 509   | 236261.9   | 10.1%                 |
| 4     | 4 CONSULTATIONS  | 410   | 197795.3   | 8.5%                  |
| 5     | 5 CONSULTATIONS  | 232   | 120861.8   | 5.2%                  |
| 6     | 6 CONSULTATIONS  | 272   | 134973.6   | 5.8%                  |
| 7     | 7 CONSULTATIONS  | 55    | 29950.7    | 1.3%                  |
| 8     | 8 CONSULTATIONS  | 115   | 48424.5    | 2.1%                  |
| 9     | 9 CONSULTATIONS  | 30    | 17320.9    | 0.7%                  |
| 10    | 10 CONSULTATIONS | 181   | 108232.0   | 4.6%                  |
| 11    | 11 CONSULTATIONS | 11    | 3949.1     | 0.2%                  |
| 12    | 12+ CONSULTATION | 806   | 408296.1   | 17.5%                 |
| 96    | NOT APPLICABLE   | 56291 | 25611495.5 |                       |
| 97    | DON'T KNOW       | 0     | 0.0        |                       |
| 98    | REFUSAL          | 0     | 0.0        |                       |
| 99    | NOT STATED       | 1816  | 930379.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1MA: Consulted mental hlth prof. - fam. doc.

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]

**Universe** Respondents who answered CMH\_01K = (1, 7 or 8)

**Literal question** Whom did you see or talk to? - Family doctor or general practitioner

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2518  | 1112833.0  | 47.4%                 |
| 2     | NO             | 2327  | 1235506.8  | 52.6%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1MB: Consulted men. hlth prof. - psychiatrist

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]

**Universe** Respondents who answered CMH\_01K = (1, 7 or 8)

**Literal question** Whom did you see or talk to? - Psychiatrist

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1     | YES   | 1006  | 473941.9 | 20.2%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CMH\_1MB: Consulted men. hlth prof. - psychiatrist

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 2     | NO             | 3839  | 1874397.9  | 79.8%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1MC: Consulted men. hlth prof. - psychologist

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]  |
| <b>Universe</b>           | Respondents who answered CMH_01K = (1, 7 or 8)             |
| <b>Literal question</b>   | Whom did you see or talk to? - Psychologist                |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1059  | 657119.3   | 28.0%                 |
| 2     | NO             | 3786  | 1691220.4  | 72.0%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1MD: Consulted mental hlth prof. - nurse

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]  |
| <b>Universe</b>           | Respondents who answered CMH_01K = (1, 7 or 8)             |
| <b>Literal question</b>   | Whom did you see or talk to? - Nurse                       |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 245   | 90105.1    | 3.8%                  |
| 2     | NO             | 4600  | 2258234.7  | 96.2%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1ME: Consulted men. hlth prof.- social worker

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]  |
| <b>Universe</b>           | Respondents who answered CMH_01K = (1, 7 or 8)             |
| <b>Literal question</b>   | Whom did you see or talk to? - Social worker or counsellor |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 1     | YES   | 1042  | 427280.6 | 18.2%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # CMH\_1ME: Consulted men. hlth prof.- social worker

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 2     | NO             | 3803  | 1921059.2  | 81.8%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # CMH\_1MF: Consulted mental hlth prof. - other

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=4845 / 2348339.78 ] [Invalid=58064 / 26530078.59 ]  |
| <b>Universe</b>           | Respondents who answered CMH_01K = (1, 7 or 8)             |
| <b>Literal question</b>   | Whom did you see or talk to? - Other                       |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 270   | 147191.5   | 6.3%                  |
| 2     | NO             | 4575  | 2201148.3  | 93.7%                 |
| 6     | NOT APPLICABLE | 56291 | 25611495.5 |                       |
| 7     | DON'T KNOW     | 12    | 3480.7     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1761  | 915102.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DODIS: Module: DIS - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 20929 | 10660124.1 | 37.0%                 |
| 2     | NO             | 40347 | 18136193.3 | 63.0%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10A: Frequency/distress:tired out-past month

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=20109 / 10213932.77 ] [Invalid=42800 / 18664485.6 ]  |
| <b>Universe</b>           | Respondents with DODIS = 1  |
| <b>Literal question</b>   | During the past month, about how often did you feel tired out for no good reason: (all of the time, most of the time, some of the time, a little of the time, or none of the time)? |
| <b>Notes</b>              | Formerly DISA_01B in cycle 1.1.   |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DIS\_10A: Frequency/distress:tired out-past month

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 354   | 189829.7   | 1.9%                  |
| 2     | MOST OF THE TIME | 930   | 434459.7   | 4.3%                  |
| 3     | SOME OF THE TIME | 4174  | 2094147.1  | 20.5%                 |
| 4     | LITTLE OF TIME   | 5390  | 2798777.2  | 27.4%                 |
| 5     | NONE OF THE TIME | 9261  | 4696719.0  | 46.0%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 107   | 27838.5    |                       |
| 8     | REFUSAL          | 44    | 16345.0    |                       |
| 9     | NOT STATED       | 669   | 402007.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10B: Freq./distress: felt nervous - past mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=20038 / 10190556.49 ] [Invalid=42871 / 18687861.88 ]  |
| <b>Universe</b>           | Respondents with DODIS = 1                                   |
| <b>Literal question</b>   | During the past month, about how often did you feel nervous? |
| <b>Notes</b>              | Formerly DISA_01B in cycle 1.1.                              |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 340   | 180844.0   | 1.8%                  |
| 2     | MOST OF THE TIME | 1008  | 574913.1   | 5.6%                  |
| 3     | SOME OF THE TIME | 4490  | 2496009.2  | 24.5%                 |
| 4     | LITTLE OF TIME   | 4977  | 2693758.0  | 26.4%                 |
| 5     | NONE OF THE TIME | 9223  | 4245032.3  | 41.7%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 65    | 20001.4    |                       |
| 8     | REFUSAL          | 4     | 2886.7     |                       |
| 9     | NOT STATED       | 822   | 446679.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DIS\_10C: Freq./distress:so nervous - past month

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=20016 / 10184673.14 ] [Invalid=42893 / 18693745.23 ]  |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | (During the past month, about how often did you feel) so nervous that nothing could calm you down?                                       |
| <b>Notes</b>              | In processing, if a respondent answered DIS_10B = 5 (none of the time), the variable DIS_10C is given the value of 5 (none of the time). |

| Value | Label            | Cases | Weighted | Percentage (Weighted) |
|-------|------------------|-------|----------|-----------------------|
| 1     | ALL OF THE TIME  | 79    | 36105.0  | 0.4%                  |
| 2     | MOST OF THE TIME | 159   | 96925.0  | 1.0%                  |
| 3     | SOME OF THE TIME | 690   | 386711.6 | 3.8%                  |
| 4     | LITTLE OF TIME   | 1473  | 859099.5 | 8.4%                  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DIS\_10C: Freq./distress:so nervous - past month

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 5     | NONE OF THE TIME | 17615 | 8805832.1  | 86.5%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 20    | 5044.9     |                       |
| 8     | REFUSAL          | 2     | 838.4      |                       |
| 9     | NOT STATED       | 891   | 469567.6   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10D: Freq./distress: felt hopeless - past mo

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]    |
| <b>Statistics [NW/ W]</b> | [Valid=20058 / 10196361.74 ] [Invalid=42851 / 18682056.63 ]   |
| <b>Universe</b>           | Respondents with DODIS = 1                                    |
| <b>Literal question</b>   | During the past month, about how often did you feel hopeless? |
| <b>Notes</b>              | Formerly DISA_01D in cycle 1.1.                               |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 77    | 40299.3    | 0.4%                  |
| 2     | MOST OF THE TIME | 197   | 107681.3   | 1.1%                  |
| 3     | SOME OF THE TIME | 1034  | 555723.4   | 5.5%                  |
| 4     | LITTLE OF TIME   | 1695  | 922583.4   | 9.0%                  |
| 5     | NONE OF THE TIME | 17055 | 8570074.4  | 84.1%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 40    | 14627.2    |                       |
| 8     | REFUSAL          | 8     | 2073.8     |                       |
| 9     | NOT STATED       | 823   | 447061.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10E: Freq./distress: felt restless - past mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]               |
| <b>Statistics [NW/ W]</b> | [Valid=20040 / 10188315.78 ] [Invalid=42869 / 18690102.59 ]              |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | During the past month, about how often did you feel restless or fidgety? |
| <b>Notes</b>              | Formerly DISA_01C in cycle 1.1.  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 280   | 150774.5   | 1.5%                  |
| 2     | MOST OF THE TIME | 564   | 309291.6   | 3.0%                  |
| 3     | SOME OF THE TIME | 2741  | 1410975.7  | 13.8%                 |
| 4     | LITTLE OF TIME   | 3217  | 1664901.6  | 16.3%                 |
| 5     | NONE OF THE TIME | 13238 | 6652372.3  | 65.3%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 55    | 21538.6    |                       |
| 8     | REFUSAL          | 9     | 2561.2     |                       |
| 9     | NOT STATED       | 825   | 447708.6   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DIS\_10F: Frequency/distress:could not sit still

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=20016 / 10174144.06 ] [Invalid=42893 / 18704274.31 ]  |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | (During the past month, about how often did you feel) so restless you could not sit still?   |
| <b>Notes</b>              | In processing, if a respondent answered DIS_10E = 5 (none of the time), the variable DIS_10F is given the value of 5 (none of the time). |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 145   | 77716.3    | 0.8%                  |
| 2     | MOST OF THE TIME | 246   | 125573.0   | 1.2%                  |
| 3     | SOME OF THE TIME | 1012  | 512733.2   | 5.0%                  |
| 4     | LITTLE OF TIME   | 1462  | 773246.1   | 7.6%                  |
| 5     | NONE OF THE TIME | 17151 | 8684875.6  | 85.4%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 23    | 13565.2    |                       |
| 8     | REFUSAL          | 1     | 606.6      |                       |
| 9     | NOT STATED       | 889   | 471808.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10G: Freq./distress: sad,depressed - past mo

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]              |
| <b>Statistics [NW/ W]</b> | [Valid=20060 / 10199311.25 ] [Invalid=42849 / 18679107.12 ]             |
| <b>Universe</b>           | Respondents with DODIS = 1  |
| <b>Literal question</b>   | (During the past month, about how often did you feel) sad or depressed? |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 146   | 74437.2    | 0.7%                  |
| 2     | MOST OF THE TIME | 465   | 247575.1   | 2.4%                  |
| 3     | SOME OF THE TIME | 3187  | 1668606.1  | 16.4%                 |
| 4     | LITTLE OF TIME   | 3903  | 2086743.9  | 20.5%                 |
| 5     | NONE OF THE TIME | 12359 | 6121949.1  | 60.0%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 32    | 10493.2    |                       |
| 8     | REFUSAL          | 10    | 1582.6     |                       |
| 9     | NOT STATED       | 827   | 448737.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10H: Freq./d.:dep,nothing cheer up - past mo.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=20041 / 10187434.51 ] [Invalid=42868 / 18690983.86 ]  |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | (During the past month, about how often did you feel) so depressed that nothing could cheer you up?                                      |
| <b>Notes</b>              | In processing, if a respondent answered DIS_10G = 5 (none of the time), the variable DIS_10H is given the value of 5 (none of the time). |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DIS\_10H: Freq./d.:dep,nothing cheer up - past mo.

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 58    | 29929.2    | 0.3%                  |
| 2     | MOST OF THE TIME | 175   | 85275.9    | 0.8%                  |
| 3     | SOME OF THE TIME | 691   | 366229.4   | 3.6%                  |
| 4     | LITTLE OF TIME   | 1150  | 650962.1   | 6.4%                  |
| 5     | NONE OF THE TIME | 17967 | 9055037.9  | 88.9%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 19    | 11876.7    |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 869   | 460812.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DIS\_10I: Freq./distr: every. was effort - past mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]                           |
| <b>Statistics [NW/ W]</b> | [Valid=19990 / 10166499.98 ] [Invalid=42919 / 18711918.39 ]                          |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | (During the past month, about how often did you feel) that everything was an effort? |
| <b>Notes</b>              | Formerly DISA_01F in cycle 1.1.  |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | ALL OF THE TIME  | 267   | 133422.7   | 1.3%                  |
| 2     | MOST OF THE TIME | 538   | 269505.6   | 2.7%                  |
| 3     | SOME OF THE TIME | 1978  | 1001135.4  | 9.8%                  |
| 4     | LITTLE OF TIME   | 2361  | 1357355.0  | 13.4%                 |
| 5     | NONE OF THE TIME | 14846 | 7405081.3  | 72.8%                 |
| 6     | NOT APPLICABLE   | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW       | 96    | 36536.5    |                       |
| 8     | REFUSAL          | 16    | 8350.6     |                       |
| 9     | NOT STATED       | 827   | 448737.0   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DIS\_10J: Freq./distr.: felt worthless - past mo

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]      |
| <b>Statistics [NW/ W]</b> | [Valid=20043 / 10191679.87 ] [Invalid=42866 / 18686738.5 ]      |
| <b>Universe</b>           | Respondents with DODIS = 1                                      |
| <b>Literal question</b>   | During the past month, about how often did you feel) worthless? |
| <b>Notes</b>              | Formerly DISA_01E in cycle 1.1.                                 |

| Value | Label            | Cases | Weighted  | Percentage (Weighted) |
|-------|------------------|-------|-----------|-----------------------|
| 1     | ALL OF THE TIME  | 91    | 31616.6   | 0.3%                  |
| 2     | MOST OF THE TIME | 168   | 84971.5   | 0.8%                  |
| 3     | SOME OF THE TIME | 715   | 372188.8  | 3.7%                  |
| 4     | LITTLE OF TIME   | 1202  | 661700.0  | 6.5%                  |
| 5     | NONE OF THE TIME | 17867 | 9041203.0 | 88.7%                 |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DIS\_10J: Freq./distr.: felt worthless - past mo

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 6     | NOT APPLICABLE | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW     | 46    | 16817.7    |                       |
| 8     | REFUSAL        | 13    | 2889.5     |                       |
| 9     | NOT STATED     | 827   | 448737.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10K: Freq. of distress feelings - past mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=19931 / 10159547.2 ] [Invalid=42978 / 18718871.17 ]   |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | Taking them altogether, did these feelings occur more often in the past month than is usual for you, less often than usual or about the same as usual? |
| <b>Notes</b>              | Formerly DISA_01G in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | MORE OFTEN     | 2529  | 1421929.3  | 14.0%                 |
| 2     | LESS OFTEN     | 1553  | 850061.6   | 8.4%                  |
| 3     | ABOUT THE SAME | 11547 | 5927566.2  | 58.3%                 |
| 4     | NEVER HAD ANY  | 4302  | 1959990.0  | 19.3%                 |
| 6     | NOT APPLICABLE | 41980 | 18218294.2 |                       |
| 7     | DON'T KNOW     | 146   | 45614.2    |                       |
| 8     | REFUSAL        | 16    | 4488.9     |                       |
| 9     | NOT STATED     | 836   | 450473.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10L: Freq. of distress feelings (more often)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=2503 / 1408825.48 ] [Invalid=60406 / 27469592.89 ]  |
| <b>Universe</b>           | Respondents who answered DIS_10K = (1, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8) |
| <b>Literal question</b>   | Is that a lot more, somewhat more or only a little more often than usual?  |
| <b>Notes</b>              | Formerly DISA_01H in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | A LOT          | 852   | 463084.4   | 32.9%                 |
| 2     | SOMEWHAT       | 659   | 325849.5   | 23.1%                 |
| 3     | A LITTLE       | 992   | 619891.5   | 44.0%                 |
| 6     | NOT APPLICABLE | 59382 | 26955912.1 |                       |
| 7     | DON'T KNOW     | 25    | 12969.5    |                       |
| 8     | REFUSAL        | 1     | 134.4      |                       |
| 9     | NOT STATED     | 998   | 500576.9   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DIS\_10M: Freq. of distress feelings (less often)

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*] |
|--------------------|--|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DIS\_10M: Freq. of distress feelings (less often)

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=1514 / 838854.98 ] [Invalid=61395 / 28039563.39 ]   |
| <b>Universe</b>           | Respondents who answered DIS_10K = (2, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8) |
| <b>Literal question</b>   | Is that a lot less, somewhat less or only a little less often than usual?  |
| <b>Notes</b>              | Formerly DISA_01I in cycle 1.1.  |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | A LOT          | 528   | 288109.1  | 34.3%                 |
| 2     | SOMEWHAT       | 405   | 214628.9  | 25.6%                 |
| 3     | A LITTLE       | 581   | 336117.0  | 40.1%                 |
| 6     | NOT APPLICABLE | 60358 | 2752779.8 |                       |
| 7     | DON'T KNOW     | 38    | 11150.4   |                       |
| 8     | REFUSAL        | 1     | 56.2      |                       |
| 9     | NOT STATED     | 998   | 500576.9  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DIS\_10N: Freq./distr. feelings int. w/life-p.m.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=15583 / 8177304.66 ] [Invalid=47326 / 20701113.71 ]   |
| <b>Universe</b>           | Respondents who answered DIS_10K = (1, 2, 3, 7 or 8) or DIS_10A = (7 or 8) or DIS_10B = (7 or 8) or DIS_10C = (7 or 8) or DIS_10D = (7 or 8) or DIS_10E = (7 or 8) or DIS_10F = (7 or 8) or DIS_10G = (7 or 8) or DIS_10H = (7 or 8) or DIS_10I = (7 or 8) or DIS_10J = (7 or 8) |
| <b>Literal question</b>   | During the past month, how much did these feelings usually interfere with your life or activities: (a lot, some, a little, or not at all)?   |
| <b>Notes</b>              | Formerly DISA_01J in cycle 1.1.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | A LOT          | 675   | 377702.0   | 4.6%                  |
| 2     | SOME           | 1324  | 707183.3   | 8.6%                  |
| 3     | A LITTLE       | 3874  | 1981876.6  | 24.2%                 |
| 4     | NOT AT ALL     | 9710  | 5110542.7  | 62.5%                 |
| 6     | NOT APPLICABLE | 46282 | 20178284.2 |                       |
| 7     | DON'T KNOW     | 36    | 16209.5    |                       |
| 8     | REFUSAL        | 4     | 694.7      |                       |
| 9     | NOT STATED     | 1004  | 505925.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DISDK6: Distress scale - K6 - past month - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-24] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=19823 / 10104565.74 ] [Invalid=43086 / 18773852.63 ] [Mean=2.497 / 2.628 ] [StdDev=3.137 / 3.132 ] |
| <b>Universe</b>           | Respondents with DODIS = 1  |
| <b>Literal question</b>   | Distress scale - K6 - past month - (D)  |
| <b>Notes</b>              | Based on DIS_10B, DIS_10D, DIS_10E, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables.    |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DISDK6: Distress scale - K6 - past month - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 41980 | 18218294.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1106  | 555558.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DISDCHR: Chronicity of distress/impair. scale (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]                  |
| <b>Statistics [NW/ W]</b> | [Valid=19866 / 10135236.68 ] [Invalid=43043 / 18743181.69 ]                 |
| <b>Universe</b>           | Respondents with DODIS = 1  |
| <b>Literal question</b>   | Chronicity of distress/impair. scale (D)                                    |
| <b>Notes</b>              | Based on DIS_10K, DIS_10L, DIS_10M. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | A LOT MORE     | 852   | 463084.4   | 4.6%                  |
| 2     | SOMEWHAT MORE  | 659   | 325849.5   | 3.2%                  |
| 3     | LITTLE MORE    | 992   | 619891.5   | 6.1%                  |
| 4     | ABOUT THE SAME | 11547 | 5927566.2  | 58.5%                 |
| 5     | LITTLE LESS    | 581   | 336117.0   | 3.3%                  |
| 6     | SOMEWHAT LESS  | 405   | 214628.9   | 2.1%                  |
| 7     | A LOT LESS     | 528   | 288109.1   | 2.8%                  |
| 8     | NEVER HAD ANY  | 4302  | 1959990.0  | 19.3%                 |
| 96    | NOT APPLICABLE | 41980 | 18218294.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1063  | 524887.5   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DISDDSX: Distress scale - K10 - past month - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-40] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=19793 / 10090148.22 ] [Invalid=43116 / 18788270.15 ] [Mean=4.404 / 4.578 ] [StdDev=5.054 / 5.075 ]                                  |
| <b>Universe</b>           | Respondents with DODIS = 1   |
| <b>Literal question</b>   | Distress scale - K10 - past month - (D)  |
| <b>Notes</b>              | Based on DIS_10A, DIS_10B, DIS_10C, DIS_10D, DIS_10E, DIS_10F, DIS_10G, DIS_10H, DIS_10I, DIS_10J. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 41980 | 18218294.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1136  | 569975.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DODEP: Module: DPS - (F)

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DODEP: Module: DPS - (F)

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 29653 | 14657349.2 | 50.9%                 |
| 2     | NO             | 31623 | 14138968.2 | 49.1%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_02: Depressed >= 2 weeks - 12 mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=28491 / 14037578.78 ] [Invalid=34418 / 14840839.59 ]  |
| <b>Universe</b>           | Respondents with DODPS = 1   |
| <b>Literal question</b>   | During the past 12 months, was there ever a time when you felt sad, blue, or depressed for 2 weeks or more in a row? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3592  | 1731200.3  | 12.3%                 |
| 2     | NO             | 24899 | 12306378.5 | 87.7%                 |
| 6     | NOT APPLICABLE | 33256 | 14221069.2 |                       |
| 7     | DON'T KNOW     | 65    | 23919.0    |                       |
| 8     | REFUSAL        | 67    | 23739.1    |                       |
| 9     | NOT STATED     | 1030  | 572112.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_03: Dep. -length/time feelings lasted - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3549 / 1709072.17 ] [Invalid=59360 / 27169346.2 ]   |
| <b>Universe</b>           | Respondents who answered DPS_02 = (1, 7 or 8)  |
| <b>Literal question</b>   | Think of the 2-week period during the past 12 months when these feelings were the worst. During that time, how long did these feelings usually last: (all day long, most of the day, about half of the day, or less than half of a day)? |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | ALL DAY LONG    | 993   | 491847.7   | 28.8%                 |
| 2     | MOST OF THE DAY | 1095  | 518599.9   | 30.3%                 |
| 3     | ABOUT HALF/DAY  | 812   | 377260.7   | 22.1%                 |
| 4     | LESS HALF/DAY   | 649   | 321363.9   | 18.8%                 |
| 6     | NOT APPLICABLE  | 58155 | 26527447.6 |                       |
| 7     | DON'T KNOW      | 33    | 19675.5    |                       |
| 8     | REFUSAL         | 9     | 2180.5     |                       |
| 9     | NOT STATED      | 1163  | 620042.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_04: Depressed - frequency - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=2081 / 1009275.33 ] [Invalid=60828 / 27869143.04 ]   |
| <b>Universe</b>           | Respondents who answered DPS_03 = (1, 2, 7 or 8) or DPS_02 = (7 or 8)                               |
| <b>Literal question</b>   | How often did you feel this way during those 2 weeks: (every day, almost every day, or less often)? |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | EVERY DAY        | 1107  | 556765.9   | 55.2%                 |
| 2     | ALMOST EVERY DAY | 846   | 391760.8   | 38.8%                 |
| 3     | LESS OFTEN       | 128   | 60748.6    | 6.0%                  |
| 6     | NOT APPLICABLE   | 59616 | 27226072.2 |                       |
| 7     | DON'T KNOW       | 6     | 785.7      |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 1206  | 642285.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_05: Dep.-lost interest in most things - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=1946 / 947046.9 ] [Invalid=60963 / 27931371.47 ]                                    |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | During those 2 weeks did you lose interest in most things?                                 |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1509  | 725195.8   | 76.6%                 |
| 2     | NO             | 437   | 221851.1   | 23.4%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 5     | 1374.6     |                       |
| 8     | REFUSAL        | 2     | 105.2      |                       |
| 9     | NOT STATED     | 1212  | 643070.8   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_06: Dep. - felt tired all of the time - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=1943 / 946499.42 ] [Invalid=60966 / 27931918.95 ]                                   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you feel tired out or low on energy all of the time?                                   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1627  | 786796.5   | 83.1%                 |
| 2     | NO             | 316   | 159703.0   | 16.9%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 3     | 547.5      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1219  | 644550.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DPS\_07: Depressed - weight change - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=1925 / 937514.82 ] [Invalid=60984 / 27940903.55 ]                                   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you gain weight, lose weight or stay about the same?                                   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | GAINED WEIGHT  | 367   | 191849.6   | 20.5%                 |
| 2     | LOST WEIGHT    | 592   | 279094.6   | 29.8%                 |
| 3     | STAYED SAME    | 964   | 466205.2   | 49.7%                 |
| 4     | WAS ON A DIET  | 2     | 365.4      | 0.0%                  |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 18    | 8984.6     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1222  | 645098.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_08A: Depressed -weight change (amount) - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 1-90] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=895 / 440827.7 ] [Invalid=62014 / 28437590.67 ] [Mean=13.336 / 12.666 ] [StdDev=11.208 / 9.872 ]      |
| <b>Universe</b>           | Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8) |
| <b>Literal question</b>   | About how much did you gain/lose?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 996   | NOT APPLICABLE | 60710 | 27753391.5 |                       |
| 997   | DON'T KNOW     | 62    | 29174.2    |                       |
| 998   | REFUSAL        | 1     | 700.7      |                       |
| 999   | NOT STATED     | 1241  | 654324.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_08B: Depressed - weight change (lb/kg) - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=895 / 440827.7 ] [Invalid=62014 / 28437590.67 ]   |
| <b>Universe</b>           | Respondents who answered DPS_07 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 = (7 or 8) |
| <b>Literal question</b>   | Interviewer: Was that in pounds or in kilograms?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | POUNDS         | 870   | 428025.3   | 97.1%                 |
| 2     | KILOGRAMS      | 25    | 12802.4    | 2.9%                  |
| 6     | NOT APPLICABLE | 60710 | 27753391.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1304  | 684199.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPS\_09: Depressed - trouble fall asleep - 2 wk

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_09: Depressed - trouble fall asleep - 2 wk

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=1919 / 935737.14 ] [Invalid=60990 / 27942681.23 ]                                   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you have more trouble falling asleep than you usually do?                              |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1405  | 673810.0   | 72.0%                 |
| 2     | NO             | 514   | 261927.1   | 28.0%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 5     | 1536.2     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1241  | 654324.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_10: Depr. - fall asleep (freq.) - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=1397 / 670981.98 ] [Invalid=61512 / 28207436.39 ]  |
| <b>Universe</b>           | Respondents who answered DPS_09 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06 or DPS_07 = (7 or 8) |
| <b>Literal question</b>   | How often did that happen: (every night, nearly every night, or less often)?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EVERY NIGHT    | 617   | 296747.2   | 44.2%                 |
| 2     | NEARLY EVERY   | 633   | 303933.9   | 45.3%                 |
| 3     | LESS OFTEN     | 147   | 70300.9    | 10.5%                 |
| 6     | NOT APPLICABLE | 60258 | 27548748.0 |                       |
| 7     | DON'T KNOW     | 8     | 2828.0     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1246  | 655860.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_11: Depressed - trouble concentrating - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=1900 / 929580.53 ] [Invalid=61009 / 27948837.84 ]                                   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you have a lot more trouble concentrating than usual?                                  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1509  | 738711.5   | 79.5%                 |
| 2     | NO             | 391   | 190869.1   | 20.5%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 11    | 3328.6     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1254  | 658688.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_12: Depressed - felt down on self - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=1889 / 924083.94 ] [Invalid=61020 / 27954334.43 ]   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)             |
| <b>Literal question</b>   | At these times, people sometimes feel down on themselves, no good or worthless. Did you feel this way? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1195  | 566022.5   | 61.3%                 |
| 2     | NO             | 694   | 358061.5   | 38.7%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 8     | 2864.0     |                       |
| 8     | REFUSAL        | 3     | 2632.6     |                       |
| 9     | NOT STATED     | 1265  | 662017.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_13: Depr.- thought a lot about death - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=1880 / 922548.29 ] [Invalid=61029 / 27955870.08 ]                                   |
| <b>Universe</b>           | Respondents who answered DPS_04 = (1, 2, 7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you think a lot about death - either your own, someone else's, or death in general?    |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1008  | 468016.8   | 50.7%                 |
| 2     | NO             | 872   | 454531.5   | 49.3%                 |
| 6     | NOT APPLICABLE | 59744 | 27286820.9 |                       |
| 7     | DON'T KNOW     | 5     | 717.1      |                       |
| 8     | REFUSAL        | 4     | 818.5      |                       |
| 9     | NOT STATED     | 1276  | 667513.6   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_14: Depressed - number of weeks - 12 mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=1775 / 877164.86 ] [Invalid=61134 / 28001253.51 ] [Mean=13.117 / 12.452 ] [StdDev=14.29 / 13.853 ]  |
| <b>Universe</b>           | Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) or DPS_10 = (7 or 8) |
| <b>Literal question</b>   | About how many weeks altogether did you feel this way during the past 12 months?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 59769 | 27299647.7 |                       |
| 97    | DON'T KNOW     | 78    | 31757.1    |                       |
| 98    | REFUSAL        | 1     | 92.4       |                       |
| 99    | NOT STATED     | 1286  | 669756.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_15: Depressed - most recent month - 2 wk

|                    |   |
|--------------------|---|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
|--------------------|---|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_15: Depressed - most recent month - 2 wk

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=1620 / 796907.85 ] [Invalid=61289 / 28081510.52 ]  |
| <b>Universe</b>           | Respondents who answered DPS_14 < 52 or DPS_14 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13 = (7 or 8) |
| <b>Literal question</b>   | Think about the last time you felt this way for 2 weeks or more in a row. In what month was that?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | JANUARY        | 156   | 85841.0    | 10.8%                 |
| 2     | FEBRUARY       | 148   | 57731.7    | 7.2%                  |
| 3     | MARCH          | 136   | 72139.9    | 9.1%                  |
| 4     | APRIL          | 128   | 48795.5    | 6.1%                  |
| 5     | MAY            | 118   | 51480.4    | 6.5%                  |
| 6     | JUNE           | 135   | 75710.4    | 9.5%                  |
| 7     | JULY           | 122   | 50211.8    | 6.3%                  |
| 8     | AUGUST         | 124   | 61030.3    | 7.7%                  |
| 9     | SEPTEMBER      | 140   | 71770.8    | 9.0%                  |
| 10    | OCTOBER        | 130   | 69647.4    | 8.7%                  |
| 11    | NOVEMBER       | 134   | 83632.0    | 10.5%                 |
| 12    | DECEMBER       | 149   | 68916.7    | 8.6%                  |
| 96    | NOT APPLICABLE | 59889 | 27353239.5 |                       |
| 97    | DON'T KNOW     | 33    | 23138.8    |                       |
| 98    | REFUSAL        | 1     | 3193.9     |                       |
| 99    | NOT STATED     | 1366  | 701938.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_16: Loss int. - things give pleasure - 12 mo

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=26431 / 13046855.44 ] [Invalid=36478 / 15831562.93 ]   |
| <b>Universe</b>           | Respondents who answered DPS_02 = (2, 7 or 8) or DPS_03 = (3, 4, 7 or 8) or DPS_04 = (3, 7 or 8)  |
| <b>Literal question</b>   | During the past 12 months, was there ever a time lasting 2 weeks or more when you lost interest in most things like hobbies, work or activities that usually give you pleasure? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1714  | 867415.4   | 6.6%                  |
| 2     | NO             | 24717 | 12179440.0 | 93.4%                 |
| 6     | NOT APPLICABLE | 35209 | 15169595.9 |                       |
| 7     | DON'T KNOW     | 49    | 16082.9    |                       |
| 8     | REFUSAL        | 7     | 2373.2     |                       |
| 9     | NOT STATED     | 1213  | 643511.0   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_17: Loss interest - freq. - 12 mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=1692 / 861114.84 ] [Invalid=61217 / 28017303.53 ]   |
| <b>Universe</b>           | Respondents who answered DPS_16 = (1, 7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8)   |
| <b>Literal question</b>   | Please think of the 2-week period during the past 12 months when you had the most complete loss of interest in things. During that 2-week period, how long did the loss of interest usually last: (all day long..., or less than half of a day)? |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DPS\_17: Loss interest - freq. - 12 mo

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     | ALL DAY LONG    | 306   | 156931.3   | 18.2%                 |
| 2     | MOST OF THE DAY | 406   | 206924.6   | 24.0%                 |
| 3     | ABOUT HALF/DAY  | 561   | 296214.0   | 34.4%                 |
| 4     | LESS HALF/DAY   | 419   | 201044.9   | 23.3%                 |
| 6     | NOT APPLICABLE  | 59926 | 27349035.9 |                       |
| 7     | DON'T KNOW      | 21    | 5789.0     |                       |
| 8     | REFUSAL         | 1     | 511.6      |                       |
| 9     | NOT STATED      | 1269  | 661967.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_18: Loss interest - freq. - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=706 / 361657.67 ] [Invalid=62203 / 28516760.7 ]   |
| <b>Universe</b>           | Respondents who answered DPS_17 = (1, 2, 7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | EVERY DAY        | 192   | 95789.4    | 26.5%                 |
| 2     | ALMOST EVERY DAY | 351   | 180038.6   | 49.8%                 |
| 3     | LESS OFTEN       | 163   | 85829.6    | 23.7%                 |
| 6     | NOT APPLICABLE   | 60906 | 27846294.8 |                       |
| 7     | DON'T KNOW       | 5     | 2003.7     |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 1292  | 668462.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_19: Loss int. -felt tired all the time -2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=543 / 275828.08 ] [Invalid=62366 / 28602590.29 ]   |
| <b>Universe</b>           | Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | During those 2 weeks did you feel tired out or low on energy all the time?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 453   | 233601.0   | 84.7%                 |
| 2     | NO             | 90    | 42227.1    | 15.3%                 |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1297  | 670465.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # DPS\_20: Loss interest - weight change - 2 wk

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=536 / 272892.17 ] [Invalid=62373 / 28605526.2 ]     |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_20: Loss interest - weight change - 2 wk

**Universe** Respondents who answered DPS\_18 = (1, 2, 7 or 8) or DPS\_17 = (7 or 8) or DPS\_16 = (7 or 8) or DPS\_04 = (7 or 8) or DPS\_03 = (7 or 8) or DPS\_02 = (7 or 8)

**Literal question** Did you gain weight, lose weight, or stay about the same?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | GAINED WEIGHT  | 120   | 59843.1    | 21.9%                 |
| 2     | LOST WEIGHT    | 109   | 50505.8    | 18.5%                 |
| 3     | STAYED SAME    | 306   | 161812.4   | 59.3%                 |
| 4     | WAS ON A DIET  | 1     | 730.9      | 0.3%                  |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 7     | 2935.9     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1297  | 670465.9   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_21A: Loss interest - weight change (amount)

**Information** [Type= continuous] [Format=numeric] [Range= 1-50] [Missing=\*]

**Statistics [NW/ W]** [Valid=213 / 103671.3 ] [Invalid=62696 / 28774747.07 ] [Mean=11.765 / 12.998 ] [StdDev=9.732 / 10.695 ]

**Universe** Respondents who answered DPS\_20 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_16, DPS\_17, DPS\_18 or DPS\_19 = (7 or 8)

**Literal question** About how much did you gain/lose?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 996   | NOT APPLICABLE | 61376 | 28094667.6 |                       |
| 997   | DON'T KNOW     | 15    | 6620.5     |                       |
| 998   | REFUSAL        | 1     | 57.1       |                       |
| 999   | NOT STATED     | 1304  | 673401.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_21B: Loss int. - weight change (lb/kg) - 2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=213 / 103671.3 ] [Invalid=62696 / 28774747.07 ]

**Universe** Respondents who answered DPS\_20 = (1, 2, 7 or 8) or one of DPS\_02, DPS\_03, DPS\_04, DPS\_16, DPS\_17, DPS\_18 or DPS\_19 = (7 or 8)

**Literal question** Interviewer: Was that in pounds or in kilograms?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | POUNDS         | 211   | 103068.6   | 99.4%                 |
| 2     | KILOGRAMS      | 2     | 602.7      | 0.6%                  |
| 6     | NOT APPLICABLE | 61376 | 28094667.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1320  | 680079.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_22: Loss interest -trouble fall asleep -2 wk

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_22: Loss interest -trouble fall asleep -2 wk

|                           |   |
|---------------------------|---|
| <b>Statistics [NW/ W]</b> | [Valid=535 / 272667.95 ] [Invalid=62374 / 28605750.42 ]   |
| <b>Universe</b>           | Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you have more trouble falling asleep than you usually do?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 318   | 160664.7   | 58.9%                 |
| 2     | NO             | 217   | 112003.3   | 41.1%                 |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 1     | 224.2      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1304  | 673401.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_23: Loss int. -trouble to sleep (freq) -2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=317 / 160586.51 ] [Invalid=62592 / 28717831.86 ]   |
| <b>Universe</b>           | Respondents who answered DPS_22 = (1, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20 = (7 or 8) |
| <b>Literal question</b>   | How often did that happen: (every night, nearly every night, or less often)? ?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | EVERY NIGHT    | 116   | 59198.8    | 36.9%                 |
| 2     | NEARLY EVERY   | 155   | 77881.4    | 48.5%                 |
| 3     | LESS OFTEN     | 46    | 23506.3    | 14.6%                 |
| 6     | NOT APPLICABLE | 61286 | 28044127.6 |                       |
| 7     | DON'T KNOW     | 1     | 78.2       |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1305  | 673626.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DPS\_24: Loss int.- trouble concentrating - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=530 / 271997.41 ] [Invalid=62379 / 28606420.96 ]   |
| <b>Universe</b>           | Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you have a lot more trouble concentrating than usual?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 372   | 184598.6   | 67.9%                 |
| 2     | NO             | 158   | 87398.8    | 32.1%                 |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 4     | 592.4      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1306  | 673704.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPS\_25: Loss interest - felt down on self - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=527 / 270477.15 ] [Invalid=62382 / 28607941.22 ]   |
| <b>Universe</b>           | Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | At these times, people sometimes feel down on themselves, no good, or worthless. Did you feel this way?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 264   | 139643.5   | 51.6%                 |
| 2     | NO             | 263   | 130833.6   | 48.4%                 |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 3     | 1520.3     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1310  | 674296.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_26: Loss int.- thought a lot/death - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=526 / 270384.77 ] [Invalid=62383 / 28608033.6 ]  |
| <b>Universe</b>           | Respondents who answered DPS_18 = (1, 2, 7 or 8) or DPS_17 = (7 or 8) or DPS_16 = (7 or 8) or DPS_04 = (7 or 8) or DPS_03 = (7 or 8) or DPS_02 = (7 or 8) |
| <b>Literal question</b>   | Did you think a lot about death - either your own, someone else's, or death in general?   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 211   | 96654.6    | 35.7%                 |
| 2     | NO             | 315   | 173730.2   | 64.3%                 |
| 6     | NOT APPLICABLE | 61069 | 27932124.4 |                       |
| 7     | DON'T KNOW     | 1     | 92.4       |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1313  | 675816.9   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DPS\_27: Loss interest - nombre of weeks - 12 mo

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 2-52] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=494 / 258350.78 ] [Invalid=62415 / 28620067.59 ] [Mean=9.33 / 8.751 ] [StdDev=11.77 / 10.717 ]  |
| <b>Universe</b>           | Respondents who answered DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8) |
| <b>Literal question</b>   | About how many weeks did you feel this way during the past 12 months?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 61086 | 27939149.3 |                       |
| 97    | DON'T KNOW     | 15    | 5009.0     |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1314  | 675909.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DPS\_28: Loss interest - most recent month - 2 wk

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=456 / 242866.98 ] [Invalid=62453 / 28635551.39 ]   |
| <b>Universe</b>           | Respondents who answered DPS_27 < 52 or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8) |
| <b>Literal question</b>   | Think about the last time you had 2 weeks in a row when you felt this way. In what month was that?  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | JANUARY        | 57    | 45402.1    | 18.7%                 |
| 2     | FEBRUARY       | 44    | 20351.1    | 8.4%                  |
| 3     | MARCH          | 36    | 16719.8    | 6.9%                  |
| 4     | APRIL          | 35    | 13197.6    | 5.4%                  |
| 5     | MAY            | 30    | 16348.5    | 6.7%                  |
| 6     | JUNE           | 30    | 13921.1    | 5.7%                  |
| 7     | JULY           | 42    | 16993.6    | 7.0%                  |
| 8     | AUGUST         | 36    | 26650.0    | 11.0%                 |
| 9     | SEPTEMBER      | 25    | 13353.1    | 5.5%                  |
| 10    | OCTOBER        | 37    | 16761.6    | 6.9%                  |
| 11    | NOVEMBER       | 36    | 18032.0    | 7.4%                  |
| 12    | DECEMBER       | 48    | 25136.4    | 10.3%                 |
| 96    | NOT APPLICABLE | 61105 | 27946801.9 |                       |
| 97    | DON'T KNOW     | 19    | 7831.2     |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1329  | 680918.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDSF: Depr. scale - short form score - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-8] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=28266 / 13955461.55 ] [Invalid=34643 / 14922956.82 ]   |
| <b>Universe</b>           | Respondents with DODPS = 1  |
| <b>Literal question</b>   | Depr. scale - short form score - (D)  |
| <b>Notes</b>              | Based on DPS_02, DPS_05, DPS_06, DPS_08A, DPS_08B, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_21A, DPS_21B, DPS_23, DPS_24, DPS_25, DPS_26. Higher scores indicate higher level of depression. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     |                | 25860 | 12762528.5 | 91.5%                 |
| 1     |                | 56    | 30785.6    | 0.2%                  |
| 2     |                | 124   | 71199.8    | 0.5%                  |
| 3     |                | 244   | 124925.0   | 0.9%                  |
| 4     |                | 356   | 192393.6   | 1.4%                  |
| 5     |                | 461   | 213934.7   | 1.5%                  |
| 6     |                | 531   | 253080.2   | 1.8%                  |
| 7     |                | 443   | 203727.2   | 1.5%                  |
| 8     |                | 191   | 102886.9   | 0.7%                  |
| 96    | NOT APPLICABLE | 33256 | 14221069.2 |                       |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # DPSDSF: Depr. scale - short form score - (D)

| Value | Label      | Cases | Weighted | Percentage (Weighted) |
|-------|------------|-------|----------|-----------------------|
| 97    | DON'T KNOW | 0     | 0.0      |                       |
| 98    | REFUSAL    | 0     | 0.0      |                       |
| 99    | NOT STATED | 1387  | 701887.7 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDPP: Depr. scale - predicted prob. - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-0.9] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=28266 / 13955461.55 ] [Invalid=34643 / 14922956.82 ]  |
| <b>Universe</b>           | Respondents with DODPS = 1   |
| <b>Literal question</b>   | Depr. scale - predicted prob. - (D)  |
| <b>Notes</b>              | Based on DPSDSF. A probability of caseness of 0 was assigned to respondents who denied the stem questions. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     | 0.00           | 25860 | 12762528.5 | 91.5%                 |
| 0.05  | 0.05           | 56    | 30785.6    | 0.2%                  |
| 0.25  | 0.25           | 124   | 71199.8    | 0.5%                  |
| 0.5   | 0.50           | 244   | 124925.0   | 0.9%                  |
| 0.8   | 0.80           | 356   | 192393.6   | 1.4%                  |
| 0.9   | 0.90           | 1626  | 773629.1   | 5.5%                  |
| 9.96  | NOT APPLICABLE | 33256 | 14221069.2 |                       |
| 9.97  | DON'T KNOW     | 0     | 0.0        |                       |
| 9.98  | REFUSAL        | 0     | 0.0        |                       |
| 9.99  | NOT STATED     | 1387  | 701887.7   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDWK: No. of weeks felt depressed - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 2-53] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=2205 / 1104033.17 ] [Invalid=60704 / 27774385.2 ] [Mean=12.213 / 11.605 ] [StdDev=13.799 / 13.356 ]  |
| <b>Universe</b>           | Respondents who answered DPS_05 = (1, 7 or 8) or DPS_06 = (1, 7 or 8) or DPS_09 = (1, 7 or 8) or DPS_11 = (1, 7 or 8) or DPS_12 = (1, 7 or 8) or DPS_13 = (1, 7 or 8) or DPS_07 = (1, 2, 7 or 8) or DPS_19 = (1, 7 or 8) or DPS_22 = (1, 7 or 8) or DPS_24 = (1, 7 or 8) or DPS_25 = (1, 7 or 8) or DPS_26 = (1, 7 or 8) or DPS_20 = (1, 2, 7 or 8) or one of DPS_02, DPS_03, DPS_04, DPS_10, DPS_16, DPS_17, DPS_18, DPS_23 = (7 or 8) |
| <b>Literal question</b>   | No. of weeks felt depressed - (D)   |
| <b>Notes</b>              | Based on DPS_14, DPS_27. Respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things are excluded from the calculation of this variable; or did not show any required signs of depression have been excluded from the population. See documentation on derived variables.  |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 59158 | 27003449.4 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1546  | 770935.8   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # DPSDMT: Mth last felt depr.- 2 wks in a row -(D)

|                    |   |
|--------------------|---|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-12] [Missing=*] |
|--------------------|---|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # DPSDMT: Mth last felt depr.- 2 wks in a row -(D)

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=2022 / 1012223.07 ] [Invalid=60887 / 27866195.3 ]   |
| <b>Universe</b>           | Respondents who answered DPS_14 < 52 or DPS_27 < 52 or DPS_14 = (97 or 98) or DPS_27 = (97 or 98) or one of DPS_02, DPS_03, DPS_04, DPS_05, DPS_06, DPS_07, DPS_09, DPS_10, DPS_11, DPS_12, DPS_13, DPS_16, DPS_17, DPS_18, DPS_19, DPS_20, DPS_22, DPS_23, DPS_24, DPS_25, DPS_26 = (7 or 8)  |
| <b>Literal question</b>   | Mth last felt depr.- 2 wks in a row -(D)   |
| <b>Notes</b>              | Based on DPS_14, DPS_15, DPS_27, DPS_28. The following respondents have been excluded from the population: respondents who did not report feeling sad, blue or depressed and who did not report having lost interest in most things; or respondents who did not show any required signs of depression; or respondents who have been depressed more than 51 weeks in the last past year; in the calculation of this variable. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | JANUARY        | 207   | 129286.6   | 12.8%                 |
| 2     | FEBRUARY       | 185   | 76503.5    | 7.6%                  |
| 3     | MARCH          | 167   | 87398.2    | 8.6%                  |
| 4     | APRIL          | 159   | 59507.6    | 5.9%                  |
| 5     | MAY            | 143   | 66671.2    | 6.6%                  |
| 6     | JUNE           | 161   | 87700.9    | 8.7%                  |
| 7     | JULY           | 161   | 66657.6    | 6.6%                  |
| 8     | AUGUST         | 158   | 86400.0    | 8.5%                  |
| 9     | SEPTEMBER      | 155   | 76915.7    | 7.6%                  |
| 10    | OCTOBER        | 165   | 85733.2    | 8.5%                  |
| 11    | NOVEMBER       | 166   | 95761.2    | 9.5%                  |
| 12    | DECEMBER       | 195   | 93687.6    | 9.3%                  |
| 96    | NOT APPLICABLE | 59297 | 27064693.8 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 1590  | 801501.5   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DOSUI: Module: SUI - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 15630 | 7409567.3  | 25.7%                 |
| 2     | NO             | 45646 | 21386750.1 | 74.3%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SUI\_1: Has considered suicide - lifetime

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # SUI\_1: Has considered suicide - lifetime

**Statistics [NW/ W]** [Valid=14378 / 6776927.6 ] [Invalid=48531 / 22101490.77 ]

**Universe** Respondents aged 15 and over with DOSUI = 1

**Literal question** Have you ever seriously considered committing suicide or taking your own life?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1424  | 616253.1   | 9.1%                  |
| 2     | NO             | 12954 | 6160674.5  | 90.9%                 |
| 6     | NOT APPLICABLE | 47932 | 21788553.6 |                       |
| 7     | DON'T KNOW     | 32    | 16193.3    |                       |
| 8     | REFUSAL        | 69    | 34983.4    |                       |
| 9     | NOT STATED     | 498   | 261760.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # SUI\_2: Has considered suicide - past 12 mo

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1423 / 616169.82 ] [Invalid=61486 / 28262248.55 ]

**Universe** Respondents who answered SUI\_1 = (1, 7 or 8)

**Literal question** Has this happened in the past 12 months?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 302   | 144087.6   | 23.4%                 |
| 2     | NO             | 1121  | 472082.2   | 76.6%                 |
| 6     | NOT APPLICABLE | 60886 | 27949228.2 |                       |
| 7     | DON'T KNOW     | 1     | 83.2       |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 599   | 312937.1   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # DOSFR: Module: SFR - (F)

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]

**Universe** All respondents

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3456  | 985048.2   | 3.4%                  |
| 2     | NO             | 59453 | 27893370.2 | 96.6%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # SFRDPFS: Physical functioning scale - (D)

**Information** [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=\*]

**Statistics [NW/ W]** [Valid=3299 / 949047.33 ] [Invalid=59610 / 27929371.04 ]

**Universe** Respondents with DOSFR = 1

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SFRDPFS: Physical functioning scale - (D)

|                         |   |
|-------------------------|---|
| <b>Literal question</b> | Physical functioning scale - (D)  |
| <b>Notes</b>            | Based on SFR_03, SFR_04, SFR_05, SFR_06, SFR_07, SFR_08, SFR_09, SFR_10, SFR_11, SFR_12. A high score reflects increased physical function. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     |                | 24    | 5704.4     | 0.6%                  |
| 5     |                | 25    | 9068.7     | 1.0%                  |
| 10    |                | 38    | 13393.0    | 1.4%                  |
| 15    |                | 32    | 5848.2     | 0.6%                  |
| 20    |                | 35    | 5898.9     | 0.6%                  |
| 25    |                | 38    | 7245.9     | 0.8%                  |
| 30    |                | 31    | 8921.6     | 0.9%                  |
| 35    |                | 39    | 7886.7     | 0.8%                  |
| 40    |                | 33    | 8986.6     | 0.9%                  |
| 45    |                | 53    | 9330.0     | 1.0%                  |
| 50    |                | 47    | 9713.3     | 1.0%                  |
| 55    |                | 46    | 16502.0    | 1.7%                  |
| 60    |                | 65    | 11752.9    | 1.2%                  |
| 65    |                | 59    | 18860.7    | 2.0%                  |
| 70    |                | 77    | 16312.5    | 1.7%                  |
| 75    |                | 102   | 22318.7    | 2.4%                  |
| 80    |                | 126   | 41795.7    | 4.4%                  |
| 85    |                | 165   | 45499.6    | 4.8%                  |
| 90    |                | 271   | 64967.3    | 6.8%                  |
| 95    |                | 468   | 128613.6   | 13.6%                 |
| 100   |                | 1525  | 490427.0   | 51.7%                 |
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 157   | 36000.8    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFRDSFS: Social functioning scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3306 / 952607.42 ] [Invalid=59603 / 27925810.95 ]   |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Social functioning scale - (D)   |
| <b>Notes</b>              | Based on SFR_20, SFR_32. A high score reflects increased social functioning. See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 0     |       | 22    | 4620.5   | 0.5%                  |
| 11    |       | 34    | 6345.7   | 0.7%                  |
| 22    |       | 34    | 15570.0  | 1.6%                  |
| 33    |       | 49    | 15584.8  | 1.6%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SFRDSFS: Social functioning scale - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 44    |                | 79    | 20922.0    | 2.2%                  |
| 56    |                | 88    | 21715.2    | 2.3%                  |
| 67    |                | 155   | 49313.8    | 5.2%                  |
| 78    |                | 255   | 84030.6    | 8.8%                  |
| 89    |                | 323   | 91984.6    | 9.7%                  |
| 100   |                | 2267  | 642520.3   | 67.4%                 |
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 150   | 32440.7    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFRDPRF: Role functioning (physical) scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3322 / 955359.27 ] [Invalid=59587 / 27923059.1 ]  |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Role functioning (physical) scale - (D)  |
| <b>Notes</b>              | Based on SFR_13, SFR_14, SFR_15, SFR_16. A high score reflects increased physical functioning (i.e., less limitation). See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 0     |                | 314   | 83632.7    | 8.8%                  |
| 25    |                | 220   | 49405.9    | 5.2%                  |
| 50    |                | 162   | 40527.6    | 4.2%                  |
| 75    |                | 261   | 67363.4    | 7.1%                  |
| 100   |                | 2365  | 714429.6   | 74.8%                 |
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 134   | 29688.9    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # SFRDMRF: Role functioning (mental) scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3321 / 955672.6 ] [Invalid=59588 / 27922745.77 ]  |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Role functioning (mental) scale - (D)  |
| <b>Notes</b>              | Based on SFR_17, SFR_18, SFR_19. A high score is consistent with a positive mental health. See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 0     |       | 161   | 51952.0  | 5.4%                  |
| 33    |       | 154   | 48234.7  | 5.0%                  |
| 67    |       | 182   | 50650.6  | 5.3%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SFRDMRF: Role functioning (mental) scale - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 100   |                | 2824  | 804835.3   | 84.2%                 |
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 135   | 29375.6    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SFRDGMH: General mental health scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3263 / 944037.82 ] [Invalid=59646 / 27934380.55 ] [Mean=82.723 / 82.035 ] [StdDev=14.976 / 15.251 ]   |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | General mental health scale - (D)  |
| <b>Notes</b>              | Based on SFR_24, SFR_25, SFR_26, SFR_28, SFR_30. The scale is transformed to facilitate comparisons across scales and reflect a relative position. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 193   | 41010.3    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SFRDVTs: Vitality scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3221 / 935155.47 ] [Invalid=59688 / 27943262.9 ]  |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Vitality scale - (D)   |
| <b>Notes</b>              | Based on SFR_23, SFR_27, SFR_29, SFR_31. A high score is consistent with a positive level of energy. See documentation on derived variables. |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
| 0     |       | 15    | 3073.6   | 0.3%                  |
| 5     |       | 18    | 3672.2   | 0.4%                  |
| 10    |       | 42    | 13593.8  | 1.5%                  |
| 15    |       | 34    | 11489.0  | 1.2%                  |
| 20    |       | 54    | 12581.9  | 1.3%                  |
| 25    |       | 61    | 17694.5  | 1.9%                  |
| 30    |       | 68    | 14942.5  | 1.6%                  |
| 35    |       | 97    | 25729.7  | 2.8%                  |
| 40    |       | 113   | 32365.1  | 3.5%                  |
| 45    |       | 122   | 35320.1  | 3.8%                  |
| 50    |       | 238   | 78447.1  | 8.4%                  |
| 55    |       | 204   | 52503.2  | 5.6%                  |
| 60    |       | 249   | 71999.1  | 7.7%                  |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # SFRDVTS: Vitality scale - (D)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 65    |                | 237   | 71786.0    | 7.7%                  |
| 70    |                | 365   | 100272.0   | 10.7%                 |
| 75    |                | 309   | 82053.6    | 8.8%                  |
| 80    |                | 431   | 133974.9   | 14.3%                 |
| 85    |                | 273   | 82935.2    | 8.9%                  |
| 90    |                | 177   | 50420.6    | 5.4%                  |
| 95    |                | 63    | 16164.9    | 1.7%                  |
| 100   |                | 51    | 24136.4    | 2.6%                  |
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 235   | 49892.7    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SFRDBPS: Bodily pain scale - (D)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3331 / 955377.57 ] [Invalid=59578 / 27923040.8 ] [Mean=76.335 / 77.027 ] [StdDev=23.878 / 24.164 ]                   |
| <b>Universe</b>           | Respondents with DOSFR = 1  |
| <b>Literal question</b>   | Bodily pain scale - (D)   |
| <b>Notes</b>              | Based on SFR_21, SFR_22. A high score is consistent with a decreased level of pain. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 125   | 29670.6    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # SFRDGHP: General health perceptions scale - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 0-100] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=3219 / 929264.04 ] [Invalid=59690 / 27949154.33 ] [Mean=72.744 / 73.123 ] [StdDev=19.606 / 19.922 ]   |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | General health perceptions scale - (D)   |
| <b>Notes</b>              | Based on SFR_01, SFR_33, SFR_34, SFR_35, SFR_36. A high score is consistent with a positive perception of one's general health status. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 996   | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 997   | DON'T KNOW     | 0     | 0.0        |                       |
| 998   | REFUSAL        | 0     | 0.0        |                       |
| 999   | NOT STATED     | 237   | 55784.1    |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # SFRDPFS: Summary measure of physical health - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 6-69] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3034 / 894095.42 ] [Invalid=59875 / 27984322.95 ] [Mean=49.212 / 49.947 ] [StdDev=10.216 / 9.957 ]                |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Summary measure of physical health - (D)   |
| <b>Notes</b>              | Based on SFRDPFS, SFRDSFS, SFRDPRF, SFRDMRF, SFRDGMH, SFRDVTS, SFRDBPS, SFRDGHP. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 422   | 90952.7    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # SFRDMCS: Summary measure of mental health - (D)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 8-76] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=3034 / 894095.42 ] [Invalid=59875 / 27984322.95 ] [Mean=54.406 / 53.828 ] [StdDev=8.118 / 8.31 ]                  |
| <b>Universe</b>           | Respondents with DOSFR = 1   |
| <b>Literal question</b>   | Summary measure of mental health - (D)   |
| <b>Notes</b>              | Based on SFRDPFS, SFRDSFS, SFRDPRF, SFRDMRF, SFRDGMH, SFRDVTS, SFRDBPS, SFRDGHP. See documentation on derived variables. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 96    | NOT APPLICABLE | 59453 | 27893370.2 |                       |
| 97    | DON'T KNOW     | 0     | 0.0        |                       |
| 98    | REFUSAL        | 0     | 0.0        |                       |
| 99    | NOT STATED     | 422   | 90952.7    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # DOACC: Module: ACC - (F)

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |
| <b>Universe</b>           | All respondents  |
| <b>Notes</b>              | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 21526 | 11260192.6 | 39.1%                 |
| 2     | NO             | 39750 | 17536124.8 | 60.9%                 |
| 6     | NOT APPLICABLE | 1633  | 82100.9    |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 0     | 0.0        |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_10: Rep. strain - body part affected

|                    |   |
|--------------------|---|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-14] [Missing=*] |
|--------------------|---|

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_10: Rep. strain - body part affected

|                           |  |
|---------------------------|--|
| <b>Statistics [NW/ W]</b> | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]  |
| <b>Universe</b>           | Respondents aged 15 and over with DOACC = 1  |
| <b>Literal question</b>   | Thinking about the most serious repetitive strain, what part of the body was affected?   |
| <b>Notes</b>              | Includes experiences getting health care from a medical specialist such as a cardiologist, allergist, gynaecologist or psychiatrist, but excludes optometrist. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 5779  | 2737276.9  | 9.5%                  |
| 2     | NO             | 13860 | 7592609.1  | 26.3%                 |
| 6     | NOT APPLICABLE | 42318 | 18082978.3 | 62.6%                 |
| 7     | DON'T KNOW     | 28    | 13507.8    | 0.0%                  |
| 8     | REFUSAL        | 4     | 1149.6     | 0.0%                  |
| 9     | NOT STATED     | 920   | 450896.7   | 1.6%                  |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_11: Diff. getting specialist care

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=5776 / 2736175.91 ] [Invalid=57133 / 26142242.46 ]   |
| <b>Universe</b>           | Respondents who answered ACC_10 = (1, 7 or 8)   |
| <b>Literal question</b>   | In the past 12 months, did you ever experience any difficulties getting the specialist care you needed for a diagnosis or consultation? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1143  | 600953.7   | 22.0%                 |
| 2     | NO             | 4633  | 2135222.2  | 78.0%                 |
| 6     | NOT APPLICABLE | 56178 | 25675587.4 |                       |
| 7     | DON'T KNOW     | 2     | 717.2      |                       |
| 8     | REFUSAL        | 1     | 383.8      |                       |
| 9     | NOT STATED     | 952   | 465554.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_12A: Diff. - getting a referral

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                    |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]                      |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)            |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty getting a referral |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 139   | 60606.3    | 10.1%                 |
| 2     | NO             | 1002  | 539593.2   | 89.9%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_12B: Diff. - getting an appointment

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                        |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]                          |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)                |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty getting an appointment |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 390   | 190274.2   | 31.7%                 |
| 2     | NO             | 751   | 409925.2   | 68.3%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12C: Diff. - no specialists in area

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                 |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]                   |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)         |
| <b>Literal question</b>   | What type of difficulties did you experience? - No specialists in the area |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 107   | 32250.3    | 5.4%                  |
| 2     | NO             | 1034  | 567949.2   | 94.6%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12D: Diff. - waited too long for appointment

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]  |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)                                    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long between booking appointment and visit |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 656   | 370836.7   | 61.8%                 |
| 2     | NO             | 485   | 229362.8   | 38.2%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12E: Diff. - waited too long /see doc.

|                    |  |
|--------------------|--|
| <b>Information</b> | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |
|--------------------|--|

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ACC\_12E: Diff. - waited too long /see doc.

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting)

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 160   | 76260.3    | 12.7%                 |
| 2     | NO             | 981   | 523939.2   | 87.3%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12F: Diff. - transportation

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - Transportation problems

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 33    | 15214.9    | 2.5%                  |
| 2     | NO             | 1108  | 584984.6   | 97.5%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12G: Diff. - language

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - Language problem

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 8     | 10233.8    | 1.7%                  |
| 2     | NO             | 1133  | 589965.7   | 98.3%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12H: Diff. - cost

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_12H: Diff. - cost

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - Cost

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 29    | 16736.8    | 2.8%                  |
| 2     | NO             | 1112  | 583462.7   | 97.2%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12I: Diff. - pers./family responsibilities

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - Personal or family responsibilities

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 9     | 7249.6     | 1.2%                  |
| 2     | NO             | 1132  | 592949.8   | 98.8%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12J: Diff. - deterioration of health

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

**Literal question** What type of difficulties did you experience? - General deterioration of health

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 24    | 7314.2     | 1.2%                  |
| 2     | NO             | 1117  | 592885.3   | 98.8%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

### # ACC\_12K: Diff. - appointment cancelled/deferred

**Information** [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

**Statistics [NW/ W]** [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]

**Universe** Respondents who answered ACC\_11 = (1, 7 or 8) or ACC\_10 = (7 or 8)

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ACC\_12K: Diff. - appointment cancelled/deferred

|                         |   |              |                 |                              |
|-------------------------|---|--------------|-----------------|------------------------------|
| <b>Literal question</b> | What type of difficulties did you experience? - Appointment cancelled or deferred by specialist |              |                 |                              |
| <b>Value</b>            | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1                       | YES   | 41           | 15991.6         | 2.7%                         |
| 2                       | NO  | 1100         | 584207.9        | 97.3%                        |
| 6                       | NOT APPLICABLE  | 60811        | 27810809.6      |                              |
| 7                       | DON'T KNOW  | 0            | 0.0             |                              |
| 8                       | REFUSAL   | 1            | 321.0           |                              |
| 9                       | NOT STATED  | 956          | 467088.3        |                              |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12L: Diff. - still waiting for visit

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]              |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]                |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)      |
| <b>Literal question</b>   | What type of difficulties did you experience? - Still waiting for visit |

|              |                |              |                 |                              |
|--------------|----------------|--------------|-----------------|------------------------------|
| <b>Value</b> | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1            | YES            | 57           | 29145.6         | 4.9%                         |
| 2            | NO             | 1084         | 571053.9        | 95.1%                        |
| 6            | NOT APPLICABLE | 60811        | 27810809.6      |                              |
| 7            | DON'T KNOW     | 0            | 0.0             |                              |
| 8            | REFUSAL        | 1            | 321.0           |                              |
| 9            | NOT STATED     | 956          | 467088.3        |                              |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12M: Diff. - unable leave house/health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]  |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8)                                    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Unable to leave the house because of a health problem |

|              |                |              |                 |                              |
|--------------|----------------|--------------|-----------------|------------------------------|
| <b>Value</b> | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1            | YES            | 5            | 2586.8          | 0.4%                         |
| 2            | NO             | 1136         | 597612.6        | 99.6%                        |
| 6            | NOT APPLICABLE | 60811        | 27810809.6      |                              |
| 7            | DON'T KNOW     | 0            | 0.0             |                              |
| 8            | REFUSAL        | 1            | 321.0           |                              |
| 9            | NOT STATED     | 956          | 467088.3        |                              |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

## # ACC\_12N: Diff. - other

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=1141 / 600199.48 ] [Invalid=61768 / 28278218.89 ]           |
| <b>Universe</b>           | Respondents who answered ACC_11 = (1, 7 or 8) or ACC_10 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Other              |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_12N: Diff. - other

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 116   | 66302.3    | 11.0%                 |
| 2     | NO             | 1025  | 533897.2   | 89.0%                 |
| 6     | NOT APPLICABLE | 60811 | 27810809.6 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 1     | 321.0      |                       |
| 9     | NOT STATED     | 956   | 467088.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_20: Required non-emergency surgery

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=19653 / 10331950.86 ] [Invalid=43256 / 18546467.51 ]   |
| <b>Universe</b>           | Respondents aged 15 and over with DOACC = 1   |
| <b>Literal question</b>   | In the past 12 months, did you require any non-emergency surgery?   |
| <b>Notes</b>              | Does include any surgery not provided in an emergency, such as cardiac surgery, joint surgery, caesarean sections and cataract surgery, but excludes laser eye surgery. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1526  | 674298.6   | 6.5%                  |
| 2     | NO             | 18127 | 9657652.2  | 93.5%                 |
| 6     | NOT APPLICABLE | 42318 | 18082978.3 |                       |
| 7     | DON'T KNOW     | 10    | 9556.0     |                       |
| 8     | REFUSAL        | 2     | 375.1      |                       |
| 9     | NOT STATED     | 926   | 453558.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_21: Diff. getting non-emerg. surg.

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                      |
| <b>Statistics [NW/ W]</b> | [Valid=1526 / 674298.64 ] [Invalid=61383 / 28204119.73 ]  |
| <b>Universe</b>           | Respondents who answered ACC_20 = (1, 7 or 8)   |
| <b>Literal question</b>   | In the past 12 months, did you ever experience any difficulties getting the surgery you needed? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 192   | 91320.6    | 13.5%                 |
| 2     | NO             | 1334  | 582978.0   | 86.5%                 |
| 6     | NOT APPLICABLE | 60445 | 27740630.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22A: Diff. - getting an appointment

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]             |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8) |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ACC\_22A: Diff. - getting an appointment

|                         |  |              |                 |                              |
|-------------------------|--|--------------|-----------------|------------------------------|
| <b>Literal question</b> | What type of difficulties did you experience? - Difficulty getting an appointment with a surgeon |              |                 |                              |
| <b>Value</b>            | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1                       | YES  | 55           | 35926.2         | 39.3%                        |
| 2                       | NO   | 137          | 55394.5         | 60.7%                        |
| 6                       | NOT APPLICABLE   | 61779        | 28323608.5      |                              |
| 7                       | DON'T KNOW   | 0            | 0.0             |                              |
| 8                       | REFUSAL  | 0            | 0.0             |                              |
| 9                       | NOT STATED   | 938          | 463489.2        |                              |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_22B: Diff. - getting a diagnosis

|                           |  |              |                 |                              |
|---------------------------|--|--------------|-----------------|------------------------------|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                     |              |                 |                              |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                         |              |                 |                              |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)             |              |                 |                              |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty getting a diagnosis |              |                 |                              |
| <b>Value</b>              | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1                         | YES  | 9            | 2224.4          | 2.4%                         |
| 2                         | NO   | 183          | 89096.3         | 97.6%                        |
| 6                         | NOT APPLICABLE   | 61779        | 28323608.5      |                              |
| 7                         | DON'T KNOW   | 0            | 0.0             |                              |
| 8                         | REFUSAL  | 0            | 0.0             |                              |
| 9                         | NOT STATED   | 938          | 463489.2        |                              |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_22C: Diff. - wait too long/diag. test

|                           |   |              |                 |                              |
|---------------------------|---|--------------|-----------------|------------------------------|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                            |              |                 |                              |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                                |              |                 |                              |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long for a diagnostic test |              |                 |                              |
| <b>Value</b>              | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1                         | YES   | 34           | 17014.6         | 18.6%                        |
| 2                         | NO  | 158          | 74306.0         | 81.4%                        |
| 6                         | NOT APPLICABLE  | 61779        | 28323608.5      |                              |
| 7                         | DON'T KNOW  | 0            | 0.0             |                              |
| 8                         | REFUSAL   | 0            | 0.0             |                              |
| 9                         | NOT STATED  | 938          | 463489.2        |                              |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_22D: Diff. - waited too long/hosp. bed

|                           |  |  |  |  |
|---------------------------|--|--|--|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |  |  |  |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]   |  |  |  |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                                     |  |  |  |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long for a hospital bed to become available |  |  |  |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_22D: Diff. - waited too long/hosp. bed

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 17    | 6634.2     | 7.3%                  |
| 2     | NO             | 175   | 84686.5    | 92.7%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22E: Diff. - waited too long/surgery

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                  |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                      |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)          |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long for surgery |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 112   | 51776.7    | 56.7%                 |
| 2     | NO             | 80    | 39543.9    | 43.3%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22F: Diff. - service not available/area

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                        |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                            |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                |
| <b>Literal question</b>   | What type of difficulties did you experience? - Service not available in the area |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 17    | 3266.6     | 3.6%                  |
| 2     | NO             | 175   | 88054.0    | 96.4%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22G: Diff. - transportation

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]              |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                  |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)      |
| <b>Literal question</b>   | What type of difficulties did you experience? - Transportation problems |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_22G: Diff. - transportation

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1     | 59.6       | 0.1%                  |
| 2     | NO             | 191   | 91261.0    | 99.9%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22H: Diff. - language

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]             |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Language problem   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 0     | 0.0        |                       |
| 2     | NO             | 192   | 91320.6    | 100.0%                |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22I: Diff. - cost

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]             |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Cost               |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 5     | 1464.3     | 1.6%                  |
| 2     | NO             | 187   | 89856.3    | 98.4%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22J: Diff. - pers./family responsibilities

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                          |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                              |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                  |
| <b>Literal question</b>   | What type of difficulties did you experience? - Personal or family responsibilities |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_22J: Diff. - pers./family responsibilities

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 0     | 0.0        |                       |
| 2     | NO             | 192   | 91320.6    | 100.0%                |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22K: Diff. - deterioration of health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                      |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                          |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)              |
| <b>Literal question</b>   | What type of difficulties did you experience? - General deterioration of health |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 6     | 2159.4     | 2.4%                  |
| 2     | NO             | 186   | 89161.2    | 97.6%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22L: Diff. - appointment cancelled/deferred

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]   |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                                       |
| <b>Literal question</b>   | What type of difficulties did you experience? - Appointment cancelled or deferred by surgeon or hospital |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 16    | 5011.0     | 5.5%                  |
| 2     | NO             | 176   | 86309.6    | 94.5%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22M: Diff. - still waiting for surgery

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]                    |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)        |
| <b>Literal question</b>   | What type of difficulties did you experience? - Still waiting for surgery |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_22M: Diff. - still waiting for surgery

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 21    | 7545.0     | 8.3%                  |
| 2     | NO             | 171   | 83775.6    | 91.7%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22N: Diff. - unable leave house/health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]  |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8)                                    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Unable to leave the house because of a health problem |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 0     | 0.0        |                       |
| 2     | NO             | 192   | 91320.6    | 100.0%                |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_22O: Diff. - other

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=192 / 91320.61 ] [Invalid=62717 / 28787097.76 ]             |
| <b>Universe</b>           | Respondents who answered ACC_21 = (1, 7 or 8) or ACC_20 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Other              |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 24    | 11397.3    | 12.5%                 |
| 2     | NO             | 168   | 79923.3    | 87.5%                 |
| 6     | NOT APPLICABLE | 61779 | 28323608.5 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 938   | 463489.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_30: Required MRI, CT Scan, angiography

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                             |
| <b>Statistics [NW/ W]</b> | [Valid=19620 / 10325214.61 ] [Invalid=43289 / 18553203.76 ]                            |
| <b>Universe</b>           | Respondents aged 15 and over with DOACC = 1  |
| <b>Notes</b>              | Includes only MRIs, CAT Scans and angiographies provided in a non-emergency situation. |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_30: Required MRI, CT Scan, angiography

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2673  | 1183315.4  | 11.5%                 |
| 2     | NO             | 16947 | 9141899.2  | 88.5%                 |
| 6     | NOT APPLICABLE | 42318 | 18082978.3 |                       |
| 7     | DON'T KNOW     | 41    | 15269.6    |                       |
| 8     | REFUSAL        | 2     | 487.3      |                       |
| 9     | NOT STATED     | 928   | 454468.6   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_31: Difficulties getting test

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                    |
| <b>Statistics [NW/ W]</b> | [Valid=2671 / 1182374.54 ] [Invalid=60238 / 27696043.83 ]                                     |
| <b>Universe</b>           | Respondents who answered ACC_30 = (1, 7 or 8)   |
| <b>Literal question</b>   | In the past 12 months, did you ever experience any difficulties getting the tests you needed? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 355   | 206012.8   | 17.4%                 |
| 2     | NO             | 2316  | 976361.8   | 82.6%                 |
| 6     | NOT APPLICABLE | 59265 | 27224877.5 |                       |
| 7     | DON'T KNOW     | 2     | 940.8      |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 971   | 470225.5   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32A: Diff. - getting a referral

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                    |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                        |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)            |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty getting a referral |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 21    | 11432.0    | 5.5%                  |
| 2     | NO             | 334   | 194580.8   | 94.5%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32B: Diff. - getting an appointment

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                        |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                            |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty getting an appointment |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_32B: Diff. - getting an appointment

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 76    | 38168.6    | 18.5%                 |
| 2     | NO             | 279   | 167844.2   | 81.5%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32C: Diff. - waited too long for appt.

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                            |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                                |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long to get an appointment |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 219   | 132045.7   | 64.1%                 |
| 2     | NO             | 136   | 73967.1    | 35.9%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32D: Diff. - waited too long/get test

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]   |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                                   |
| <b>Literal question</b>   | What type of difficulties did you experience? - Waited too long to get test (i.e. in-office waiting) |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 78    | 48297.2    | 23.4%                 |
| 2     | NO             | 277   | 157715.5   | 76.6%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32E: Diff. - not available at time required

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                             |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                                 |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                     |
| <b>Literal question</b>   | What type of difficulties did you experience? - Service not available at time required |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ACC\_32E: Diff. - not available at time required

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 7     | 3143.6     | 1.5%                  |
| 2     | NO             | 348   | 202869.1   | 98.5%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_32F: Diff. - not available/area

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                        |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                            |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                |
| <b>Literal question</b>   | What type of difficulties did you experience? - Service not available in the area |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 17    | 3849.7     | 1.9%                  |
| 2     | NO             | 338   | 202163.1   | 98.1%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_32G: Diff. - transportation

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]              |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                  |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)      |
| <b>Literal question</b>   | What type of difficulties did you experience? - Transportation problems |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 12    | 3339.7     | 1.6%                  |
| 2     | NO             | 343   | 202673.0   | 98.4%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_32H: Diff. - language

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]             |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Language problem   |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_32H: Diff. - language

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 0     | 0.0        |                       |
| 2     | NO             | 355   | 206012.8   | 100.0%                |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32I: Diff. - cost

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]             |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Cost               |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3     | 1267.2     | 0.6%                  |
| 2     | NO             | 352   | 204745.5   | 99.4%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32J: Diff. - deterioration of health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                      |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                          |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)              |
| <b>Literal question</b>   | What type of difficulties did you experience? - General deterioration of health |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 8     | 2017.1     | 1.0%                  |
| 2     | NO             | 347   | 203995.6   | 99.0%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32K: Diff. - did not know where to go

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]   |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                                   |
| <b>Literal question</b>   | What type of difficulties did you experience? - Did not know where to go (i.e. information problems) |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_32K: Diff. - did not know where to go

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 3     | 298.7      | 0.1%                  |
| 2     | NO             | 352   | 205714.0   | 99.9%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32L: Diff. - still waiting for test

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]             |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]                 |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)     |
| <b>Literal question</b>   | What type of difficulties did you experience? - Still waiting for test |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 12    | 4583.4     | 2.2%                  |
| 2     | NO             | 343   | 201429.4   | 97.8%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32M: Diff. - unable leave house /health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]  |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8)                                    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Unable to leave the house because of a health problem |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 0     | 0.0        |                       |
| 2     | NO             | 355   | 206012.8   | 100.0%                |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_32N: Diff. - other

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]         |
| <b>Statistics [NW/ W]</b> | [Valid=355 / 206012.77 ] [Invalid=62554 / 28672405.6 ]             |
| <b>Universe</b>           | Respondents who answered ACC_31 = (1, 7 or 8) or ACC_30 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Other              |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_32N: Diff. - other

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 41    | 19524.9    | 9.5%                  |
| 2     | NO             | 314   | 186487.9   | 90.5%                 |
| 6     | NOT APPLICABLE | 61581 | 28201239.2 |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 973   | 471166.4   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40: Required health information

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=19619 / 10315942.28 ] [Invalid=43290 / 18562476.09 ]  |
| <b>Universe</b>           | Respondents aged 15 and over with DOACC = 1  |
| <b>Literal question</b>   | In the past 12 months, have you required health information or advice for yourself or a family member? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 8459  | 4646322.7  | 45.0%                 |
| 2     | NO             | 11160 | 5669619.6  | 55.0%                 |
| 6     | NOT APPLICABLE | 42318 | 18082978.3 |                       |
| 7     | DON'T KNOW     | 33    | 19980.9    |                       |
| 8     | REFUSAL        | 8     | 4275.6     |                       |
| 9     | NOT STATED     | 931   | 455241.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40A: Contact/health info - doctor

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]   |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)   |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Doctor's office |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 6392  | 3535503.1  | 76.2%                 |
| 2     | NO             | 2059  | 1107259.0  | 23.8%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40B: Contact/health info - community hlth ctr

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]  |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)  |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Community health centre / CLSC |

## File : CCHS-82M0013-E-2010-AnnualComponent\_F1

### # ACC\_40B: Contact/health info - community hlth ctr

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 424   | 209318.6   | 4.5%                  |
| 2     | NO             | 8027  | 4433443.5  | 95.5%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40C: Contact/health info - walk-in clinic

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]   |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)   |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Walkin clinic |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1240  | 901577.3   | 19.4%                 |
| 2     | NO             | 7211  | 3741184.8  | 80.6%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40D: Contact/health info - health line

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]  |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)  |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Telephone health line (e.g., HealthLinks, Telehealth Ontario, HealthLink, Health-Line, Telecare, Info-Santé) |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1543  | 893700.6   | 19.2%                 |
| 2     | NO             | 6908  | 3749061.5  | 80.8%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # ACC\_40E: Contact/health info - emergency room

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]   |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)   |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Hospital emergency room |

# File : CCHS-82M0013-E-2010-AnnualComponent\_F1

## # ACC\_40E: Contact/health info - emergency room

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1399  | 776018.1   | 16.7%                 |
| 2     | NO             | 7052  | 3866744.0  | 83.3%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_40F: Contact/health info - other hosp. serv.

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]  |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)  |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Other hospital service |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 540   | 300019.8   | 6.5%                  |
| 2     | NO             | 7911  | 4342742.3  | 93.5%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

## # ACC\_40G: Contact/health info - other

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=8451 / 4642762.11 ] [Invalid=54458 / 24235656.26 ]   |
| <b>Universe</b>           | Respondents who answered ACC_40 = (1, 7 or 8)   |
| <b>Literal question</b>   | Who did you contact when you needed health information or advice for yourself or a family member? - Other |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1521  | 867306.7   | 18.7%                 |
| 2     | NO             | 6930  | 3775455.4  | 81.3%                 |
| 6     | NOT APPLICABLE | 53478 | 23752597.8 |                       |
| 7     | DON'T KNOW     | 6     | 2659.4     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 974   | 480399.1   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| <b># ACC_41: Diff. getting health information</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=8442 / 4632782.86 ] [Invalid=54467 / 24245635.51 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_40 = (1, 7 or 8)  |              |                 |                              |
| <b>Literal question</b>  | In the past 12 months, did you ever experience any difficulties getting the health information or advice you needed for yourself or a family member? |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 1288         | 784373.6        | 16.9%                        |
| 2  | NO   | 7154         | 3848409.2       | 83.1%                        |
| 6  | NOT APPLICABLE   | 53478        | 23752597.8      |                              |
| 7  | DON'T KNOW   | 12           | 10468.9         |                              |
| 8  | REFUSAL  | 2            | 2114.9          |                              |
| 9  | NOT STATED   | 975          | 480453.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_42: Exp. diff. during regular hrs.</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1275 / 778777.18 ] [Invalid=61634 / 28099641.19 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)   |              |                 |                              |
| <b>Literal question</b>  | Did you experience difficulties during "regular" office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?                                       |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 1004         | 629868.0        | 80.9%                        |
| 2  | NO   | 198          | 92690.3         | 11.9%                        |
| 3  | NOT REQUIRED   | 73           | 56218.9         | 7.2%                         |
| 6  | NOT APPLICABLE   | 60632        | 27601007.1      |                              |
| 7  | DON'T KNOW   | 12           | 5433.1          |                              |
| 8  | REFUSAL  | 1            | 163.3           |                              |
| 9  | NOT STATED   | 989          | 493037.7        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_43A: Diff. - contact a physician/nurse</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)  |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician or nurse   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 398          | 244997.9        | 39.1%                        |
| 2  | NO   | 603          | 381398.2        | 60.9%                        |
| 6  | NOT APPLICABLE   | 60903        | 27749916.2      |                              |
| 7  | DON'T KNOW   | 1            | 1256.7          |                              |
| 8  | REFUSAL  | 1            | 373.8           |                              |
| 9  | NOT STATED   | 1003         | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_43B: Diff. - did not have a phone number</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |

| <b># ACC_43B: Diff. - did not have a phone number</b>  |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]                                |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not have a phone number             |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 8            | 4530.2          | 0.7%                         |
| 2  | NO  | 993          | 621865.9        | 99.3%                        |
| 6  | NOT APPLICABLE  | 60903        | 27749916.2      |                              |
| 7  | DON'T KNOW  | 1            | 1256.7          |                              |
| 8  | REFUSAL   | 1            | 373.8           |                              |
| 9  | NOT STATED  | 1003         | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_43C: Diff. - could not get through</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]                                |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Could not get through (i.e. no answer)  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 142          | 110661.2        | 17.7%                        |
| 2  | NO  | 859          | 515734.9        | 82.3%                        |
| 6  | NOT APPLICABLE  | 60903        | 27749916.2      |                              |
| 7  | DON'T KNOW  | 1            | 1256.7          |                              |
| 8  | REFUSAL   | 1            | 373.8           |                              |
| 9  | NOT STATED  | 1003         | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_43D: Diff. - waited too long to speak</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]                                |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to speak to someone     |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 349          | 237431.5        | 37.9%                        |
| 2  | NO  | 652          | 388964.6        | 62.1%                        |
| 6  | NOT APPLICABLE  | 60903        | 27749916.2      |                              |
| 7  | DON'T KNOW  | 1            | 1256.7          |                              |
| 8  | REFUSAL   | 1            | 373.8           |                              |
| 9  | NOT STATED  | 1003         | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_43E: Diff. - inadequate information</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]                                |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |

| <b># ACC_43E: Diff. - inadequate information</b>   |                |   |                 |                              |
|--|----------------|---|-----------------|------------------------------|
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Did not get adequate info or advice                   |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 319   | 207870.0        | 33.2%                        |
| 2  | NO             | 682   | 418526.2        | 66.8%                        |
| 6  | NOT APPLICABLE | 60903   | 27749916.2      |                              |
| 7  | DON'T KNOW     | 1   | 1256.7          |                              |
| 8  | REFUSAL        | 1   | 373.8           |                              |
| 9  | NOT STATED     | 1003  | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_43F: Diff. - language</b>   |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]  |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Language problem                                      |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 11  | 11220.2         | 1.8%                         |
| 2  | NO             | 990   | 615175.9        | 98.2%                        |
| 6  | NOT APPLICABLE | 60903   | 27749916.2      |                              |
| 7  | DON'T KNOW     | 1   | 1256.7          |                              |
| 8  | REFUSAL        | 1   | 373.8           |                              |
| 9  | NOT STATED     | 1003  | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_43G: Diff. - did not know where to go/call</b>  |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]  |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Did not know where to go / call / uninformed          |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 37  | 27532.4         | 4.4%                         |
| 2  | NO             | 964   | 598863.7        | 95.6%                        |
| 6  | NOT APPLICABLE | 60903   | 27749916.2      |                              |
| 7  | DON'T KNOW     | 1   | 1256.7          |                              |
| 8  | REFUSAL        | 1   | 373.8           |                              |
| 9  | NOT STATED     | 1003  | 500475.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_43H: Diff. - unable to leave house/health</b>   |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]  |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Unable to leave the house because of a health problem |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |

**# ACC\_43H: Diff. - unable to leave house/health**

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 8     | 4563.6     | 0.7%                  |
| 2     | NO             | 993   | 621832.5   | 99.3%                 |
| 6     | NOT APPLICABLE | 60903 | 27749916.2 |                       |
| 7     | DON'T KNOW     | 1     | 1256.7     |                       |
| 8     | REFUSAL        | 1     | 373.8      |                       |
| 9     | NOT STATED     | 1003  | 500475.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# ACC\_43I: Diff. - other**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |
| <b>Statistics [NW/ W]</b> | [Valid=1001 / 626396.11 ] [Invalid=61908 / 28252022.26 ]                                |
| <b>Universe</b>           | Respondents who answered ACC_42 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |
| <b>Literal question</b>   | What type of difficulties did you experience? - Other                                   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 232   | 139584.5   | 22.3%                 |
| 2     | NO             | 769   | 486811.6   | 77.7%                 |
| 6     | NOT APPLICABLE | 60903 | 27749916.2 |                       |
| 7     | DON'T KNOW     | 1     | 1256.7     |                       |
| 8     | REFUSAL        | 1     | 373.8      |                       |
| 9     | NOT STATED     | 1003  | 500475.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# ACC\_44: Exp. diff. during evening/weekends**

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=1274 / 775793.7 ] [Invalid=61635 / 28102624.67 ]  |
| <b>Universe</b>           | Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)   |
| <b>Literal question</b>   | Did you experience difficulties getting health information or advice during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 426   | 287685.5   | 37.1%                 |
| 2     | NO             | 382   | 175204.2   | 22.6%                 |
| 3     | NOT REQUIRED   | 466   | 312904.0   | 40.3%                 |
| 6     | NOT APPLICABLE | 60632 | 27601007.1 |                       |
| 7     | DON'T KNOW     | 13    | 6738.6     |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 990   | 494879.0   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# ACC\_45A: Diff. - contact a physician/nurse**

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |
| <b>Statistics [NW/ W]</b> | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                     |
| <b>Universe</b>           | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)    |
| <b>Literal question</b>   | What type of difficulties did you experience? - Difficulty contacting a physician or nurse |

| <b># ACC_45A: Diff. - contact a physician/nurse</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 185   | 124715.6   | 43.5%                 |
| 2  | NO  | 239   | 161976.0   | 56.5%                 |
| 6  | NOT APPLICABLE  | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_45B: Diff. - did not have a phone number</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not have a phone number             |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 11    | 4910.7     | 1.7%                  |
| 2  | NO  | 413   | 281780.9   | 98.3%                 |
| 6  | NOT APPLICABLE  | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_45C: Diff. - could not get through</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Could not get through (i.e. no answer)  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 71    | 62798.6    | 21.9%                 |
| 2  | NO  | 353   | 223893.0   | 78.1%                 |
| 6  | NOT APPLICABLE  | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_45D: Diff. - waited too long to speak</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to speak to someone     |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 184   | 113687.3   | 39.7%                 |

| <b># ACC_45D: Diff. - waited too long to speak</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 2  | NO   | 240   | 173004.3   | 60.3%                 |
| 6  | NOT APPLICABLE   | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW   | 2     | 993.9      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_45E: Diff. - inadequate information</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                       |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)      |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not get adequate info or advice          |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 122   | 80782.9    | 28.2%                 |
| 2  | NO   | 302   | 205908.7   | 71.8%                 |
| 6  | NOT APPLICABLE   | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW   | 2     | 993.9      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_45F: Diff. - language</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                       |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)      |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                             |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 2     | 827.0      | 0.3%                  |
| 2  | NO   | 422   | 285864.6   | 99.7%                 |
| 6  | NOT APPLICABLE   | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW   | 2     | 993.9      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_45G: Diff. - did not know where to go/call</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]                                       |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)      |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go / call / uninformed |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 21    | 13787.9    | 4.8%                  |
| 2  | NO   | 403   | 272903.7   | 95.2%                 |
| 6  | NOT APPLICABLE   | 61480 | 28089115.3 |                       |

| <b># ACC_45G: Diff. - did not know where to go/call</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_45H: Diff. - unable to leave/health</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 2     | 324.6      | 0.1%                  |
| 2  | NO  | 422   | 286367.0   | 99.9%                 |
| 6  | NOT APPLICABLE  | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_45I: Diff. - other</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=424 / 286691.6 ] [Invalid=62485 / 28591726.77 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_44 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 75    | 37703.7    | 13.2%                 |
| 2  | NO  | 349   | 248987.9   | 86.8%                 |
| 6  | NOT APPLICABLE  | 61480 | 28089115.3 |                       |
| 7  | DON'T KNOW  | 2     | 993.9      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 501617.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_46: Exp. diff. during middle of night</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1274 / 777588.33 ] [Invalid=61635 / 28100830.04 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_41 = (1, 7 or 8) or ACC_40 = (7 or 8)                                    |       |            |                       |
| <b>Literal question</b>  | Did you experience difficulties getting health information or advice during the middle of the night?  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 156   | 116331.5   | 15.0%                 |
| 2  | NO  | 468   | 249186.1   | 32.0%                 |
| 3  | NOT REQUIRED  | 650   | 412070.7   | 53.0%                 |
| 6  | NOT APPLICABLE  | 60632 | 27601007.1 |                       |
| 7  | DON'T KNOW  | 13    | 4944.0     |                       |

| <b># ACC_46: Exp. diff. during middle of night</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 990   | 494879.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_47A: Diff. - contact a physician/nurse</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                     |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician or nurse |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 70    | 52553.3    | 45.3%                 |
| 2  | NO   | 85    | 63417.9    | 54.7%                 |
| 6  | NOT APPLICABLE   | 61750 | 28262263.9 |                       |
| 7  | DON'T KNOW   | 1     | 360.4      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 499823.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_47B: Diff. - did not have a phone number</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                     |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not have a phone number                |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 5     | 3002.6     | 2.6%                  |
| 2  | NO   | 150   | 112968.5   | 97.4%                 |
| 6  | NOT APPLICABLE   | 61750 | 28262263.9 |                       |
| 7  | DON'T KNOW   | 1     | 360.4      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 499823.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_47C: Diff. - could not get through</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                                 |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                     |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Could not get through (i.e. no answer)     |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 25    | 17684.8    | 15.2%                 |
| 2  | NO   | 130   | 98286.3    | 84.8%                 |
| 6  | NOT APPLICABLE   | 61750 | 28262263.9 |                       |
| 7  | DON'T KNOW   | 1     | 360.4      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 499823.0   |                       |

| <b># ACC_47C: Diff. - could not get through</b>  |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47D: Diff. - waited too long/to speak</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to speak to someone     |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 70           | 60062.5         | 51.8%                        |
| 2  | NO  | 85           | 55908.6         | 48.2%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47E: Diff. - inadequate information</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not get adequate info or advice     |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 45           | 35485.0         | 30.6%                        |
| 2  | NO  | 110          | 80486.1         | 69.4%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47F: Diff. - language</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]                                  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                        |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 1            | 521.4           | 0.4%                         |
| 2  | NO  | 154          | 115449.8        | 99.6%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47G: Diff. - did not know where to go/call</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |

| <b># ACC_47G: Diff. - did not know where to go/call</b>  |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go / call / uninformed          |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 5            | 2564.9          | 2.2%                         |
| 2  | NO  | 150          | 113406.3        | 97.8%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47H: Diff. - unable to leave/health</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 4            | 2835.9          | 2.4%                         |
| 2  | NO  | 151          | 113135.3        | 97.6%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_47I: Diff. - other</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=155 / 115971.17 ] [Invalid=62754 / 28762447.2 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_46 = (1, 7 or 8) or ACC_41 = (7 or 8) or ACC_40 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 21           | 10200.6         | 8.8%                         |
| 2  | NO  | 134          | 105770.6        | 91.2%                        |
| 6  | NOT APPLICABLE  | 61750        | 28262263.9      |                              |
| 7  | DON'T KNOW  | 1            | 360.4           |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1003         | 499823.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_50A: Has a regular family doctor</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=19634 / 10321327.77 ] [Invalid=43275 / 18557090.6 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 and over with DOACC = 1   |              |                 |                              |

| <b># ACC_50A: Has a regular family doctor</b>  |                |   |            |                       |
|--|----------------|---|------------|-----------------------|
| <b>Literal question</b>  |                | Do you have a regular family doctor?  |            |                       |
| Value  | Label          | Cases   | Weighted   | Percentage (Weighted) |
| 1  | YES            | 17861   | 9224088.0  | 89.4%                 |
| 2  | NO             | 1773  | 1097239.7  | 10.6%                 |
| 6  | NOT APPLICABLE | 42318   | 18082978.3 |                       |
| 7  | DON'T KNOW     | 13  | 8301.9     |                       |
| 8  | REFUSAL        | 2   | 1399.5     |                       |
| 9  | NOT STATED     | 942   | 464411.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |            |                       |
| <b># ACC_50: Required routine care for self/family</b>   |                |   |            |                       |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |            |                       |
| <b>Statistics [NW/ W]</b>  |                | [Valid=19606 / 10306824.55 ] [Invalid=43303 / 18571593.82 ]   |            |                       |
| <b>Universe</b>  |                | Respondents aged 15 and over with DOACC = 1   |            |                       |
| <b>Literal question</b>  |                | In the past 12 months, did you require any routine or on-going care for yourself or a family member?                                |            |                       |
| Value  | Label          | Cases   | Weighted   | Percentage (Weighted) |
| 1  | YES            | 10532   | 5336972.7  | 51.8%                 |
| 2  | NO             | 9074  | 4969851.8  | 48.2%                 |
| 6  | NOT APPLICABLE | 42318   | 18082978.3 |                       |
| 7  | DON'T KNOW     | 36  | 19594.4    |                       |
| 8  | REFUSAL        | 5   | 3565.6     |                       |
| 9  | NOT STATED     | 944   | 465455.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |            |                       |
| <b># ACC_51: Exp. diff. getting on-going care</b>  |                |   |            |                       |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |            |                       |
| <b>Statistics [NW/ W]</b>  |                | [Valid=10524 / 5332561.34 ] [Invalid=52385 / 23545857.03 ]  |            |                       |
| <b>Universe</b>  |                | Respondents who answered ACC_50 = (1, 7 or 8)   |            |                       |
| <b>Literal question</b>  |                | In the past 12 months, did you ever experience any difficulties getting the routine or on-going care you or a family member needed? |            |                       |
| Value  | Label          | Cases   | Weighted   | Percentage (Weighted) |
| 1  | YES            | 1404  | 760128.6   | 14.3%                 |
| 2  | NO             | 9120  | 4572432.7  | 85.7%                 |
| 6  | NOT APPLICABLE | 51392   | 23052830.1 |                       |
| 7  | DON'T KNOW     | 7   | 2505.9     |                       |
| 8  | REFUSAL        | 1   | 1905.5     |                       |
| 9  | NOT STATED     | 985   | 488615.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |            |                       |
| <b># ACC_52: Experienced diff. during regular hours</b>  |                |   |            |                       |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |            |                       |
| <b>Statistics [NW/ W]</b>  |                | [Valid=1399 / 758214.85 ] [Invalid=61510 / 28120203.52 ]  |            |                       |
| <b>Universe</b>  |                | Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)  |            |                       |
| <b>Literal question</b>  |                | Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?  |            |                       |

| <b># ACC_52: Experienced diff. during regular hours</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 1212  | 668735.8   | 88.2%                 |
| 2  | NO  | 160   | 76118.9    | 10.0%                 |
| 3  | NOT REQUIRED  | 27    | 13360.2    | 1.8%                  |
| 6  | NOT APPLICABLE  | 60512 | 27625262.8 |                       |
| 7  | DON'T KNOW  | 5     | 1913.8     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 993   | 493027.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53A: Diff. - contact a physician</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 265   | 132113.7   | 19.8%                 |
| 2  | NO  | 943   | 534405.9   | 80.2%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53B: Diff. - getting an appointment</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty getting an appointment       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 565   | 309923.8   | 46.5%                 |
| 2  | NO  | 643   | 356595.8   | 53.5%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53C: Diff. - do not have family physician</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Do not have personal / family physician |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |

| <b># ACC_53C: Diff. - do not have family physician</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 97    | 49180.2    | 7.4%                  |
| 2  | NO   | 1111  | 617339.5   | 92.6%                 |
| 6  | NOT APPLICABLE   | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW   | 4     | 2216.2     |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_53D: Diff. - waited too long for appointment</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to get an appointment                      |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 499   | 292410.6   | 43.9%                 |
| 2  | NO   | 709   | 374109.1   | 56.1%                 |
| 6  | NOT APPLICABLE   | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW   | 4     | 2216.2     |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_53E: Diff. - waited too long/see doc.</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 250   | 182454.1   | 27.4%                 |
| 2  | NO   | 958   | 484065.6   | 72.6%                 |
| 6  | NOT APPLICABLE   | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW   | 4     | 2216.2     |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_53F: Diff. - not available at time required</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available at time required                     |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 85    | 40351.3    | 6.1%                  |

| <b># ACC_53F: Diff. - not available at time required</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 2  | NO  | 1123  | 626168.4   | 93.9%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53G: Diff. - not available in the area</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available in the area       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 53    | 25582.8    | 3.8%                  |
| 2  | NO  | 1155  | 640936.8   | 96.2%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53H: Diff. - transportation</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Transportation problems                 |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 33    | 18782.5    | 2.8%                  |
| 2  | NO  | 1175  | 647737.1   | 97.2%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53I: Diff. - language</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                        |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 4     | 3672.8     | 0.6%                  |
| 2  | NO  | 1204  | 662846.8   | 99.4%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |

| <b># ACC_53I: Diff. - language</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53J: Diff. - cost</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Cost  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 21    | 15578.4    | 2.3%                  |
| 2  | NO  | 1187  | 650941.2   | 97.7%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53K: Diff. - did not know where to go</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 9     | 7179.6     | 1.1%                  |
| 2  | NO  | 1199  | 659340.1   | 98.9%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53L: Diff. - unable to leave house/health</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 8     | 2497.1     | 0.4%                  |
| 2  | NO  | 1200  | 664022.5   | 99.6%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |

| <b># ACC_53L: Diff. - unable to leave house/health</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_53M: Diff. - other</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1208 / 666519.64 ] [Invalid=61701 / 28211898.73 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_52 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)   |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 181   | 95235.9    | 14.3%                 |
| 2  | NO  | 1027  | 571283.7   | 85.7%                 |
| 6  | NOT APPLICABLE  | 60699 | 27714741.8 |                       |
| 7  | DON'T KNOW  | 4     | 2216.2     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 998   | 494940.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_54: Exp. diff. during evening/weekends</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1394 / 757207.52 ] [Invalid=61515 / 28121210.85 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_51 = (1, 7 or 8) or ACC_50 = (7 or 8)  |       |            |                       |
| <b>Literal question</b>  | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 331   | 178472.8   | 23.6%                 |
| 2  | NO  | 529   | 260817.6   | 34.4%                 |
| 3  | NOT REQUIRED  | 534   | 317917.1   | 42.0%                 |
| 6  | NOT APPLICABLE  | 60512 | 27625262.8 |                       |
| 7  | DON'T KNOW  | 10    | 2921.1     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 993   | 493027.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_55A: Diff. - contact a physician</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)   |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 103   | 54640.5    | 30.7%                 |
| 2  | NO  | 227   | 123175.6   | 69.3%                 |
| 6  | NOT APPLICABLE  | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW  | 1     | 656.7      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |

| <b># ACC_55A: Diff. - contact a physician</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 9  | NOT STATED  | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_55B: Diff. - getting an appointment</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty getting an appointment       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 102   | 63963.1    | 36.0%                 |
| 2  | NO  | 228   | 113853.0   | 64.0%                 |
| 6  | NOT APPLICABLE  | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW  | 1     | 656.7      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_55C: Diff. - do not have family physician</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Do not have personal / family physician |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 30    | 11426.8    | 6.4%                  |
| 2  | NO  | 300   | 166389.3   | 93.6%                 |
| 6  | NOT APPLICABLE  | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW  | 1     | 656.7      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_55D: Diff. - waited too long for appointment</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to get an appointment   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 80    | 54560.1    | 30.7%                 |
| 2  | NO  | 250   | 123256.0   | 69.3%                 |
| 6  | NOT APPLICABLE  | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW  | 1     | 656.7      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |

| <b># ACC_55E: Diff. - waited too long/see doc</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 105          | 59217.6         | 33.3%                        |
| 2  | NO   | 225          | 118598.5        | 66.7%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55F: Diff. - not available at time required</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available at time required                     |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 71           | 39649.4         | 22.3%                        |
| 2  | NO   | 259          | 138166.6        | 77.7%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55G: Diff. - not available/area</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available in the area                          |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 22           | 16945.6         | 9.5%                         |
| 2  | NO   | 308          | 160870.5        | 90.5%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55H: Diff. - transportation</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |

| <b># ACC_55H: Diff. - transportation</b>   |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)              |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Transportation problems                              |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 10           | 5357.6          | 3.0%                         |
| 2  | NO   | 320          | 172458.5        | 97.0%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55I: Diff. - language</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Universe Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)     |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                                     |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 4            | 963.4           | 0.5%                         |
| 2  | NO   | 326          | 176852.7        | 99.5%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55J: Diff. - cost</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)              |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Cost   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 2            | 2563.9          | 1.4%                         |
| 2  | NO   | 328          | 175252.2        | 98.6%                        |
| 6  | NOT APPLICABLE   | 61575        | 28203997.5      |                              |
| 7  | DON'T KNOW   | 1            | 656.7           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1003         | 495948.1        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_55K: Diff. - did not know where to go</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)              |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go (i.e. information problems) |              |                 |                              |

| <b># ACC_55K: Diff. - did not know where to go</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 7     | 7512.0     | 4.2%                  |
| 2  | NO   | 323   | 170304.1   | 95.8%                 |
| 6  | NOT APPLICABLE   | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW   | 1     | 656.7      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_55L: Diff. - unable to leave house/health</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                                |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave house because of a health problem                      |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 2     | 1210.1     | 0.7%                  |
| 2  | NO   | 328   | 176606.0   | 99.3%                 |
| 6  | NOT APPLICABLE   | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW   | 1     | 656.7      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_55M: Diff. - other</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=330 / 177816.09 ] [Invalid=62579 / 28700602.28 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_54 = (1, 7 or 8) or ACC_51 = (7 or 8) or ACC_50 = (7 or 8)                                |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other  |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 37    | 16202.1    | 9.1%                  |
| 2  | NO   | 293   | 161614.0   | 90.9%                 |
| 6  | NOT APPLICABLE   | 61575 | 28203997.5 |                       |
| 7  | DON'T KNOW   | 1     | 656.7      |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1003  | 495948.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_60: Required immediate care - self/family</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=19594 / 10295363.27 ] [Invalid=43315 / 18583055.1 ]   |       |            |                       |
| <b>Universe</b>  | Respondents aged 15 and over with DOACC = 1  |       |            |                       |
| <b>Literal question</b>  | In the past 12 months, have you or a family member required immediate health care services for a minor health problem? |       |            |                       |
| <b>Notes</b>   | Minor health problems include fever, headache, a sprained ankle, vomiting or an unexplained rash.                      |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |

| <b># ACC_60: Required immediate care - self/family</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 5872  | 3480555.7  | 33.8%                 |
| 2  | NO  | 13722 | 6814807.6  | 66.2%                 |
| 6  | NOT APPLICABLE  | 42318 | 18082978.3 |                       |
| 7  | DON'T KNOW  | 41    | 28069.4    |                       |
| 8  | REFUSAL   | 6     | 3544.8     |                       |
| 9  | NOT STATED  | 950   | 468462.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_61: Exp. diff. getting immediate care</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5869 / 3479593.19 ] [Invalid=57040 / 25398825.18 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_60 = (1, 7 or 8)   |       |            |                       |
| <b>Literal question</b>  | In the past 12 months, did you ever experience any difficulties getting the immediate care needed for a minor health problem for yourself or a family member? |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 1229  | 837905.4   | 24.1%                 |
| 2  | NO  | 4640  | 2641687.8  | 75.9%                 |
| 6  | NOT APPLICABLE  | 56040 | 24897785.9 |                       |
| 7  | DON'T KNOW  | 3     | 962.5      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 997   | 500076.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_62: Experienced diff. during regular hours</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1224 / 834274.99 ] [Invalid=61685 / 28044143.38 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)  |       |            |                       |
| <b>Literal question</b>  | Did you experience difficulties getting such care during « regular » office hours (that is, 9:00 am to 5:00 pm, Monday to Friday)?                            |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 782   | 519280.9   | 62.2%                 |
| 2  | NO  | 308   | 210780.4   | 25.3%                 |
| 3  | NOT REQUIRED  | 134   | 104213.7   | 12.5%                 |
| 6  | NOT APPLICABLE  | 60680 | 27539473.7 |                       |
| 7  | DON'T KNOW  | 5     | 3630.4     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1000  | 501039.3   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63A: Diff. - contact a physician</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)   |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician   |       |            |                       |

| <b># ACC_63A: Diff. - contact a physician</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 150   | 96526.2    | 18.6%                 |
| 2  | NO  | 632   | 422754.7   | 81.4%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63B: Diff. - getting an appointment</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty getting an appointment       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 274   | 182596.5   | 35.2%                 |
| 2  | NO  | 508   | 336684.3   | 64.8%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63C: Diff. - do not have family physician</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Do not have personal / family physician |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 37    | 23957.8    | 4.6%                  |
| 2  | NO  | 745   | 495323.0   | 95.4%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63D: Diff. - waited too long/for appointment</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to get an appointment   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 218   | 189505.1   | 36.5%                 |

| <b># ACC_63D: Diff. - waited too long/for appointment</b>  |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 2  | NO   | 564   | 329775.7   | 63.5%                 |
| 6  | NOT APPLICABLE   | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_63E: Diff. - waited too long/see doc</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 356   | 259955.0   | 50.1%                 |
| 2  | NO   | 426   | 259325.9   | 49.9%                 |
| 6  | NOT APPLICABLE   | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_63F: Diff. - not available at time required</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available at time required                     |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 59    | 47442.6    | 9.1%                  |
| 2  | NO   | 723   | 471838.3   | 90.9%                 |
| 6  | NOT APPLICABLE   | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_63G: Diff. - not available/area</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available in the area                          |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 23    | 22342.4    | 4.3%                  |
| 2  | NO   | 759   | 496938.5   | 95.7%                 |
| 6  | NOT APPLICABLE   | 61122 | 27854467.8 |                       |

| <b># ACC_63G: Diff. - not available/area</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63H: Diff. - transportation</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Transportation problems                 |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 12    | 11115.5    | 2.1%                  |
| 2  | NO  | 770   | 508165.4   | 97.9%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63I: Diff. - language</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                        |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 8     | 8950.7     | 1.7%                  |
| 2  | NO  | 774   | 510330.1   | 98.3%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63J: Diff. - cost</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Cost                                    |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 6     | 2117.0     | 0.4%                  |
| 2  | NO  | 776   | 517163.9   | 99.6%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |

| <b># ACC_63J: Diff. - cost</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63K: Diff. - did not know where to go</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 8     | 4740.1     | 0.9%                  |
| 2  | NO  | 774   | 514540.8   | 99.1%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63L: Diff. - unable to leave house/health</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 6     | 1872.7     | 0.4%                  |
| 2  | NO  | 776   | 517408.2   | 99.6%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_63M: Diff. - other</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=782 / 519280.86 ] [Invalid=62127 / 28359137.51 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_62 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 102   | 51902.6    | 10.0%                 |
| 2  | NO  | 680   | 467378.3   | 90.0%                 |
| 6  | NOT APPLICABLE  | 61122 | 27854467.8 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1005  | 504669.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |

| <b># ACC_64: Exp. diff. during evening/weekends</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1222 / 833877.85 ] [Invalid=61687 / 28044540.52 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)   |              |                 |                              |
| <b>Literal question</b>  | Did you experience difficulties getting such care during evenings and weekends (that is, 5:00 to 9:00 pm, Monday to Friday, or 9:00 am to 5:00 pm, Saturdays and Sundays)? |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 599          | 417233.4        | 50.0%                        |
| 2  | NO   | 311          | 185971.1        | 22.3%                        |
| 3  | NOT REQUIRED   | 312          | 230673.3        | 27.7%                        |
| 6  | NOT APPLICABLE   | 60680        | 27539473.7      |                              |
| 7  | DON'T KNOW   | 6            | 3402.3          |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1001         | 501664.6        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65A: Diff. - contact a physician</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)  |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 101          | 68765.5         | 16.5%                        |
| 2  | NO   | 497          | 348312.1        | 83.5%                        |
| 6  | NOT APPLICABLE   | 61303        | 27956118.1      |                              |
| 7  | DON'T KNOW   | 1            | 155.8           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1007         | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65B: Diff. - getting an appointment</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)  |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty getting an appointment  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 103          | 66778.2         | 16.0%                        |
| 2  | NO   | 495          | 350299.4        | 84.0%                        |
| 6  | NOT APPLICABLE   | 61303        | 27956118.1      |                              |
| 7  | DON'T KNOW   | 1            | 155.8           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1007         | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65C: Diff. - do not have family physician</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |

| <b># ACC_65C: Diff. - do not have family physician</b>   |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Do not have personal / family physician                    |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 25           | 18282.4         | 4.4%                         |
| 2  | NO   | 573          | 398795.2        | 95.6%                        |
| 6  | NOT APPLICABLE   | 61303        | 27956118.1      |                              |
| 7  | DON'T KNOW   | 1            | 155.8           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1007         | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65D: Diff. - waited too long/for appointment</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to get an appointment                      |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 108          | 92521.8         | 22.2%                        |
| 2  | NO   | 490          | 324555.8        | 77.8%                        |
| 6  | NOT APPLICABLE   | 61303        | 27956118.1      |                              |
| 7  | DON'T KNOW   | 1            | 155.8           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1007         | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65E: Diff. - waited too long/see doc</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 350          | 220411.6        | 52.8%                        |
| 2  | NO   | 248          | 196666.0        | 47.2%                        |
| 6  | NOT APPLICABLE   | 61303        | 27956118.1      |                              |
| 7  | DON'T KNOW   | 1            | 155.8           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1007         | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># ACC_65F: Diff. - not available at time required</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |              |                 |                              |

| <b># ACC_65F: Diff. - not available at time required</b>   |                |   |                 |                              |
|--|----------------|---|-----------------|------------------------------|
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Service not available at time required  |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 76  | 64052.3         | 15.4%                        |
| 2  | NO             | 522   | 353025.3        | 84.6%                        |
| 6  | NOT APPLICABLE | 61303   | 27956118.1      |                              |
| 7  | DON'T KNOW     | 1   | 155.8           |                              |
| 8  | REFUSAL        | 0   | 0.0             |                              |
| 9  | NOT STATED     | 1007  | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_65G: Diff. - not available/area</b>   |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]                                 |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Service not available in the area       |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 25  | 25524.2         | 6.1%                         |
| 2  | NO             | 573   | 391553.4        | 93.9%                        |
| 6  | NOT APPLICABLE | 61303   | 27956118.1      |                              |
| 7  | DON'T KNOW     | 1   | 155.8           |                              |
| 8  | REFUSAL        | 0   | 0.0             |                              |
| 9  | NOT STATED     | 1007  | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_65H: Diff. - transportation</b>   |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]                                 |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Transportation problems                 |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES            | 12  | 10356.2         | 2.5%                         |
| 2  | NO             | 586   | 406721.4        | 97.5%                        |
| 6  | NOT APPLICABLE | 61303   | 27956118.1      |                              |
| 7  | DON'T KNOW     | 1   | 155.8           |                              |
| 8  | REFUSAL        | 0   | 0.0             |                              |
| 9  | NOT STATED     | 1007  | 505066.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                |   |                 |                              |
| <b># ACC_65I: Diff. - language</b>   |                |   |                 |                              |
| <b>Information</b>   |                | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |                 |                              |
| <b>Statistics [NW/ W]</b>  |                | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]                                 |                 |                              |
| <b>Universe</b>  |                | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |                 |                              |
| <b>Literal question</b>  |                | What type of difficulties did you experience? - Language problem                        |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |

| <b># ACC_65I: Diff. - language</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 6     | 4291.2     | 1.0%                  |
| 2  | NO  | 592   | 412786.4   | 99.0%                 |
| 6  | NOT APPLICABLE  | 61303 | 27956118.1 |                       |
| 7  | DON'T KNOW  | 1     | 155.8      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 505066.9   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_65J: Diff. - cost</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Cost  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 3     | 3875.6     | 0.9%                  |
| 2  | NO  | 595   | 413202.0   | 99.1%                 |
| 6  | NOT APPLICABLE  | 61303 | 27956118.1 |                       |
| 7  | DON'T KNOW  | 1     | 155.8      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 505066.9   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_65K: Diff. - did not know where to go</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 10    | 9363.1     | 2.2%                  |
| 2  | NO  | 588   | 407714.5   | 97.8%                 |
| 6  | NOT APPLICABLE  | 61303 | 27956118.1 |                       |
| 7  | DON'T KNOW  | 1     | 155.8      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 505066.9   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_65L: Diff. - unable to leave house/health</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 7     | 2835.3     | 0.7%                  |

| <b># ACC_65L: Diff. - unable to leave house/health</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 2  | NO  | 591   | 414242.3   | 99.3%                 |
| 6  | NOT APPLICABLE  | 61303 | 27956118.1 |                       |
| 7  | DON'T KNOW  | 1     | 155.8      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 505066.9   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_65M: Diff. - other</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=598 / 417077.59 ] [Invalid=62311 / 28461340.78 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_64 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other                                   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 78    | 49021.3    | 11.8%                 |
| 2  | NO  | 520   | 368056.3   | 88.2%                 |
| 6  | NOT APPLICABLE  | 61303 | 27956118.1 |                       |
| 7  | DON'T KNOW  | 1     | 155.8      |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 505066.9   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_66: Exp. diff. during middle of night</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1222 / 831617.51 ] [Invalid=61687 / 28046800.86 ]                                |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_61 = (1, 7 or 8) or ACC_60 = (7 or 8)                      |       |            |                       |
| <b>Literal question</b>  | Did you experience difficulties getting such care during the middle of the night?       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 244   | 163445.0   | 19.7%                 |
| 2  | NO  | 429   | 268267.0   | 32.3%                 |
| 3  | NOT REQUIRED  | 549   | 399905.5   | 48.1%                 |
| 6  | NOT APPLICABLE  | 60680 | 27539473.7 |                       |
| 7  | DON'T KNOW  | 6     | 5662.6     |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1001  | 501664.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_67A: Diff. - contact a physician</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty contacting a physician       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 48    | 29739.9    | 18.2%                 |
| 2  | NO  | 196   | 133705.0   | 81.8%                 |

| <b># ACC_67A: Diff. - contact a physician</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 6  | NOT APPLICABLE  | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_67B: Diff. - getting an appointment</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Difficulty getting an appointment       |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 30    | 20788.5    | 12.7%                 |
| 2  | NO  | 214   | 142656.4   | 87.3%                 |
| 6  | NOT APPLICABLE  | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_67C: Diff. - do not have family physician</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Do not have personal / family physician |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 7     | 8317.4     | 5.1%                  |
| 2  | NO  | 237   | 155127.6   | 94.9%                 |
| 6  | NOT APPLICABLE  | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># ACC_67D: Diff. - waited too long/for appointment</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to get an appointment   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 54    | 37150.0    | 22.7%                 |
| 2  | NO  | 190   | 126295.0   | 77.3%                 |
| 6  | NOT APPLICABLE  | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |

| <b># ACC_67D: Diff. - waited too long/for appointment</b>  |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_67E: Diff. - waited too long/see doc</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Waited too long to see the doctor (i.e. in-office waiting) |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 149   | 107491.5   | 65.8%                 |
| 2  | NO   | 95    | 55953.4    | 34.2%                 |
| 6  | NOT APPLICABLE   | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_67F: Diff. - not available at time required</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available at time required                     |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 33    | 20166.3    | 12.3%                 |
| 2  | NO   | 211   | 143278.7   | 87.7%                 |
| 6  | NOT APPLICABLE   | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1007  | 507327.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># ACC_67G: Diff. - not available/area</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]  |       |            |                       |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)                    |       |            |                       |
| <b>Literal question</b>  | What type of difficulties did you experience? - Service not available in the area                          |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 14    | 8631.5     | 5.3%                  |
| 2  | NO   | 230   | 154813.5   | 94.7%                 |
| 6  | NOT APPLICABLE   | 61658 | 28207646.2 |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1007  | 507327.2   |                       |

| <b># ACC_67G: Diff. - not available/area</b>   |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67H: Diff. - transportation</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Transportation problems                 |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 2            | 1198.6          | 0.7%                         |
| 2  | NO  | 242          | 162246.3        | 99.3%                        |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67I: Diff. - language</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Language problem                        |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 4            | 2385.2          | 1.5%                         |
| 2  | NO  | 240          | 161059.8        | 98.5%                        |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67J: Diff. - cost</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]                                 |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8) |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Cost                                    |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 0            | 0.0             |                              |
| 2  | NO  | 244          | 163445.0        | 100.0%                       |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67K: Diff. - did not know where to go</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |

| <b># ACC_67K: Diff. - did not know where to go</b>   |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Did not know where to go (i.e. information problems)  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 5            | 5746.4          | 3.5%                         |
| 2  | NO  | 239          | 157698.6        | 96.5%                        |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67L: Diff. - unable to leave house/health</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Unable to leave the house because of a health problem |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 4            | 2519.6          | 1.5%                         |
| 2  | NO  | 240          | 160925.4        | 98.5%                        |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># ACC_67M: Diff. - other</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=244 / 163444.96 ] [Invalid=62665 / 28714973.41 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered ACC_66 = (1, 7 or 8) or ACC_61 = (7 or 8) or ACC_60 = (7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | What type of difficulties did you experience? - Other   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 29           | 16602.9         | 10.2%                        |
| 2  | NO  | 215          | 146842.0        | 89.8%                        |
| 6  | NOT APPLICABLE  | 61658        | 28207646.2      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1007         | 507327.2        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LBSG31: Employment status - 12 mo - (G)</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=32071 / 17072937.98 ] [Invalid=30838 / 11805480.39 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents who answered LBS_01 = (1, 7, 8) or LBS_02 = (1, 7, 8)                                     |              |                 |                              |

| <b># LBSG31: Employment status - 12 mo - (G)</b>   |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Literal question</b>  | Are you an employee or self-employed?   |              |                 |                              |
| <b>Notes</b>   | Based on LBS_31. See documentation on derived variables                                 |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | EMPLOYEE  | 26574        | 14142843.3      | 82.8%                        |
| 2  | SELF-EMPLOYED   | 5497         | 2930094.7       | 17.2%                        |
| 6  | NOT APPLICABLE  | 29662        | 11136034.7      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1176         | 669445.7        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LBSGHPW: Total usual hrs. worked current - (D, G)</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= continuous] [Format=numeric] [Range= 1-99] [Missing=*]                           |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=31796 / 16963583.24 ] [Invalid=31113 / 11914835.13 ]                             |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).    |              |                 |                              |
| <b>Notes</b>   | Based on LBSDHPW. See documentation on derived variables.                               |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 99   | 99 HRS OR MORE  | 140          | 71627.6         | 100.0%                       |
| 996  | NOT APPLICABLE  | 29662        | 11136034.7      |                              |
| 997  | DON'T KNOW  | 0            | 0.0             |                              |
| 998  | REFUSAL   | 0            | 0.0             |                              |
| 999  | NOT STATED  | 1451         | 778800.4        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LBSDPFT: Full/part-time - current jobs - (D)</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=31796 / 16963583.24 ] [Invalid=31113 / 11914835.13 ]                             |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8).    |              |                 |                              |
| <b>Notes</b>   | Based on LBSDHPW. Usual hours currently worked. See documentation on derived variables. |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | FULL-TIME   | 25604        | 13980673.8      | 82.4%                        |
| 2  | PART-TIME   | 6192         | 2982909.4       | 17.6%                        |
| 6  | NOT APPLICABLE  | 29662        | 11136034.7      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1451         | 778800.4        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LBSDWSS: Working status last week - 4 grps - (D)</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]                              |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=51711 / 25123263.16 ] [Invalid=11198 / 3755155.21 ]                              |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75   |              |                 |                              |
| <b>Notes</b>   | Based on LBS_01, LBS_02. See documentation on derived variables.                        |              |                 |                              |

| <b># LBSDWSS: Working status last week - 4 grps - (D)</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | AT WORK LAST WK   | 29353 | 15796699.2 | 62.9%                 |
| 2  | ABSENT LAST WK  | 2858  | 1358372.5  | 5.4%                  |
| 3  | NO JOB LAST WK  | 17531 | 7245706.3  | 28.8%                 |
| 4  | UNABLE/PERMANENT  | 1969  | 722485.3   | 2.9%                  |
| 6  | NOT APPLICABLE  | 10162 | 3167843.2  |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1036  | 587312.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># LBSGSOC: Occupation group - (G)</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]                  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=31925 / 16978564.04 ] [Invalid=30984 / 11899854.33 ]                 |       |            |                       |
| <b>Universe</b>  | Respondents aged 15 to 75 with LBSDWSS ne (3,4) and LBSCSOC ne (97, 98, 99) |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | MANAG./ART, EDUC  | 10987 | 5986976.2  | 35.3%                 |
| 2  | BUSIN./FINANC.  | 5815  | 3240385.3  | 19.1%                 |
| 3  | SALES, SERVICES   | 7807  | 4062474.8  | 23.9%                 |
| 4  | TRADES/TRANSP.  | 4616  | 2497498.2  | 14.7%                 |
| 5  | PRIM. IND./PROC.  | 2700  | 1191229.5  | 7.0%                  |
| 6  | NOT APPLICABLE  | 29662 | 11136034.7 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1322  | 763819.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># DOLOP: Module: LOP - (F)</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]                               |       |            |                       |
| <b>Universe</b>  | All respondents   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 62909 | 28878418.4 | 100.0%                |
| 2  | NO  | 0     | 0.0        |                       |
| 6  | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 0     | 0.0        |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># LOP_015: Employed in past 3 months</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=35906 / 18833850.12 ] [Invalid=27003 / 10044568.25 ]                 |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and GEN_08 = 1                            |       |            |                       |
| <b>Literal question</b>  | Did you work at a job or a business at any time in the past three months?   |       |            |                       |

**# LOP\_015: Employed in past 3 months**

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 32621 | 17375467.6 | 92.3%                 |
| 2     | NO             | 3285  | 1458382.6  | 7.7%                  |
| 6     | NOT APPLICABLE | 25552 | 9244420.2  |                       |
| 7     | DON'T KNOW     | 13    | 8247.9     |                       |
| 8     | REFUSAL        | 35    | 18996.2    |                       |
| 9     | NOT STATED     | 1403  | 772904.0   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# LOPG020: Reason for not working - (G)**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-8] [Missing=*]      |
| <b>Statistics [NW/ W]</b> | [Valid=18969 / 7557205.75 ] [Invalid=43940 / 21321212.62 ]      |
| <b>Universe</b>           | 15 < DHH_AGE < 75 et GR_N01A = 2 et (LOP_015 = 2 ou GEN_08 = 2) |
| <b>Notes</b>              | Based on LOP_020. See documentation on derived variables.       |

| Value | Label               | Cases | Weighted   | Percentage (Weighted) |
|-------|---------------------|-------|------------|-----------------------|
| 1     | CHRON. PHY./MENT    | 2385  | 857285.7   | 11.3%                 |
| 2     | OWN INJURY          | 206   | 87135.1    | 1.2%                  |
| 3     | OWN INFECTION DISE. | 334   | 131944.2   | 1.7%                  |
| 4     | CARING /OWN CHL.    | 1707  | 928698.0   | 12.3%                 |
| 5     | EDUC., TRAINING     | 2244  | 1339220.4  | 17.7%                 |
| 6     | CARING/ELDERLY      | 458   | 205454.7   | 2.7%                  |
| 7     | RETIRED             | 9482  | 2966185.0  | 39.2%                 |
| 8     | OTHER               | 2153  | 1041282.5  | 13.8%                 |
| 96    | NOT APPLICABLE      | 42084 | 20344900.3 |                       |
| 97    | DON'T KNOW          | 0     | 0.0        |                       |
| 98    | REFUSAL             | 0     | 0.0        |                       |
| 99    | NOT STATED          | 1856  | 976312.3   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# LOP\_030: Couldn't work due to chronic condition**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=32590 / 17359401.54 ] [Invalid=30319 / 11519016.83 ]   |
| <b>Universe</b>           | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_015 = 1   |
| <b>Literal question</b>   | In the past three months, that is from [date three months ago] to yesterday, have you missed any days at work because of a chronic health condition? By chronic condition, we mean a long-term physical or mental condition that is expected to last or hav |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 1825  | 923788.5   | 5.3%                  |
| 2     | NO             | 30765 | 16435613.0 | 94.7%                 |
| 6     | NOT APPLICABLE | 28432 | 10526638.5 |                       |
| 7     | DON'T KNOW     | 11    | 4246.9     |                       |
| 8     | REFUSAL        | 12    | 7561.3     |                       |
| 9     | NOT STATED     | 1864  | 980570.2   |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

| <b># LOPG040: Work days lost due to chronic cond. (G)</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Information</b>   | [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1801 / 911353.28 ] [Invalid=61108 / 27967065.09 ]   |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_030 = 1  |              |                 |                              |
| <b>Notes</b>   | Based on LOP_040. See documentation on derived variables.  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 31   | 31 DAYS OR MORE  | 105          | 45971.7         | 100.0%                       |
| 96   | NOT APPLICABLE   | 59197        | 26962251.5      |                              |
| 97   | DON'T KNOW   | 0            | 0.0             |                              |
| 98   | REFUSAL  | 0            | 0.0             |                              |
| 99   | NOT STATED   | 1911         | 1004813.6       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># LOPG050: Chronic condition - (G)</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=3902 / 1667331.4 ] [Invalid=59007 / 27211086.97 ]   |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOPG020 = 1 or LOP_030 = 1   |              |                 |                              |
| <b>Notes</b>   | Based on LOP_050. See documentation on derived variables.  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | ARTHRITIS  | 354          | 146031.3        | 8.8%                         |
| 2  | CARDIOV. DISEASE   | 214          | 74268.2         | 4.5%                         |
| 3  | ASTHMA   | 67           | 27278.2         | 1.6%                         |
| 4  | CHRONIC BR,  | 104          | 33298.7         | 2.0%                         |
| 5  | DIABETES   | 108          | 50769.5         | 3.0%                         |
| 6  | MIGRAINE   | 179          | 83114.8         | 5.0%                         |
| 7  | BACK PROBLEMS  | 593          | 283546.3        | 17.0%                        |
| 8  | CANCER   | 147          | 57280.4         | 3.4%                         |
| 9  | DIGEST. DISEASE  | 106          | 50964.4         | 3.1%                         |
| 10   | FIBROMY, CHRO  | 146          | 55954.5         | 3.4%                         |
| 11   | OTHER  | 1884         | 804825.0        | 48.3%                        |
| 96   | NOT APPLICABLE   | 56812        | 26104965.8      |                              |
| 97   | DON'T KNOW   | 0            | 0.0             |                              |
| 98   | REFUSAL  | 0            | 0.0             |                              |
| 99   | NOT STATED   | 2195         | 1106121.2       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># LOP_060: Missed work due to injury</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=32591 / 17356738.92 ] [Invalid=30318 / 11521679.45 ]  |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2  |              |                 |                              |
| <b>Literal question</b>  | In the past three months, have you missed any days at work because of injury such as a broken bone, a bad cut, a burn or a sprain? |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 1104         | 556410.5        | 3.2%                         |
| 2  | NO   | 31487        | 16800328.4      | 96.8%                        |

| <b># LOP_060: Missed work due to injury</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 6  | NOT APPLICABLE  | 28432 | 10526638.5 |                       |
| 7  | DON'T KNOW  | 4     | 753.8      |                       |
| 8  | REFUSAL   | 13    | 7965.0     |                       |
| 9  | NOT STATED  | 1869  | 986322.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># LOPG070: Work days missed due to injury - (G)</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= continuous] [Format=numeric] [Range= 1-31] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1096 / 551839.82 ] [Invalid=61813 / 28326578.55 ]  |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 AND LOP_060 = 1   |       |            |                       |
| <b>Notes</b>   | Based on LOP_070. See documentation on derived variables.   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 31   | 31 DAYS OR MORE   | 75    | 26040.3    | 100.0%                |
| 96   | NOT APPLICABLE  | 59919 | 27326966.9 |                       |
| 97   | DON'T KNOW  | 0     | 0.0        |                       |
| 98   | REFUSAL   | 0     | 0.0        |                       |
| 99   | NOT STATED  | 1894  | 999611.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># LOP_080: Missed work due to infectious disease</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=32578 / 17349368.09 ] [Invalid=30331 / 11529050.28 ]   |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2   |       |            |                       |
| <b>Literal question</b>  | In the past three months, have you missed any days at work because of an infectious disease such as a cold, a stomach flu or a respiratory infection? |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 5200  | 2741555.6  | 15.8%                 |
| 2  | NO  | 27378 | 14607812.5 | 84.2%                 |
| 6  | NOT APPLICABLE  | 28432 | 10526638.5 |                       |
| 7  | DON'T KNOW  | 14    | 3982.8     |                       |
| 8  | REFUSAL   | 13    | 7810.8     |                       |
| 9  | NOT STATED  | 1872  | 990618.2   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># LOP_81A: Had a cold</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]   |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1   |       |            |                       |
| <b>Literal question</b>  | Which infectious disease was this? - Cold   |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 2599  | 1367604.9  | 50.0%                 |
| 2  | NO  | 2588  | 1365588.2  | 50.0%                 |
| 6  | NOT APPLICABLE  | 55810 | 25134451.0 |                       |
| 7  | DON'T KNOW  | 12    | 5256.1     |                       |

| <b># LOP_81A: Had a cold</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 8  | REFUSAL  | 1     | 3106.4     |                       |
| 9  | NOT STATED   | 1899  | 1002411.8  |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># LOP_81B: Had the flu or influenza</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]  |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1          |       |            |                       |
| <b>Literal question</b>  | Which infectious disease was this? - Flu or influenza      |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 1222  | 628366.5   | 23.0%                 |
| 2  | NO   | 3965  | 2104826.6  | 77.0%                 |
| 6  | NOT APPLICABLE   | 55810 | 25134451.0 |                       |
| 7  | DON'T KNOW   | 12    | 5256.1     |                       |
| 8  | REFUSAL  | 1     | 3106.4     |                       |
| 9  | NOT STATED   | 1899  | 1002411.8  |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># LOP_81C: Stomach Flu</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]  |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1          |       |            |                       |
| <b>Literal question</b>  | Which infectious disease was this? - Stomach flu           |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 984   | 535791.4   | 19.6%                 |
| 2  | NO   | 4203  | 2197401.8  | 80.4%                 |
| 6  | NOT APPLICABLE   | 55810 | 25134451.0 |                       |
| 7  | DON'T KNOW   | 12    | 5256.1     |                       |
| 8  | REFUSAL  | 1     | 3106.4     |                       |
| 9  | NOT STATED   | 1899  | 1002411.8  |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># LOP_81D: Respiratory Flu</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*] |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]  |       |            |                       |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1          |       |            |                       |
| <b>Literal question</b>  | Which infectious disease was this? - Respiratory infection |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 302   | 156398.9   | 5.7%                  |
| 2  | NO   | 4885  | 2576794.2  | 94.3%                 |
| 6  | NOT APPLICABLE   | 55810 | 25134451.0 |                       |
| 7  | DON'T KNOW   | 12    | 5256.1     |                       |
| 8  | REFUSAL  | 1     | 3106.4     |                       |
| 9  | NOT STATED   | 1899  | 1002411.8  |                       |

| <b># LOP_81D: Respiratory Flu</b>  |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LOP_81E: Other</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=5187 / 2733193.12 ] [Invalid=57722 / 26145225.25 ]   |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_080 = 1           |              |                 |                              |
| <b>Literal question</b>  | Which infectious disease was this? - autre                  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 357          | 177586.5        | 6.5%                         |
| 2  | NO  | 4830         | 2555606.6       | 93.5%                        |
| 6  | NOT APPLICABLE  | 55810        | 25134451.0      |                              |
| 7  | DON'T KNOW  | 12           | 5256.1          |                              |
| 8  | REFUSAL   | 1            | 3106.4          |                              |
| 9  | NOT STATED  | 1899         | 1002411.8       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LOGP082: Work days missed due to cold - (G)</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=2592 / 1365694.61 ] [Invalid=60317 / 27512723.76 ]   |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081A = 1          |              |                 |                              |
| <b>Notes</b>   | Based on LOP_082. See documentation on derived variables.   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  |   | 1268         | 676640.2        | 49.5%                        |
| 2  |   | 849          | 461983.1        | 33.8%                        |
| 3  |   | 269          | 126359.0        | 9.3%                         |
| 4  |   | 97           | 45167.1         | 3.3%                         |
| 5  |   | 59           | 30442.2         | 2.2%                         |
| 6  |   | 9            | 3048.3          | 0.2%                         |
| 7  |   | 18           | 11499.0         | 0.8%                         |
| 8  |   | 5            | 1235.9          | 0.1%                         |
| 9  |   | 2            | 4693.6          | 0.3%                         |
| 10   |   | 6            | 1417.6          | 0.1%                         |
| 11   | 11 DAYS OR MORE   | 10           | 3208.6          | 0.2%                         |
| 96   | NOT APPLICABLE  | 58398        | 26500039.2      |                              |
| 97   | DON'T KNOW  | 0            | 0.0             |                              |
| 98   | REFUSAL   | 0            | 0.0             |                              |
| 99   | NOT STATED  | 1919         | 1012684.6       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># LOGP083: Work days missed due/ flu/influenza (G)</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1215 / 624159.02 ] [Invalid=61694 / 28254259.35 ]    |              |                 |                              |
| <b>Universe</b>  | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081B = 1          |              |                 |                              |
| <b>Notes</b>   | Based on LOP_083. See documentation on derived variables.   |              |                 |                              |

**# LOPG083: Work days missed due/ flu/influenza (G)**

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     |                 | 423   | 212987.5   | 34.1%                 |
| 2     |                 | 378   | 200113.1   | 32.1%                 |
| 3     |                 | 179   | 96398.5    | 15.4%                 |
| 4     |                 | 72    | 31084.5    | 5.0%                  |
| 5     |                 | 76    | 34434.0    | 5.5%                  |
| 6     |                 | 11    | 7617.3     | 1.2%                  |
| 7     |                 | 33    | 23952.1    | 3.8%                  |
| 8     |                 | 8     | 1957.2     | 0.3%                  |
| 9     |                 | 2     | 1146.1     | 0.2%                  |
| 10    |                 | 16    | 5832.3     | 0.9%                  |
| 11    | 11 DAYS OR MORE | 17    | 8636.5     | 1.4%                  |
| 96    | NOT APPLICABLE  | 59775 | 27239277.6 |                       |
| 97    | DON'T KNOW      | 0     | 0.0        |                       |
| 98    | REFUSAL         | 0     | 0.0        |                       |
| 99    | NOT STATED      | 1919  | 1014981.8  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# LOPG084: Work days missed due to stomach flu (G)**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=982 / 535362.23 ] [Invalid=61927 / 28343056.14 ]     |
| <b>Universe</b>           | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081C = 1          |
| <b>Notes</b>              | Based on LOP_084. See documentation on derived variables.   |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     |                 | 509   | 280423.5   | 52.4%                 |
| 2     |                 | 295   | 159873.4   | 29.9%                 |
| 3     |                 | 113   | 57395.5    | 10.7%                 |
| 4     |                 | 28    | 17784.2    | 3.3%                  |
| 5     |                 | 17    | 12970.6    | 2.4%                  |
| 6     |                 | 4     | 1305.0     | 0.2%                  |
| 7     |                 | 6     | 1993.3     | 0.4%                  |
| 9     |                 | 2     | 267.6      | 0.0%                  |
| 10    |                 | 1     | 207.8      | 0.0%                  |
| 11    | 11 DAYS OR MORE | 7     | 3141.5     | 0.6%                  |
| 96    | NOT APPLICABLE  | 60013 | 27331852.7 |                       |
| 97    | DON'T KNOW      | 0     | 0.0        |                       |
| 98    | REFUSAL         | 0     | 0.0        |                       |
| 99    | NOT STATED      | 1914  | 1011203.4  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

**# LOPG085: Work days missed due/ respir.infect. (G)**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=299 / 152497.37 ] [Invalid=62610 / 28725921 ]        |
| <b>Universe</b>           | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081D = 1          |
| <b>Notes</b>              | Based on LOP_085. See documentation on derived variables.   |

### # LOPG085: Work days missed due/ respir.infect. (G)

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     |                 | 69    | 29620.4    | 19.4%                 |
| 2     |                 | 74    | 45161.6    | 29.6%                 |
| 3     |                 | 47    | 27512.9    | 18.0%                 |
| 4     |                 | 35    | 15565.4    | 10.2%                 |
| 5     |                 | 20    | 8895.6     | 5.8%                  |
| 6     |                 | 6     | 2288.2     | 1.5%                  |
| 7     |                 | 14    | 9245.8     | 6.1%                  |
| 8     |                 | 3     | 1358.0     | 0.9%                  |
| 9     |                 | 1     | 995.1      | 0.7%                  |
| 10    |                 | 7     | 1222.6     | 0.8%                  |
| 11    | 11 DAYS OR MORE | 23    | 10631.8    | 7.0%                  |
| 96    | NOT APPLICABLE  | 60695 | 27711245.2 |                       |
| 97    | DON'T KNOW      | 0     | 0.0        |                       |
| 98    | REFUSAL         | 0     | 0.0        |                       |
| 99    | NOT STATED      | 1915  | 1014675.8  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOPG086: Wrk days missed due/other infect.dis.(G)

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-11] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=354 / 176343.57 ] [Invalid=62555 / 28702074.8 ]      |
| <b>Universe</b>           | 15 < DHH_AGE < 75 and GR_N01A = 2 and LOP_081E = 1          |
| <b>Notes</b>              | Based on LOP_086. See documentation on derived variables.   |

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     |                 | 128   | 69249.0    | 39.3%                 |
| 2     |                 | 70    | 30421.6    | 17.3%                 |
| 3     |                 | 53    | 28362.0    | 16.1%                 |
| 4     |                 | 28    | 13850.2    | 7.9%                  |
| 5     |                 | 23    | 14376.0    | 8.2%                  |
| 6     |                 | 9     | 3616.2     | 2.1%                  |
| 7     |                 | 14    | 6468.8     | 3.7%                  |
| 8     |                 | 4     | 971.5      | 0.6%                  |
| 9     |                 | 1     | 268.6      | 0.2%                  |
| 10    |                 | 8     | 3889.4     | 2.2%                  |
| 11    | 11 DAYS OR MORE | 16    | 4870.3     | 2.8%                  |
| 96    | NOT APPLICABLE  | 60640 | 27690057.6 |                       |
| 97    | DON'T KNOW      | 0     | 0.0        |                       |
| 98    | REFUSAL         | 0     | 0.0        |                       |
| 99    | NOT STATED      | 1915  | 1012017.2  |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # LOP\_090: Missed work for reason /ph. Or m. health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=32580 / 17349362.48 ] [Invalid=30329 / 11529055.89 ] |
| <b>Universe</b>           | 15 < DHH_AGE < 75 and GR_N01A = 2                           |

**# LOP\_090: Missed work for reason /ph. Or m. health**

**Literal question** | In the past three months, have you been absent from work because of any other reason related to your physical or mental health?

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 2593  | 1285711.2  | 7.4%                  |
| 2     | NO             | 29987 | 16063651.3 | 92.6%                 |
| 6     | NOT APPLICABLE | 28432 | 10526638.5 |                       |
| 7     | DON'T KNOW     | 13    | 4417.2     |                       |
| 8     | REFUSAL        | 12    | 7382.0     |                       |
| 9     | NOT STATED     | 1872  | 990618.2   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# LOPG100: Work days missed related/ ph/m hlth (G)**

**Information** | [Type= discrete] [Format=numeric] [Range= 1-21] [Missing=\*]

**Statistics [NW/ W]** | [Valid=2563 / 1261804.02 ] [Invalid=60346 / 27616614.35 ]

**Universe** | 15 < DHH\_AGE < 75 and GR\_N01A = 2 and LOP\_090 = 1

**Notes** | Based on LOP\_100. See documentation on derived variables.

| Value | Label           | Cases | Weighted   | Percentage (Weighted) |
|-------|-----------------|-------|------------|-----------------------|
| 1     |                 | 1126  | 558622.7   | 44.3%                 |
| 2     |                 | 534   | 260661.7   | 20.7%                 |
| 3     |                 | 261   | 136305.9   | 10.8%                 |
| 4     |                 | 118   | 57266.3    | 4.5%                  |
| 5     |                 | 124   | 68258.8    | 5.4%                  |
| 6     |                 | 39    | 21925.7    | 1.7%                  |
| 7     |                 | 50    | 19244.4    | 1.5%                  |
| 8     |                 | 20    | 5811.0     | 0.5%                  |
| 9     |                 | 3     | 1667.3     | 0.1%                  |
| 10    |                 | 46    | 17166.2    | 1.4%                  |
| 11    |                 | 4     | 1880.7     | 0.1%                  |
| 12    |                 | 9     | 5534.5     | 0.4%                  |
| 13    |                 | 4     | 673.7      | 0.1%                  |
| 14    |                 | 33    | 13479.5    | 1.1%                  |
| 15    |                 | 30    | 23291.5    | 1.8%                  |
| 16    |                 | 3     | 452.2      | 0.0%                  |
| 17    |                 | 1     | 596.3      | 0.0%                  |
| 18    |                 | 3     | 1215.6     | 0.1%                  |
| 20    |                 | 21    | 8892.5     | 0.7%                  |
| 21    | 21 DAYS OR MORE | 134   | 58857.5    | 4.7%                  |
| 96    | NOT APPLICABLE  | 58419 | 26590289.8 |                       |
| 97    | DON'T KNOW      | 0     | 0.0        |                       |
| 98    | REFUSAL         | 0     | 0.0        |                       |
| 99    | NOT STATED      | 1927  | 1026324.6  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# DOPAF: Module: Phys. Act. - Facili. at work**

**Information** | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=\*]

| <b># DOPAF: Module: Phys. Act. - Facili. at work</b>   |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=61276 / 28796317.43 ] [Invalid=1633 / 82100.94 ]  |              |                 |                              |
| <b>Universe</b>  | All respondents  |              |                 |                              |
| <b>Notes</b>   | Questions for this module were not asked in proxy interviews. Proxy interviews were coded as "not stated", which mostly explains the higher proportion of this category compared to modules where proxy was allowed. |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 2342         | 807770.5        | 2.8%                         |
| 2  | NO   | 58934        | 27988546.9      | 97.2%                        |
| 6  | NOT APPLICABLE   | 1633         | 82100.9         |                              |
| 7  | DON'T KNOW   | 0            | 0.0             |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 0            | 0.0             |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_01: Work at home</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1007 / 437347.86 ] [Invalid=61902 / 28441070.51 ]   |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1  |              |                 |                              |
| <b>Literal question</b>  | Do you usually work most of the time at home?  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 94           | 30373.9         | 6.9%                         |
| 2  | NO   | 913          | 406973.9        | 93.1%                        |
| 6  | NOT APPLICABLE   | 61785        | 28391220.2      |                              |
| 7  | DON'T KNOW   | 0            | 0.0             |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 117          | 49850.3         |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_02: At work - Pleasant place to walk</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1001 / 436224.27 ] [Invalid=61908 / 28442194.1 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1  |              |                 |                              |
| <b>Literal question</b>  | At or near your place of work, do you have access to a pleasant place to walk, jog, bicycle or rollerblade?  |              |                 |                              |
| <b>Notes</b>   | If respondent says the question does not apply to their work, code as "2- No"  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 706          | 300981.5        | 69.0%                        |
| 2  | NO   | 295          | 135242.7        | 31.0%                        |
| 6  | NOT APPLICABLE   | 61785        | 28391220.2      |                              |
| 7  | DON'T KNOW   | 5            | 901.6           |                              |
| 8  | REFUSAL  | 1            | 222.0           |                              |
| 9  | NOT STATED   | 117          | 49850.3         |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_03: At work - Access to playing fields</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=1000 / 435848.18 ] [Invalid=61909 / 28442570.19 ]   |              |                 |                              |

| <b># PAF_03: At work - Access to playing fields</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1  |              |                 |                              |
| <b>Literal question</b>  | At or near your place of work, do you have access to playing fields or open spaces for ball games or other sports? |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 531          | 228098.6        | 52.3%                        |
| 2  | NO   | 469          | 207749.6        | 47.7%                        |
| 6  | NOT APPLICABLE   | 61785        | 28391220.2      |                              |
| 7  | DON'T KNOW   | 1            | 376.1           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 123          | 50973.9         |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_04: At work - Access to a gym</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=998 / 435238.15 ] [Invalid=61911 / 28443180.22 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1  |              |                 |                              |
| <b>Literal question</b>  | At or near your place of work, do you have access to a gym or physical fitness facilities?                         |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 562          | 244055.2        | 56.1%                        |
| 2  | NO   | 436          | 191183.0        | 43.9%                        |
| 6  | NOT APPLICABLE   | 61785        | 28391220.2      |                              |
| 7  | DON'T KNOW   | 3            | 986.1           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 123          | 50973.9         |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_05: At work - Access to fitness classes</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=979 / 426357.63 ] [Invalid=61930 / 28452060.74 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = 1  |              |                 |                              |
| <b>Literal question</b>  | At or near your place of work, do you have access to organized fitness classes?                                    |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 464          | 194889.5        | 45.7%                        |
| 2  | NO   | 515          | 231468.2        | 54.3%                        |
| 6  | NOT APPLICABLE   | 61785        | 28391220.2      |                              |
| 7  | DON'T KNOW   | 22           | 9866.6          |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 123          | 50973.9         |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># PAF_06: At work - Organized sport teams</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=882 / 385275.85 ] [Invalid=62027 / 28493142.52 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8)               |              |                 |                              |
| <b>Literal question</b>  | At or near your place of work, do you have access to any organized recreational sport teams?                       |              |                 |                              |

### # PAF\_06: At work - Organized sport teams

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 351   | 136352.2   | 35.4%                 |
| 2     | NO             | 531   | 248923.7   | 64.6%                 |
| 6     | NOT APPLICABLE | 61879 | 28421594.1 |                       |
| 7     | DON'T KNOW     | 24    | 20122.3    |                       |
| 8     | REFUSAL        | 1     | 452.2      |                       |
| 9     | NOT STATED     | 123   | 50973.9    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAF\_07: At work - Showers / change rooms

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=889 / 397788.7 ] [Invalid=62020 / 28480629.67 ]   |
| <b>Universe</b>           | Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8) |
| <b>Literal question</b>   | At or near your place of work, do you have access to showers and/or change rooms?                    |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 462   | 208293.5   | 52.4%                 |
| 2     | NO             | 427   | 189495.2   | 47.6%                 |
| 6     | NOT APPLICABLE | 61879 | 28421594.1 |                       |
| 7     | DON'T KNOW     | 17    | 7609.4     |                       |
| 8     | REFUSAL        | 1     | 452.2      |                       |
| 9     | NOT STATED     | 123   | 50973.9    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAF\_08: At work - Prog. to improve health

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=893 / 399473.19 ] [Invalid=62016 / 28478945.18 ]   |
| <b>Universe</b>           | Respondents aged 15 to 75 who answered (LBS_01 = (1, 7 or 8) or LBS_02 = 1) and PAF_01 = (2, 7 or 8)            |
| <b>Literal question</b>   | At or near your place of work, do you have access to programs to improve health, physical fitness or nutrition? |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 460   | 191039.4   | 47.8%                 |
| 2     | NO             | 433   | 208433.8   | 52.2%                 |
| 6     | NOT APPLICABLE | 61879 | 28421594.1 |                       |
| 7     | DON'T KNOW     | 13    | 5924.9     |                       |
| 8     | REFUSAL        | 1     | 452.2      |                       |
| 9     | NOT STATED     | 123   | 50973.9    |                       |

Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.

### # PAFFACC: Access to phys. act. facilities at work

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]                          |
| <b>Statistics [NW/ W]</b> | [Valid=945 / 403340.92 ] [Invalid=61964 / 28475077.45 ]                             |
| <b>Universe</b>           | Respondents aged 15 to 75 who answered LBS_01 = (1, 7 or 8) or LBS_02 = (1, 7 or 8) |
| <b>Literal question</b>   | Access to phys. act. facilities at work   |

**Notes**  
Based on PAF\_01, PAF\_02, PAF\_03, PAF\_04, PAF\_05, PAF\_06, PAF\_07, PAF\_08. The answer category "3 - Not applicable" from variable PAF\_02, was recoded as "2 - No" during processing step. See documentation on derived variables.

| <b># PAFFACC: Access to phys. act. facilities at work</b>  |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 779   | 331930.9   | 82.3%                 |
| 2  | NO  | 166   | 71410.0    | 17.7%                 |
| 6  | NOT APPLICABLE  | 61785 | 28391220.2 |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 179   | 83857.3    |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># DHH_OWN: Dwelling - owned by a member of hhld</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=61434 / 28122639.5 ] [Invalid=1475 / 755778.87 ]   |       |            |                       |
| <b>Universe</b>  | All respondents   |       |            |                       |
| <b>Literal question</b>  | Is the dwelling you live in currently owned by a member of this household?  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES   | 46626 | 20907886.1 | 74.3%                 |
| 2  | NO  | 14808 | 7214753.4  | 25.7%                 |
| 6  | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7  | DON'T KNOW  | 72    | 31231.3    |                       |
| 8  | REFUSAL   | 83    | 45936.2    |                       |
| 9  | NOT STATED  | 1320  | 678611.4   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># SDCGCBG: Country of birth - Canada/other - (G)</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=61410 / 28113843.85 ] [Invalid=1499 / 764574.52 ]  |       |            |                       |
| <b>Universe</b>  | All respondents   |       |            |                       |
| <b>Notes</b>   | Based on SDCCCB. See documentation on derived variables.  |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 1  | CANADA  | 52064 | 21284335.8 | 75.7%                 |
| 2  | OTHER   | 9346  | 6829508.0  | 24.3%                 |
| 6  | NOT APPLICABLE  | 0     | 0.0        |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1499  | 764574.5   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># SDCGLHM: Language(s) spoken at home</b>   |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=61530 / 28174209.04 ] [Invalid=1379 / 704209.33 ]  |       |            |                       |
| <b>Universe</b>  | All respondents   |       |            |                       |
| <b>Notes</b>   | Based on SDC_5AA, SDC_5AB, SDC_5AC, SDC_5AD, SDC_5AE, SDC_5AF, SDC_5AG, SDC_5AH, SDC_5AI, SDC_5AJ, SDC_5AK, SDC_5AL, SDC_5AM, SDC_5AN, SDC_5AO, SDC_5AP, SDC_5AQ, SDC_5AR, SDC_5AS, SDC_5AT, SDC_5AU, SDC_5AV, SDC_5AW. See documentation on derived variables. |       |            |                       |

| <b># SDCGLHM: Language(s) spoken at home</b>   |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | ENG. W-W/O OTHER  | 46112        | 18854755.8      | 66.9%                        |
| 2  | FRE. W-W/O OTHER  | 11289        | 5664207.0       | 20.1%                        |
| 3  | ENG./FRE. W-W/O   | 455          | 243339.4        | 0.9%                         |
| 4  | NOT ENGL. / FRE.  | 3674         | 3411906.8       | 12.1%                        |
| 6  | NOT APPLICABLE  | 0            | 0.0             |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1379         | 704209.3        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># SDCFIMM: Immigrant - (F)</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]          |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=61323 / 28053237.49 ] [Invalid=1586 / 825180.88 ]            |              |                 |                              |
| <b>Universe</b>  | All respondents   |              |                 |                              |
| <b>Notes</b>   | Based on SDC_3. See documentation on derived variables.             |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 8848         | 6545646.8       | 23.3%                        |
| 2  | NO  | 52475        | 21507590.7      | 76.7%                        |
| 6  | NOT APPLICABLE  | 0            | 0.0             |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1586         | 825180.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># SDCGRES: Length/time in Canada since imm. - (D,G)</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]          |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=8848 / 6545646.8 ] [Invalid=54061 / 22332771.57 ]            |              |                 |                              |
| <b>Universe</b>  | Respondents who answered SDC_2 = (2, 7 or 8) or SDC_1 = (97 or 98)  |              |                 |                              |
| <b>Notes</b>   | Based on SDC_3 and ADM_YOI. See documentation on derived variables. |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | 0 TO 9 YEARS  | 1892         | 1869900.6       | 28.6%                        |
| 2  | 10 OR MORE YEARS  | 6956         | 4675746.2       | 71.4%                        |
| 6  | NOT APPLICABLE  | 52475        | 21507590.7      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1586         | 825180.9        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># SDCGLNG: Languages - can converse - (D,G)</b>   |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]          |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=61462 / 28157519.71 ] [Invalid=1447 / 720898.66 ]            |              |                 |                              |
| <b>Universe</b>  | All respondents   |              |                 |                              |
| <b>Notes</b>   |   |              |                 |                              |

| <b># SDCGLNG: Languages - can converse - (D,G)</b>   |  |   |                 |                              |
|--|--|---|-----------------|------------------------------|
|  |  | Based on SDC_5A, SDC_5B, SDC_5C, SDC_5D, SDC_5E, SDC_5F, SDC_5G, SDC_5H, SDC_5I, SDC_5J, SDC_5K, SDC_5L, SDC_5M, SDC_5N, SDC_5O, SDC_5P, SDC_5Q, SDC_5R, SDC_5S, SDC_5T, SDC_5U, SDC_5V, SDC_5W.<br>See documentation on derived variables. |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | ENG. W-W/O OTHER   | 42565   | 18343207.1      | 65.1%                        |
| 2  | FRE. W-W/O OTHER   | 6158  | 3000702.3       | 10.7%                        |
| 3  | ENG./FRE. W-W/O  | 12167   | 6299006.4       | 22.4%                        |
| 4  | NOT ENGL. / FRE.   | 572   | 514603.9        | 1.8%                         |
| 6  | NOT APPLICABLE   | 0   | 0.0             |                              |
| 7  | DON'T KNOW   | 0   | 0.0             |                              |
| 8  | REFUSAL  | 0   | 0.0             |                              |
| 9  | NOT STATED   | 1447  | 720898.7        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |   |                 |                              |
| <b># SDCGCGT: Cultural or racial origin - (D, G)</b>   |  |   |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |   |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=61233 / 28038050.53 ] [Invalid=1676 / 840367.84 ]   |   |                 |                              |
| <b>Universe</b>  | All respondents  |   |                 |                              |
| <b>Notes</b>   | Based on SDCDCGT and SDC_41.   |   |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | WHITE  | 52896   | 22111646.3      | 78.9%                        |
| 2  | VISIBLE MINORITY   | 8337  | 5926404.2       | 21.1%                        |
| 6  | NOT APPLICABLE   | 0   | 0.0             |                              |
| 7  | DON'T KNOW   | 0   | 0.0             |                              |
| 8  | REFUSAL  | 0   | 0.0             |                              |
| 9  | NOT STATED   | 1676  | 840367.8        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |   |                 |                              |
| <b># SDC_8: Current student</b>  |  |   |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |   |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=58580 / 26851667.28 ] [Invalid=4329 / 2026751.09 ]  |   |                 |                              |
| <b>Universe</b>  | DHH_AGE > 15 or PMKProxy = 1   |   |                 |                              |
| <b>Literal question</b>  | Are you currently attending a school, college or university?   |   |                 |                              |
| <b>Notes</b>   | For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |   |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b>  | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 6565  | 3684785.5       | 13.7%                        |
| 2  | NO   | 52015   | 23166881.8      | 86.3%                        |
| 6  | NOT APPLICABLE   | 2696  | 1210263.1       |                              |
| 7  | DON'T KNOW   | 90  | 31611.4         |                              |
| 8  | REFUSAL  | 78  | 29952.1         |                              |
| 9  | NOT STATED   | 1465  | 754924.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |   |                 |                              |
| <b># SDC_9: Full-time student/part-time student</b>  |  |   |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |   |                 |                              |

| <b># SDC_9: Full-time student/part-time student</b>  |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Statistics [NW/ W]</b>  | [Valid=6468 / 3664391.12 ] [Invalid=56441 / 25214027.25 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered SDC_8 = (1, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)  |              |                 |                              |
| <b>Literal question</b>  | Are you enrolled as a full-time student or a part-time student?  |              |                 |                              |
| <b>Notes</b>   | For educational attainment variables, see EDU_1 - EDUDR10. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)                                 |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | FULL-TIME  | 5051         | 2851318.7       | 77.8%                        |
| 2  | PART-TIME  | 1417         | 813072.4        | 22.2%                        |
| 6  | NOT APPLICABLE   | 54711        | 24377144.9      |                              |
| 7  | DON'T KNOW   | 97           | 20394.4         |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1633         | 816488.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># EDUDH04: Highest level/edu. - HH 4 levels - (D)</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=58390 / 26482841.55 ] [Invalid=4519 / 2395576.82 ]  |              |                 |                              |
| <b>Universe</b>  | DHHHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1  |              |                 |                              |
| <b>Notes</b>   | Based on EDUDR04 for each member of the household. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | < THAN SECONDARY   | 7126         | 1819066.2       | 6.9%                         |
| 2  | SECONDARY GRAD.  | 7208         | 2755438.7       | 10.4%                        |
| 3  | OTHER POST-SEC.  | 3224         | 1435530.3       | 5.4%                         |
| 4  | POST-SEC. GRAD.  | 40832        | 20472806.4      | 77.3%                        |
| 6  | NOT APPLICABLE   | 0            | 0.0             |                              |
| 7  | DON'T KNOW   | 0            | 0.0             |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 4519         | 2395576.8       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># EDUDR04: Highest level/edu. - respond. 4 levels -</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=60901 / 27882033.78 ] [Invalid=2008 / 996384.59 ]   |              |                 |                              |
| <b>Universe</b>  | (DHHHSZ = 1 and DHH_AGE >= 14) or DHH_AGE > 15 or PMKPROXY = 1   |              |                 |                              |
| <b>Notes</b>   | Based on EDU_1, EDU_2, EDU_3, EDU_4. See documentation on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)               |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | < THAN SECONDARY   | 15562        | 5781307.0       | 20.7%                        |
| 2  | SECONDARY GRAD.  | 9700         | 4449669.6       | 16.0%                        |
| 3  | OTHER POST-SEC.  | 4538         | 2194323.8       | 7.9%                         |
| 4  | POST-SEC. GRAD.  | 31101        | 15456733.4      | 55.4%                        |
| 6  | NOT APPLICABLE   | 0            | 0.0             |                              |

| <b># EDUDR04: Highest level/edu. - respond. 4 levels -</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 2008  | 996384.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># DOFSC: Module: Food security</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]  |       |            |                       |
| <b>Universe</b>  | All respondents  |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 59507 | 28114759.7 | 97.4%                 |
| 2  | NO   | 3402  | 763658.6   | 2.6%                  |
| 6  | NOT APPLICABLE   | 0     | 0.0        |                       |
| 7  | DON'T KNOW   | 0     | 0.0        |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 0     | 0.0        |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_010: Food situation in household - 12 mo</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57855 / 27251857.32 ] [Invalid=5054 / 1626561.05 ]  |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)  |       |            |                       |
| <b>Literal question</b>  | Which of the following statements best describes the food eaten in your household in the past 12 months? Would you say: (you always had enough of the kinds of food you wanted to eat, ..., or often you didn't have enough to eat)? |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | ALWAYS ENOUGH  | 52351 | 24576104.0 | 90.2%                 |
| 2  | ENOUGH-NOT KIND  | 4651  | 2272695.2  | 8.3%                  |
| 3  | SOMETIMES NOT  | 602   | 290326.6   | 1.1%                  |
| 4  | OFTEN NOT  | 251   | 112731.5   | 0.4%                  |
| 6  | NOT APPLICABLE   | 3402  | 763658.6   |                       |
| 7  | DON'T KNOW   | 90    | 49290.9    |                       |
| 8  | REFUSAL  | 92    | 39905.0    |                       |
| 9  | NOT STATED   | 1470  | 773706.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_020: Worried food would run out - 12 mo</b>   |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57783 / 27220790.5 ] [Invalid=5126 / 1657627.87 ]   |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)  |       |            |                       |
| <b>Literal question</b>  | You and other household members worried that food would run out before you got money to buy more. Was that often true, sometimes true, or never true in the past 12 months?  |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |       |            |                       |

| <b># FSC_020: Worried food would run out - 12 mo</b>   |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | OFTEN TRUE   | 919   | 438146.9   | 1.6%                  |
| 2  | SOMETIMES TRUE   | 3250  | 1706532.4  | 6.3%                  |
| 3  | NEVER TRUE   | 53614 | 25076111.2 | 92.1%                 |
| 6  | NOT APPLICABLE   | 3402  | 763658.6   |                       |
| 7  | DON'T KNOW   | 34    | 14868.6    |                       |
| 8  | REFUSAL  | 25    | 8179.2     |                       |
| 9  | NOT STATED   | 1665  | 870921.5   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_030: No food and no money for more - 12 mo</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57757 / 27208150.56 ] [Invalid=5152 / 1670267.81 ]  |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)  |       |            |                       |
| <b>Literal question</b>  | The food that you and other household members bought just didn't last, and there wasn't any money to get more. Was that often true, sometimes true, or never true in the past 12 months? |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)                        |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | OFTEN TRUE   | 672   | 282114.2   | 1.0%                  |
| 2  | SOMETIMES TRUE   | 2550  | 1292421.8  | 4.8%                  |
| 3  | NEVER TRUE   | 54535 | 25633614.5 | 94.2%                 |
| 6  | NOT APPLICABLE   | 3402  | 763658.6   |                       |
| 7  | DON'T KNOW   | 49    | 23842.1    |                       |
| 8  | REFUSAL  | 37    | 13193.6    |                       |
| 9  | NOT STATED   | 1664  | 869573.5   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_040: Could not afford balanced meals - 12 mo</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57743 / 27205936.58 ] [Invalid=5166 / 1672481.79 ]  |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)  |       |            |                       |
| <b>Literal question</b>  | You and other household members couldn't afford to eat balanced meals. In the past 12 months was that often true, sometimes true, or never true?   |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)                        |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | OFTEN TRUE   | 900   | 377447.6   | 1.4%                  |
| 2  | SOMETIMES TRUE   | 2548  | 1261997.9  | 4.6%                  |
| 3  | NEVER TRUE   | 54295 | 25566491.1 | 94.0%                 |
| 6  | NOT APPLICABLE   | 3402  | 763658.6   |                       |
| 7  | DON'T KNOW   | 62    | 26186.6    |                       |
| 8  | REFUSAL  | 37    | 12773.9    |                       |
| 9  | NOT STATED   | 1665  | 869862.6   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |

| <b># FSC_050: Few kinds low-cost food for kids -12 mo</b> |   |
|---|---|
| <b>Information</b>  | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                                 | [Valid=15891 / 10291955.63 ] [Invalid=47018 / 18586462.74 ]   |
| <b>Universe</b>   | Respondents with (DHHOKD + DHHYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)   |
| <b>Literal question</b>                                   | You or other adults in your household relied on only a few kinds of low-cost food to feed the children because you were running out of money to buy food. Was that often true, sometimes true, or never true in the past 12 months? |
| <b>Notes</b>  | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | OFTEN TRUE     | 212   | 141285.3   | 1.4%                  |
| 2     | SOMETIMES TRUE | 977   | 603840.5   | 5.9%                  |
| 3     | NEVER TRUE     | 14702 | 9546829.8  | 92.8%                 |
| 6     | NOT APPLICABLE | 46429 | 18165315.3 |                       |
| 7     | DON'T KNOW     | 24    | 16314.7    |                       |
| 8     | REFUSAL        | 11    | 6138.1     |                       |
| 9     | NOT STATED     | 554   | 398694.6   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_060: Couldn't feed child. bal. meal - 12 mo</b> |   |
|--|---|
| <b>Information</b>                                       | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                                | [Valid=15889 / 10289552.93 ] [Invalid=47020 / 18588865.44 ]   |
| <b>Universe</b>  | Respondents with (DHHOKD + DHHYKD) > 0 and (DHH_AGE > 15 or PMKProxy = 1)   |
| <b>Literal question</b>                                  | You or other adults in your household couldn't feed the children a balanced meal, because you couldn't afford it. Was that often true, sometimes true, or never true in the past 12 months? |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)                           |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | OFTEN TRUE     | 121   | 78147.0    | 0.8%                  |
| 2     | SOMETIMES TRUE | 642   | 402562.6   | 3.9%                  |
| 3     | NEVER TRUE     | 15126 | 9808843.4  | 95.3%                 |
| 6     | NOT APPLICABLE | 46429 | 18165315.3 |                       |
| 7     | DON'T KNOW     | 26    | 18717.4    |                       |
| 8     | REFUSAL        | 11    | 6138.1     |                       |
| 9     | NOT STATED     | 554   | 398694.6   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_070: Children were not eating enough - 12 mo</b> |   |
|---|---|
| <b>Information</b>  | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                                 | [Valid=2214 / 1365950.27 ] [Invalid=60695 / 27512468.1 ]  |
| <b>Universe</b>   | Respondents with (DHHOKD + DHHYKD) > 0, who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1,2, 7 or 8) or (FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |
| <b>Literal question</b>                                   | The children were not eating enough because you or other adults in your household just couldn't afford enough food. Was that often, sometimes, or never true in the past 12 months?         |
| <b>Notes</b>  | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)                           |

| Value | Label | Cases | Weighted | Percentage (Weighted) |
|-------|-------|-------|----------|-----------------------|
|       |       |       |          |                       |

| <b># FSC_070: Children were not eating enough - 12 mo</b>  |  |       |            |                       |
|--|--|-------|------------|-----------------------|
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | OFTEN TRUE   | 49    | 37122.8    | 2.7%                  |
| 2  | SOMETIMES TRUE   | 288   | 201517.2   | 14.8%                 |
| 3  | NEVER TRUE   | 1877  | 1127310.2  | 82.5%                 |
| 6  | NOT APPLICABLE   | 60097 | 27083317.0 |                       |
| 7  | DON'T KNOW   | 4     | 1548.1     |                       |
| 8  | REFUSAL  | 3     | 1015.0     |                       |
| 9  | NOT STATED   | 591   | 426588.0   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_080: Adults cut or skipped meals - 12 mo</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=5695 / 2863843.6 ] [Invalid=57214 / 26014574.77 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or (FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)   |       |            |                       |
| <b>Literal question</b>  | In the past 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there wasn't enough money for food?   |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | YES  | 1816  | 849115.0   | 29.6%                 |
| 2  | NO   | 3879  | 2014728.6  | 70.4%                 |
| 6  | NOT APPLICABLE   | 55387 | 25073788.7 |                       |
| 7  | DON'T KNOW   | 11    | 4178.0     |                       |
| 8  | REFUSAL  | 4     | 467.7      |                       |
| 9  | NOT STATED   | 1812  | 936140.3   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |
| <b># FSC_081: Adults skipped meals (freq) - 12 mo</b>  |  |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=1809 / 845717.62 ] [Invalid=61100 / 28032700.75 ]   |       |            |                       |
| <b>Universe</b>  | Respondents who answered FSC_080 = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHH_DOKD+DHH_DYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1) |       |            |                       |
| <b>Literal question</b>  | How often did this happen--almost every month, some months but not every month, or in only 1 or 2 months?  |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |       |            |                       |
| Value  | Label  | Cases | Weighted   | Percentage (Weighted) |
| 1  | ALMOST EVERY MON   | 712   | 288303.1   | 34.1%                 |
| 2  | SOME MONTHS  | 624   | 309539.3   | 36.6%                 |
| 3  | ONLY 1 OR 2 MONT   | 473   | 247875.3   | 29.3%                 |
| 6  | NOT APPLICABLE   | 59266 | 27088517.3 |                       |
| 7  | DON'T KNOW   | 7     | 3397.4     |                       |
| 8  | REFUSAL  | 0     | 0.0        |                       |
| 9  | NOT STATED   | 1827  | 940786.1   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |       |            |                       |

| <b># FSC_090: Ate less than felt should - 12 mo</b> |   |
|---|---|
| <b>Information</b>                                  | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                           | [Valid=5676 / 2854360.01 ] [Invalid=57233 / 26024058.36 ]   |
| <b>Universe</b>                                     | Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)  |
| <b>Literal question</b>                             | In the past 12 months, did you (personally) ever eat less than you felt you should because there wasn't enough money to buy food?                                 |
| <b>Notes</b>  | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |

| <b>Value</b> | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
|--------------|----------------|--------------|-----------------|------------------------------|
| 1            | YES            | 1922         | 920902.7        | 32.3%                        |
| 2            | NO             | 3754         | 1933457.3       | 67.7%                        |
| 6            | NOT APPLICABLE | 55387        | 25073788.7      |                              |
| 7            | DON'T KNOW     | 24           | 11300.5         |                              |
| 8            | REFUSAL        | 9            | 1902.6          |                              |
| 9            | NOT STATED     | 1813         | 937066.5        |                              |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_100: Was hungry but could not eat - 12 mo</b> |   |
|--|---|
| <b>Information</b>                                     | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                              | [Valid=5693 / 2861935.84 ] [Invalid=57216 / 26016482.53 ]   |
| <b>Universe</b>  | Respondents who answered ((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (1, 2, 7 or 8) and (DHH_AGE > 15 or PMKProxy = 1)  |
| <b>Literal question</b>                                | In the past 12 months, were you (personally) ever hungry but didn't eat because you couldn't afford enough food?  |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |

| <b>Value</b> | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
|--------------|----------------|--------------|-----------------|------------------------------|
| 1            | YES            | 1170         | 571788.6        | 20.0%                        |
| 2            | NO             | 4523         | 2290147.2       | 80.0%                        |
| 6            | NOT APPLICABLE | 55387        | 25073788.7      |                              |
| 7            | DON'T KNOW     | 9            | 4407.1          |                              |
| 8            | REFUSAL        | 7            | 1220.2          |                              |
| 9            | NOT STATED     | 1813         | 937066.5        |                              |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_110: Lost weight no money for food- 12 mo</b> |  |
|--|--|
| <b>Information</b>                                     | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |
| <b>Statistics [NW/ W]</b>                              | [Valid=5656 / 2849368.11 ] [Invalid=57253 / 26029050.26 ]  |
| <b>Universe</b>  | Respondents who answered (((FSC_020 or FSC_030 or FSC_040 or FSC_050 or FSC_060) = (1, 2, 7 or 8)) or FSC_010 = (3, 4, 7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1) |
| <b>Literal question</b>                                | In the past 12 months, did you (personally) lose weight because you didn't have enough money for food?   |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |

| <b>Value</b> | <b>Label</b> | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
|--------------|--------------|--------------|-----------------|------------------------------|
| 1            | YES          | 754          | 351683.0        | 12.3%                        |
| 2            | NO           | 4902         | 2497685.1       | 87.7%                        |

| <b># FSC_110: Lost weight no money for food- 12 mo</b>   |  |              |                 |                              |
|--|--|--------------|-----------------|------------------------------|
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 6  | NOT APPLICABLE   | 55387        | 25073788.7      |                              |
| 7  | DON'T KNOW   | 44           | 15121.9         |                              |
| 8  | REFUSAL  | 8            | 2726.2          |                              |
| 9  | NOT STATED   | 1814         | 937413.5        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># FSC_120: Adults did not eat whole day - 12 mo</b>   |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=2455 / 1191065.91 ] [Invalid=60454 / 27687352.46 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answered (FSC_070 = (1, 2, 7 or 8)) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHOKD+DHHYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE > 15 or PMKProxy = 1)  |              |                 |                              |
| <b>Literal question</b>  | In the past 12 months, did you or other adults in your household ever not eat for a whole day because there wasn't enough money for food?  |              |                 |                              |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES  | 485          | 212427.5        | 17.8%                        |
| 2  | NO   | 1970         | 978638.4        | 82.2%                        |
| 6  | NOT APPLICABLE   | 58604        | 26737251.4      |                              |
| 7  | DON'T KNOW   | 5            | 890.1           |                              |
| 8  | REFUSAL  | 3            | 929.2           |                              |
| 9  | NOT STATED   | 1842         | 948281.7        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |
| <b># FSC_121: Adults not eat whole day (freq) - 12 mo</b>  |  |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=483 / 211989.22 ] [Invalid=62426 / 28666429.15 ]  |              |                 |                              |
| <b>Universe</b>  | Respondents who answ. FSC_120 = (1, 7 or 8) or ((DHHOKD+DHHYKD)=0 or FSC_70=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or (all of (FSC_020, FSC_030, FSC_040) = (3, 7 or 8) and FSC_010 = (1 or 2) and (DHHOKD+DHHYKD = 0 or FSC_050 = (3, 7 or 8) and FSC_060 = (3, 7 or 8)) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8)) and (DHH_AGE>15 or PMKProxy=1) |              |                 |                              |
| <b>Literal question</b>  | How often did this happen--almost every month, some months but not every month, or in only 1 or 2 months?  |              |                 |                              |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)  |              |                 |                              |
| <b>Value</b>   | <b>Label</b>   | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | ALMOST EVERY MON   | 203          | 80234.1         | 37.8%                        |
| 2  | SOME MONTHS  | 156          | 73759.5         | 34.8%                        |
| 3  | ONLY 1 OR 2 MONT   | 124          | 57995.6         | 27.4%                        |
| 6  | NOT APPLICABLE   | 60574        | 27715889.8      |                              |
| 7  | DON'T KNOW   | 2            | 438.3           |                              |
| 8  | REFUSAL  | 0            | 0.0             |                              |
| 9  | NOT STATED   | 1850         | 950101.0        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |  |              |                 |                              |

| <b># FSC_130: Cut size of children's meals - 12 mo</b> |   |
|--|---|
| <b>Information</b>                                     | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                              | [Valid=905 / 551380.07 ] [Invalid=62004 / 28327038.3 ]  |
| <b>Universe</b>  | Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |
| <b>Literal question</b>                                | In the past 12 months, did you or other adults in your household ever cut the size of any of the children's meals because there wasn't enough money for food?   |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 92    | 56387.2    | 10.2%                 |
| 2     | NO             | 813   | 494992.9   | 89.8%                 |
| 6     | NOT APPLICABLE | 61398 | 27893077.8 |                       |
| 7     | DON'T KNOW     | 3     | 3465.3     |                       |
| 8     | REFUSAL        | 2     | 566.8      |                       |
| 9     | NOT STATED     | 601   | 429928.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_140: Children skipped meals - 12 mo</b> |   |
|--|---|
| <b>Information</b>                               | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b>                        | [Valid=904 / 552951.78 ] [Invalid=62005 / 28325466.59 ]   |
| <b>Universe</b>                                  | Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |
| <b>Literal question</b>                          | In the past 12 months, did any of the children ever skip meals because there wasn't enough money for food?  |
| <b>Notes</b>                                     | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)   |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 55    | 46848.0    | 8.5%                  |
| 2     | NO             | 849   | 506103.7   | 91.5%                 |
| 6     | NOT APPLICABLE | 61398 | 27893077.8 |                       |
| 7     | DON'T KNOW     | 3     | 749.2      |                       |
| 8     | REFUSAL        | 3     | 1711.2     |                       |
| 9     | NOT STATED     | 601   | 429928.4   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

| <b># FSC_141: Freq. - child. skipped meals - 12 mo</b> |  |
|--|--|
| <b>Information</b>                                     | [Type= discrete] [Format=numeric] [Range= 1-3] [Missing=*]   |
| <b>Statistics [NW/ W]</b>                              | [Valid=55 / 46848.04 ] [Invalid=62854 / 28831570.33 ]  |
| <b>Universe</b>  | Respondents with DHH_DOKD+DHH_DYKD > 0 who answered FSC_140 = (1, 7 or 8) or FSC_070=(3, 7 or 8) and all of (FSC_080, FSC_090, FSC_100, FSC_110)=(2, 7 or 8) and at least one of (FSC_070, FSC_080, FSC_090, FSC_100, FSC_110) = (7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |
| <b>Literal question</b>                                | How often did this happen--almost every month, some months but not every month, or in only 1 or 2 months?  |
| <b>Notes</b>   |  |

| <b># FSC_141: Freq. - child. skipped meals - 12 mo</b>   |   |   |            |                       |
|--|---|---|------------|-----------------------|
|  |   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |            |                       |
| Value  | Label   | Cases   | Weighted   | Percentage (Weighted) |
| 1  | ALMOST EVERY MON  | 20  | 17381.6    | 37.1%                 |
| 2  | SOME MONTHS   | 20  | 20890.1    | 44.6%                 |
| 3  | ONLY 1 OR 2 MONT  | 15  | 8576.3     | 18.3%                 |
| 6  | NOT APPLICABLE  | 62247   | 28399181.5 |                       |
| 7  | DON'T KNOW  | 0   | 0.0        |                       |
| 8  | REFUSAL   | 0   | 0.0        |                       |
| 9  | NOT STATED  | 607   | 432388.8   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |   |            |                       |
| <b># FSC_150: Children were hungry - 12 mo</b>   |   |   |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |   |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=900 / 548903.52 ] [Invalid=62009 / 28329514.85 ]   |   |            |                       |
| <b>Universe</b>  | Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |   |            |                       |
| <b>Literal question</b>  | In the past 12 months, were any of the children ever hungry but you just couldn't afford more food?   |   |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)   |   |            |                       |
| Value  | Label   | Cases   | Weighted   | Percentage (Weighted) |
| 1  | YES   | 88  | 58406.8    | 10.6%                 |
| 2  | NO  | 812   | 490496.7   | 89.4%                 |
| 6  | NOT APPLICABLE  | 61398   | 27893077.8 |                       |
| 7  | DON'T KNOW  | 6   | 3291.5     |                       |
| 8  | REFUSAL   | 4   | 3217.2     |                       |
| 9  | NOT STATED  | 601   | 429928.4   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |   |            |                       |
| <b># FSC_160: Children did not eat whole day - 12 mo</b>   |   |   |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |   |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=904 / 552951.78 ] [Invalid=62005 / 28325466.59 ]   |   |            |                       |
| <b>Universe</b>  | Respondents with DHH_DOKD+DHH_DYKD>0 who answered FSC_070 = (1, 2, 7 or 8) or at least one of (FSC_080, FSC_090, FSC_100, FSC_110) = (1, 7 or 8) or FSC_010 = (7 or 8) or all of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (3, 7 or 8) and FSC_010 = (1 or 2) and at least one of (FSC_020, FSC_030, FSC_040, FSC_050, FSC_060) = (7 or 8) and (DHH_AGE > 15 or PMKProxy = 1) |   |            |                       |
| <b>Literal question</b>  | In the past 12 months, did any of the children ever not eat for a whole day because there wasn't enough money for food?   |   |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)   |   |            |                       |
| Value  | Label   | Cases   | Weighted   | Percentage (Weighted) |
| 1  | YES   | 30  | 22586.8    | 4.1%                  |
| 2  | NO  | 874   | 530365.0   | 95.9%                 |
| 6  | NOT APPLICABLE  | 61398   | 27893077.8 |                       |
| 7  | DON'T KNOW  | 3   | 749.2      |                       |
| 8  | REFUSAL   | 3   | 1711.2     |                       |

| <b># FSC_160: Children did not eat whole day - 12 mo</b>   |   |       |            |                       |
|--|---|-------|------------|-----------------------|
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 9  | NOT STATED  | 601   | 429928.4   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># FSCDHF2: Household Food Security Status (HC)</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57572 / 27124101.96 ] [Invalid=5337 / 1754316.41 ]   |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)   |       |            |                       |
| <b>Literal question</b>  | Household Food Security Status (HC)   |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 0  | FOOD SECURE   | 53861 | 25258151.7 | 93.1%                 |
| 1  | MOD. FOOD INSEC.  | 2505  | 1297379.6  | 4.8%                  |
| 2  | SEV. FOOD INSEC.  | 1206  | 568570.7   | 2.1%                  |
| 6  | NOT APPLICABLE  | 3389  | 759757.8   |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1948  | 994558.7   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># FSCDAFS2: Food Security - Adult Status</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=57583 / 27130345.42 ] [Invalid=5326 / 1748072.95 ]   |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)   |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 0  | FOOD SECURE   | 53932 | 25313632.7 | 93.3%                 |
| 1  | MOD. FOOD INSEC.  | 2452  | 1250054.0  | 4.6%                  |
| 2  | SEV. FOOD INSEC.  | 1199  | 566658.7   | 2.1%                  |
| 6  | NOT APPLICABLE  | 3402  | 763658.6   |                       |
| 7  | DON'T KNOW  | 0     | 0.0        |                       |
| 8  | REFUSAL   | 0     | 0.0        |                       |
| 9  | NOT STATED  | 1924  | 984414.3   |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |            |                       |
| <b># FSCDCFS2: Food Security - Child Status</b>  |   |       |            |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 0-2] [Missing=*]  |       |            |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=15860 / 10270260.81 ] [Invalid=47049 / 18608157.56 ]   |       |            |                       |
| <b>Universe</b>  | DOFSC = 1 and (DHH_AGE >15 or PMKProxy = 1)   |       |            |                       |
| <b>Notes</b>   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |       |            |                       |
| Value  | Label   | Cases | Weighted   | Percentage (Weighted) |
| 0  | FOOD SECURE   | 15165 | 9825404.4  | 95.7%                 |

| <b># FSCDCFS2: Food Security - Child Status</b>  |   |              |                 |                              |
|--|---|--------------|-----------------|------------------------------|
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | MOD. FOOD INSEC.  | 631          | 402380.2        | 3.9%                         |
| 2  | SEV. FOOD INSEC.  | 64           | 42476.3         | 0.4%                         |
| 6  | NOT APPLICABLE  | 46429        | 18165315.3      |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 620          | 442842.3        |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># DONEU: Module: NEU - (F)</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=62909 / 28878418.37 ] [Invalid=0 / 0 ]   |              |                 |                              |
| <b>Universe</b>  | All respondents   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 62909        | 28878418.4      | 100.0%                       |
| 2  | NO  | 0            | 0.0             |                              |
| 6  | NOT APPLICABLE  | 0            | 0.0             |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 0            | 0.0             |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># NEUDNCR: Has a neurological condition-sel. resp.</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=60915 / 27861005.46 ] [Invalid=1994 / 1017412.91 ]   |              |                 |                              |
| <b>Universe</b>  | All respondents   |              |                 |                              |
| <b>Notes</b>   | Based on NEU_016, NEU_021, NEU_031, NEU_032, NEU_033, NEU_041, NEU_051, NEU_061, NEU_071, NEU_081, NEU_091, NEU_101, NEU_111, NEU_121, NEU_131, NEU_141, NEU_151, NEU_161, NEU_171, NEU_181. See documentation on derived variables. The Neurological Conditions module was introduced in 2010.                   |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | YES   | 8848         | 3871209.3       | 13.9%                        |
| 2  | NO  | 52067        | 23989796.1      | 86.1%                        |
| 6  | NOT APPLICABLE  | 0            | 0.0             |                              |
| 7  | DON'T KNOW  | 0            | 0.0             |                              |
| 8  | REFUSAL   | 0            | 0.0             |                              |
| 9  | NOT STATED  | 1994         | 1017412.9       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |              |                 |                              |
| <b># NEUDNCH: Presence of neurological cond in hhld</b>  |   |              |                 |                              |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |              |                 |                              |
| <b>Statistics [NW/ W]</b>  | [Valid=60986 / 27897268.69 ] [Invalid=1923 / 981149.68 ]  |              |                 |                              |
| <b>Universe</b>  | All respondents   |              |                 |                              |
| <b>Notes</b>   | Based on NEU_015, NEU_020, NEU_030, NEU_031, NEU_032, NEU_033, NEU_040, NEU_050, NEU_060, NEU_070, NEU_080, NEU_090, NEU_100, NEU_110, NEU_120, NEU_130, NEU_140, NEU_150, NEU_160, NEU_170, NEU_180, DHH_AGE. See documentation on derived variables. The Neurological Conditions module was introduced in 2010. |              |                 |                              |
| <b>Value</b>   | <b>Label</b>  | <b>Cases</b> | <b>Weighted</b> | <b>Percentage (Weighted)</b> |

**# NEUDNCH: Presence of neurological cond in hhld**

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 14712 | 7215758.8  | 25.9%                 |
| 2     | NO             | 46274 | 20681509.8 | 74.1%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1923  | 981149.7   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# NEUDSIR: Has neuro. cond.-spinal inj.-sel. resp.**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-2] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=61096 / 27962731.84 ] [Invalid=1813 / 915686.53 ]  |
| <b>Universe</b>           | All respondents   |
| <b>Notes</b>              | Based on NEU_160, NEU_161. See documentation on derived variables. The Neurological Conditions module was introduced in 2010. |

| Value | Label          | Cases | Weighted   | Percentage (Weighted) |
|-------|----------------|-------|------------|-----------------------|
| 1     | YES            | 356   | 136528.1   | 0.5%                  |
| 2     | NO             | 60740 | 27826203.7 | 99.5%                 |
| 6     | NOT APPLICABLE | 0     | 0.0        |                       |
| 7     | DON'T KNOW     | 0     | 0.0        |                       |
| 8     | REFUSAL        | 0     | 0.0        |                       |
| 9     | NOT STATED     | 1813  | 915686.5   |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# INCG2: Total hhld inc. - main source - (G)**

|                           |  |
|---------------------------|--|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=57357 / 26367827.04 ] [Invalid=5552 / 2510591.33 ]  |
| <b>Universe</b>           | DHH_AGE > 15 or PMKProxy = 1   |
| <b>Notes</b>              | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_2. See documentation on derived variables. |

| Value | Label            | Cases | Weighted   | Percentage (Weighted) |
|-------|------------------|-------|------------|-----------------------|
| 1     | EMPLOYMENT INC.  | 37943 | 20482838.9 | 77.7%                 |
| 2     | EI/WORKER'S COMP | 2405  | 930502.1   | 3.5%                  |
| 3     | SENIOR BENEFITS  | 14860 | 4048416.3  | 15.4%                 |
| 4     | OTHER            | 2149  | 906069.8   | 3.4%                  |
| 6     | NOT APPLICABLE   | 0     | 0.0        |                       |
| 7     | DON'T KNOW       | 0     | 0.0        |                       |
| 8     | REFUSAL          | 0     | 0.0        |                       |
| 9     | NOT STATED       | 5552  | 2510591.3  |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# INCG7: Main source of personal income - (G)**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-4] [Missing=*]  |
| <b>Statistics [NW/ W]</b> | [Valid=35289 / 19505746.74 ] [Invalid=27620 / 9372671.63 ]  |
| <b>Universe</b>           | Respondents who answered INC_3 > 0 and who live in a household of more than one person and(D HH_AGE > 15 or PMKProxy = 1) |

| <b># INCG7: Main source of personal income - (G)</b>   |                   |  |                 |                              |
|--|-------------------|--|-----------------|------------------------------|
| <b>Notes</b>   |                   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INC_7. See documentation on derived variables.   |                 |                              |
| <b>Value</b>   | <b>Label</b>      | <b>Cases</b>   | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | EMPLOYMENT INC.   | 22845  | 13963889.6      | 71.6%                        |
| 2  | EI/WORKER'S COMP  | 1608   | 826595.2        | 4.2%                         |
| 3  | SENIOR BENEFITS   | 7534   | 2808345.5       | 14.4%                        |
| 4  | OTHER             | 3302   | 1906916.4       | 9.8%                         |
| 6  | NOT APPLICABLE    | 20840  | 5776549.8       |                              |
| 7  | DON'T KNOW        | 0  | 0.0             |                              |
| 8  | REFUSAL           | 0  | 0.0             |                              |
| 9  | NOT STATED        | 6780   | 3596121.8       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                   |  |                 |                              |
| <b># INCGHH: Total hhld inc. from all sources - (D,G)</b>  |                   |  |                 |                              |
| <b>Information</b>   |                   | [Type= discrete] [Format=numeric] [Range= 1-5] [Missing=*]   |                 |                              |
| <b>Statistics [NW/ W]</b>  |                   | [Valid=51769 / 23569947.78 ] [Invalid=11140 / 5308470.59 ]   |                 |                              |
| <b>Universe</b>  |                   | DHH_AGE > 15 or PMKProxy = 1   |                 |                              |
| <b>Notes</b>   |                   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDHH. See documentation on derived variables.  |                 |                              |
| <b>Value</b>   | <b>Label</b>      | <b>Cases</b>   | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | NO OR <\$20,000   | 6160   | 2005094.2       | 8.5%                         |
| 2  | \$20,000-\$39,999 | 11161  | 4047671.6       | 17.2%                        |
| 3  | \$40,000-\$59,999 | 9652   | 4109066.8       | 17.4%                        |
| 4  | \$60,000-\$79,999 | 7783   | 3814488.3       | 16.2%                        |
| 5  | \$80,000 OR MORE  | 17013  | 9593626.9       | 40.7%                        |
| 6  | NOT APPLICABLE    | 0  | 0.0             |                              |
| 7  | DON'T KNOW        | 0  | 0.0             |                              |
| 8  | REFUSAL           | 0  | 0.0             |                              |
| 9  | NOT STATED        | 11140  | 5308470.6       |                              |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |                   |  |                 |                              |
| <b># INCGPER: Total pers. inc. from all sources (D,G)</b>  |                   |  |                 |                              |
| <b>Information</b>   |                   | [Type= discrete] [Format=numeric] [Range= 1-6] [Missing=*]   |                 |                              |
| <b>Statistics [NW/ W]</b>  |                   | [Valid=48658 / 22355867.82 ] [Invalid=14251 / 6522550.55 ]   |                 |                              |
| <b>Universe</b>  |                   | Respondents aged 15 and over or PMKProxy = 1   |                 |                              |
| <b>Notes</b>   |                   | Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2). Based on INCDPER. See documentation on derived variables. |                 |                              |
| <b>Value</b>   | <b>Label</b>      | <b>Cases</b>   | <b>Weighted</b> | <b>Percentage (Weighted)</b> |
| 1  | NO INCOME         | 1532   | 914361.1        | 4.1%                         |
| 2  | LESS THAN 20,000  | 14405  | 6011192.7       | 26.9%                        |
| 3  | \$20,000-\$39,999 | 14210  | 6142208.0       | 27.5%                        |
| 4  | \$40,000-\$59,999 | 8806   | 4126377.4       | 18.5%                        |
| 5  | \$60,000-\$79,999 | 4818   | 2491424.2       | 11.1%                        |
| 6  | \$80,000 OR MORE  | 4887   | 2670304.4       | 11.9%                        |
| 96   | NOT APPLICABLE    | 3570   | 1622092.4       |                              |

| <b># INCGPER: Total pers. inc. from all sources (D,G)</b>  |   |       |           |                       |
|--|---|-------|-----------|-----------------------|
| Value  | Label   | Cases | Weighted  | Percentage (Weighted) |
| 97   | DON'T KNOW  | 0     | 0.0       |                       |
| 98   | REFUSAL   | 0     | 0.0       |                       |
| 99   | NOT STATED  | 10681 | 4900458.1 |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |           |                       |
| <b># INCDRCA: Household income distribution - (D)</b>  |   |       |           |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]   |       |           |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=50443 / 23504662.54 ] [Invalid=12466 / 5373755.83 ]  |       |           |                       |
| <b>Universe</b>  | Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)  |       |           |                       |
| <b>Notes</b>   | Based on INCDADR. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2)          |       |           |                       |
| Value  | Label   | Cases | Weighted  | Percentage (Weighted) |
| 1  | DECILE 1  | 4750  | 2348130.8 | 10.0%                 |
| 2  | DECILE 2  | 5817  | 2365823.7 | 10.1%                 |
| 3  | DECILE 3  | 5039  | 2344861.9 | 10.0%                 |
| 4  | DECILE 4  | 5035  | 2399804.8 | 10.2%                 |
| 5  | DECILE 5  | 4826  | 2299746.0 | 9.8%                  |
| 6  | DECILE 6  | 5194  | 2372294.1 | 10.1%                 |
| 7  | DECILE 7  | 5046  | 2360706.6 | 10.0%                 |
| 8  | DECILE 8  | 4783  | 2343178.4 | 10.0%                 |
| 9  | DECILE 9  | 4775  | 2330590.4 | 9.9%                  |
| 10   | DECILE 10   | 5178  | 2339525.9 | 10.0%                 |
| 96   | NOT APPLICABLE  | 1633  | 82100.9   |                       |
| 97   | DON'T KNOW  | 0     | 0.0       |                       |
| 98   | REFUSAL   | 0     | 0.0       |                       |
| 99   | NOT STATED  | 10833 | 5291654.9 |                       |
| <i>Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.</i> |   |       |           |                       |
| <b># INCDRPR: Hhld inc. distribution-prov. level - (D)</b>   |   |       |           |                       |
| <b>Information</b>   | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]   |       |           |                       |
| <b>Statistics [NW/ W]</b>  | [Valid=50443 / 23504662.54 ] [Invalid=12466 / 5373755.83 ]  |       |           |                       |
| <b>Universe</b>  | Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)  |       |           |                       |
| <b>Notes</b>   | Based on INCDADR, GEO_PRV. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |       |           |                       |
| Value  | Label   | Cases | Weighted  | Percentage (Weighted) |
| 1  | DECILE 1  | 5024  | 2367341.2 | 10.1%                 |
| 2  | DECILE 2  | 5737  | 2378303.9 | 10.1%                 |
| 3  | DECILE 3  | 5263  | 2363789.6 | 10.1%                 |
| 4  | DECILE 4  | 4794  | 2335114.1 | 9.9%                  |
| 5  | DECILE 5  | 4895  | 2370007.3 | 10.1%                 |
| 6  | DECILE 6  | 5204  | 2329492.4 | 9.9%                  |
| 7  | DECILE 7  | 5064  | 2390661.6 | 10.2%                 |
| 8  | DECILE 8  | 4609  | 2349312.4 | 10.0%                 |
| 9  | DECILE 9  | 4814  | 2329090.8 | 9.9%                  |

**# INCDRPR: Hhld inc. distribution-prov. level - (D)**

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 10    | DECILE 10      | 5039  | 2291549.2 | 9.7%                  |
| 96    | NOT APPLICABLE | 1633  | 82100.9   |                       |
| 97    | DON'T KNOW     | 0     | 0.0       |                       |
| 98    | REFUSAL        | 0     | 0.0       |                       |
| 99    | NOT STATED     | 10833 | 5291654.9 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# INCDRRS: Hhld inc. distribution- hr level - (D)**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= discrete] [Format=numeric] [Range= 1-10] [Missing=*]   |
| <b>Statistics [NW/ W]</b> | [Valid=43503 / 22438366.5 ] [Invalid=19406 / 6440051.87 ]   |
| <b>Universe</b>           | Respondents with GEO_PRV < 60 and (DHH_AGE > 15 or PMKProxy = 1)  |
| <b>Notes</b>              | Based on INCDADR, GEODHR4. See document on derived variables. Beginning in 2010, the "Not Stated" category includes respondents for whom a person most knowledgeable about the household could not be identified (PMKProxy = 2) |

| Value | Label          | Cases | Weighted  | Percentage (Weighted) |
|-------|----------------|-------|-----------|-----------------------|
| 1     | DECILE 1       | 5314  | 2507440.2 | 11.2%                 |
| 2     | DECILE 2       | 4838  | 2256719.2 | 10.1%                 |
| 3     | DECILE 3       | 4518  | 2244919.3 | 10.0%                 |
| 4     | DECILE 4       | 4371  | 2293558.9 | 10.2%                 |
| 5     | DECILE 5       | 4131  | 2240007.9 | 10.0%                 |
| 6     | DECILE 6       | 4217  | 2258936.1 | 10.1%                 |
| 7     | DECILE 7       | 4189  | 2257080.5 | 10.1%                 |
| 8     | DECILE 8       | 3903  | 2231999.4 | 9.9%                  |
| 9     | DECILE 9       | 3884  | 2173890.0 | 9.7%                  |
| 10    | DECILE 10      | 4138  | 1973814.9 | 8.8%                  |
| 96    | NOT APPLICABLE | 1633  | 82100.9   |                       |
| 97    | DON'T KNOW     | 0     | 0.0       |                       |
| 98    | REFUSAL        | 0     | 0.0       |                       |
| 99    | NOT STATED     | 17773 | 6357950.9 |                       |

*Warning: these figures indicate the number of cases found in the data file. They cannot be interpreted as summary statistics of the population of interest.*

**# WTS\_M: Weights - Master**

|                           |   |
|---------------------------|---|
| <b>Information</b>        | [Type= continuous] [Format=numeric] [Range= 2.85-9649.25] [Missing=*] |
| <b>Statistics [NW/ W]</b> | [Valid=62909 /-] [Invalid=0 /-] [Mean=459.051 /-] [StdDev=725.051 /-] |
| <b>Universe</b>           | All respondents   |